

<b>OTIS</b>  <b>Engineering Center Berlin</b>	<b>Contract Parameters GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303</b> <b>Unit No. : 45SFOH56</b>	Page: 1 / 67 Date: 2022-07-27 SCN: GP230782GAK

Board Version : GAA26800LJ (GECB-EN) or higher  
Software Version : GP230782GAK  
EEPROM Base : GAA30784AAA

<b>Hoist way Arrangement</b> Opening: RSL Addr - Plug			
Level	Front	Rear	Position Indicator
31			
30			
29			
28			
27			
26			
25			
24			
23			
21			
22			
20			
19			
18			
17			
16			
15			
14			
13			
12			
11			
10			
9			
8			
7			
6			
5			
4			
3			
2 TOP	2: 23-X		2
1	1: 22-X		1
0 BOT,LBY	0: 21-X		0

<b>OTIS</b>  Engineering Center Berlin	<b>Contract Parameters</b> <b>GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303</b> <b>Unit No. : 45SFOH56</b>	Page: 2 / 67 Date: 2022-07-27 SCN: GP230782GAK

<b>Hoist way Arrangement</b> Opening: RSL Addr – Plug			
<b>Level</b>	<b>Front</b>	<b>Rear</b>	<b>Position Indicator</b>
65			
64			
63			
62			
61			
60			
59			
58			
57			
56			
55			
54			
53			
52			
51			
50			
49			
48			
47			
46			
45			
44			
43			
42			
41			
40			
39			
38			
37			
36			
35			
34			
33			
32			

<b>OTIS</b>  Engineering Center Berlin	<b>Contract Parameters</b> <b>GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303</b> <b>Unit No. : 45SFOH56</b>	Page: 3 / 67 Date: 2022-07-27 SCN: GP230782GAK

<b>Hoist way Arrangement</b>			
Opening: RSL Addr – Plug			
Level	Front	Rear	Position Indicator
99			
98			
97			
96			
95			
94			
93			
92			
91			
90			
89			
88			
87			
86			
85			
84			
83			
82			
81			
80			
79			
78			
77			
76			
75			
74			
73			
72			
71			
70			
69			
68			
67			
66			

<b>OTIS</b>  Engineering Center Berlin	<b>Contract Parameters</b> <b>GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303</b> <b>Unit No. : 45SFOH56</b>	Page: 4 / 67 Date: 2022-07-27 SCN: GP230782GAK

## 1. SYSTEM Parameters

No	SVT Display	Units	Range	Actual	Rev1	Rev2	Remark
0	TOP		1-99	2			
1	LOBBY		0-99	0			
2	BOTTOM		0-98	0			
3	CFT-P		0-255	255			
4	OPERAT		0-6	1			
5	EN-BSM		0-1	0			
6	PI		0-7	4			
7	PI-POS		0-3	0			
8	PI-DIR		0-1	0			
9	PI-CTTL		0-1	0			
10	PI-OPT		0-15	0			
11	CPI-JWL1		0-9	0			
12	CPI-JWL2		0-9	0			
13	CPI-JWL3		0-9	0			
14	CPI-JWL4		0-9	0			
15	HPI		0-7	4			
16	HPI-POS		0-2	0			
17	HPI-OPT		0-15	0			
18	HPI-JWL1		0-9	0			
19	HPI-JWL2		0-9	0			
20	HPI-JWL3		0-9	0			
21	HPI-JWL4		0-9	0			
22	HPI-DEDL		0-42	0			
23	HPI-DEDR		0-42	0			
24	GPI		0-7	4			
25	GPI-POS		0-2	0			
26	GPI-OPT		0-15	0			
27	ELD-fOPG		0-100	20			
28	ELD-fCLG		0-100	20			
29	ELD-rOPG		0-100	20			
30	ELD-rCLG		0-100	20			
31	ELD-LNG		0-27	5			
32	ELD-Sym1		0-1	0			
33	ELD-DOOR		0-1	0			
34	ELD-MSG		0-1	0			
35	EN-SFR		0-15	0			
36	LR-T	1s/1min	0-255	20			
37	LR-MODE		0-3	2			
38	CLR-RUN		0-1	0			
39	CLM-T	1s	0-255	10			
40	FAN-TYP		0-4	0			
41	FAN-T	1s	0-255	60			
42	EN-HLC		0-15	0			
43	HDL-TYP		0-1	0			
44	HDL-LINK		0-1	0			
45	HL-SET		0-5	0			
46	BzGong-T		0-20	0			
47	CR-DIR		0-1	0			
48	CR-DO		0-3	0			
49	CR-OPT		0-31	0			
50	DZCNT		0-1	1			
51	EN-DZI		0-1	0			
52	MD/AES		0-2	0			
53	CA-MOD		0-1	0			

<b>OTIS</b>  <b>Engineering Center Berlin</b>	<b>Contract Parameters GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303 Unit No. : 45SFOH56</b>	Page: 5 / 67 Date: 2022-07-27 SCN: GP230782GAK

## 1. SYSTEM Parameters

No	SVT Display	Units	Range	Actual	Rev1	Rev2	Remark
54	C-CHK		0-1	0			
55	ERO-TYP		0-1	0			
56	REM-TYP		0-12	6			
57	REM-ID		1-12	1			
58	REM-SSM		0-2	0			
59	REM-PORT		0-2	0			
60	DIS-ALBD		0-1	0			
61	EN-PD		0-1	0			
62	PD-INMSK		0-1	0			
63	PD-SENS		0-1	0			
64	NMS-TYP		0-3	0			
65	CPC-TYP		0-3	0			
66	DFCR-DEL	1s	0-255	10			
67	LW-TYP		0-255	1			
68	PX2.1		0-6	0			
69	PX2.2		0-1	0			
70	TRIC-TYP		0-1	0			
71	HWY-TYP		0-48	0			
72	DBL-OPT		0-5	0			
73	UCM-TYP		0-4	0			
74	BAT-CHRG		0-1	0			
75	EN-OARO		0-36	0			
76	ARO-OPT		0-3	0			
77	DIS-ARO		0-1	0			
78	ARO-D		0-240	0			
79	ARO-TYP		0-1	0			
80	DIS-CAN		0-3	2			
81	EN-SO		0-1	0			
82	BatRun-T	10 min	1-255	12			
83	BatLife	months	0-255	36			
84	COP-COPY		0-1	0			
85	LVA-TYP		0-4	0			
86	BCB-EXT		0-1	0			
87	EN-CARIO		0-255	0			
88	CARIO-T		0-255	0			
89	EN-ACCB		0-1	0			
90	EN-DIM	percent	0-100	0			Spain only
91	HOMELIFT		0-3	0			Gen2Home
92	GNC-TYP		0-1	0			
93	EN-SMT-D		0-1	0			
94	EN-1THLK		0-1	0			
95	BatRestT		0-255	0			Gen2Home
96	CSB-RUNS		0-255	0			Gen2Home
97	UPS-INCR		0-5	0			Gen2Home
98	UPS-DECR		0-10	0			Gen2Home
99	UPS-RUNS		0-20	0			Gen2Home
100	INI-T		0-45	0			

<b>OTIS</b>  Engineering Center Berlin	<b>Contract Parameters</b> <b>GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303</b> <b>Unit No. : 45SFOH56</b>	Page: 6 / 67 Date: 2022-07-27 SCN: GP230782GAK

## 2. OCSS Parameters

No	SVT Display	Units	Range	Actual	Rev1	Rev2	Remark
0	CPR-T	100ms	0-255	20			
1	ARD-P		0-255	255			
2	ARD-T	10s	0-255	0			
3	ARBL-T	10s	0-255	0			
4	ARBL-PRK		0-1	0			
5	PKS-P		0-255	255			
6	PKS-TYP		0-2	0			
7	PKS-T	1s	0-255	0			
8	PKS-DO	1s	0-2	0			
9	PKS-OPT		0-1	0			
10	EN-SHB		0-1	0			
11	EN-EXT		0-1	0			
12	DCP-T	1s	25-255	50			
13	CTL-DO		0-2	0			
14	CTL-P		0-255	255			
15	CTL-TYP		0-1	0			
16	ANS		0-255	0			
17	OLD-TYP		0-1	0			
18	ANS(kg)	1kg	30-250	100			
19	PEAK(%)	1%	30-70	50			lower than LNS(%)!
20	LNS(%)	1%	50-95	80			higher than PEAK(%)!
21	OLD(%)	1%	100-110	110			
22	ATT		0-2	0			
23	ISC		0-4	0			
24	ISPS-TYP		0-1	0			
25	ISC-T	1s	0-30	0			
26	SPEECH		0-1	0			
27	CPMT-D	100ms	0-255	0			
28	DCMT-A	100ms	0-255	0			
29	DOMT-O		0-1	0			
30	HANDIC-D	1s	0-15	0			
31	HANDIC-R	1s	3-15	3			
32	GW-VOI-D		0-255	0			
33	DOC		0-255	0			
34	DS-CCB		0-2	0			
35	DS-DOB		0-7	0			
36	EN-RB		0-15	0			
37	DHB-TYP		0-15	0			
38	FIX-PRK		0-8	0			
39	FIX-MASK		0-255	255			
40	PRK-TYP		0-1	0			
41	PRK-OPT		0-63	0			
42	PRK-NT1		0-255	12			
43	PRK-NT2		0-255	3			
44	PRKdefVD		0-60	5			
45	PARK-1		0-255	255			
46	PARK-1 T		0-255	255			
47	PARK-2		0-255	255			
48	PARK-2 T		0-255	255			
49	PARK-3		0-255	255			
50	PARK-3 T		0-255	255			
51	PARK-4		0-255	255			
52	PARK-4 T		0-255	255			
53	PARK-5		0-255	255			

<b>OTIS</b>  Engineering Center Berlin	<b>Contract Parameters</b> <b>GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303</b> <b>Unit No. : 45SFOH56</b>	Page: 7 / 67 Date: 2022-07-27 SCN: GP230782GAK

## 2. OCSS Parameters

No	SVT Display	Units	Range	Actual	Rev1	Rev2	Remark
54	PARK-5 T		0-255	255			
55	PARK-6		0-255	255			
56	PARK-6 T		0-255	255			
57	PARK-7		0-255	255			
58	PARK-7 T		0-255	255			
59	PARK-8		0-255	255			
60	PARK-8 T		0-255	255			
61	CBP-POS		0-255	255			
62	CBP-DO		0-2	0			
63	SHO-POS		0-255	0			
64	SHO-PI		0-1	0			
65	SHO/WCO		0-1	0			
66	EN-HCC		0-2	0			
67	HBD0B-T	sec	10-255	10			
68	INL-TYP		0-1	0			
69	NSL-TYP		0-1	0			
70	INSL-TYP		0-1	0			
71	CB-EXT		0-2	0			
72	EN-CFS		0-1	0			
73	EN-JIS		0-4	0			
74	RGEN-TYP		0-2	1			
75	RGEN-LVL		0-100	1			
76	EN-BTI		0-1	0			
77	BTI-P		0-255	1			
78	CAR-DIR		0-2	0			
79	ESO-OP		0-1	0			
80	CARD-SWP		3-20	3			
81	HANN-NBR		0-4	0			
82	HANN-FLR		0-100	0			
83	HANN-BLK		0-1	0			
84	HANN-FL1		0-255	0			
85	HANN-FL2		0-255	0			
86	HANN-FL3		0-255	0			
87	HANN-FL4		0-255	0			
88	EN-NEFI		0-1	0			
89	CNTY-TYP		0-1	0			
90	PRKXDZ-T		0-40	0			
91	ALH-TYP		0-2	0			
92	EN-EVAC		0-2	0			
93	EN-FD		0-1	0			
94	FD-TOP		0-100	0			
95	FdRdy-D		60-200	75			
96	FdStChgT		10-250	10			
97	FdMaxOcT		10-250	10			
98	FdTempWt		10-250	10			
99	FdPwrSvT		30-120	30			
100	FD-LWkg+		0-90	0			
101	FD-LWkg-		0-90	0			

<b>OTIS</b>  Engineering Center Berlin	<b>Contract Parameters</b> <b>GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303</b> <b>Unit No. : 45SFOH56</b>	Page: 8 / 67 Date: 2022-07-27 SCN: GP230782GAK

### 3. Group Parameters

No	SVT Display	Units	Range	Actual	Rev1	Rev2	Remark
0	GRP-NO		1-12	1			
1	GROUP		1-12	1			
2	GRP-ID		1-2	1			For eCall only
3	EN-JICA		0-1	0			
4	CNL		0-8	1			
5	CNL-MIN		0-8	1			
6	LOB-D		0-1	0			
7	PRK-T	1s	0-255	0			
8	PRK-SEC		0-1	0			
9	PRK-INT	1min	0-255	0			
10	RSR-RSP		0-8	0			
11	HC-PASS		0-1	0			
12	MIT-TYP		0-2	0			
13	MIT-ST	1s	0-255	0			
14	MIT-T	1s	0-255	0			
15	MIT-LD	1%	0-127	70			
16	MITdefVD		0-60	5			
17	MITminVD	1s	7-60	7			
18	MITmaxVD	1s	7-60	30			
19	MIT-DOOR		0-2	0			
20	MIT-NT		0-255	36			
21	MIT-DIR		0-2	1			
22	MIT-NLB		0-15	0			
23	DUPK-P		0-255	255			
24	DUPK-G_L		0-255	0			
25	DUPK-G_H		0-15	0			
26	DUPK-CP		0-255	255			
27	DUPK-OPT		0-1	0			
28	MOT-TYP		0-2	0			
29	MOT-OPT		0-1	0			
30	MOT-T	1s	0-255	0			
31	MOT-LD		0-4	4			
32	EN-UCB		0-1	0			
33	TFS-P		0-255	255			
34	EN-ZBS		0-1	0			
35	MIN-ZBS		0-8	0			
36	ELZ-POS		0-255	0			
37	SEL-COMP		0-4	0			
38	RNG-BAUD		0-1	0			
39	L-PARK		0-1	0			
40	PRKDST		0-99	0			
41	EN-GSS		0-2	0			
42	MG-DEL	1s	0-255	0			
43	DEST-DE		0-111	0			
44	GCB-EN		0-8	0			
45	CMPS-LNS		0-1	0			
46	DEK-TYP		0-1	0			
47	EN-ECALL		0-1	0			
48	HBP-POS		0-255	255			
49	HBP-DO		0-2	0			
50	ADF-POS1		0-255	255			
51	ADF-POS2		0-255	255			
52	ADF-POS3		0-255	255			
53	SGO-M1_L		0-255	0			

<b>OTIS</b>  Engineering Center Berlin	<b>Contract Parameters</b> <b>GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303</b> <b>Unit No. : 45SFOH56</b>	Page: 9 / 67 Date: 2022-07-27 SCN: GP230782GAK

### 3. Group Parameters

No	SVT Display	Units	Range	Actual	Rev1	Rev2	Remark
54	SGO-M1_H		0-15	0			
55	SGO-M2_L		0-255	0			
56	SGO-M2_H		0-15	0			
57	SGO-M3_L		0-255	0			
58	SGO-M3_H		0-15	0			
59	SGO-M4_L		0-255	0			
60	SGO-M4_H		0-15	0			
61	SGO-M5_L		0-255	0			
62	SGO-M5_H		0-15	0			
63	SGO-M6_L		0-255	0			
64	SGO-M6_H		0-15	0			
65	SGO-M7_L		0-255	0			
66	SGO-M7_H		0-15	0			
67	A09-ROLE		0-15	1			
68	A10-ROLE		0-15	1			
69	A11-ROLE		0-15	1			
70	A12-ROLE		0-15	1			
71	A13-ROLE		0-15	12			
72	A14-ROLE		0-15	12			
73	A15-ROLE		0-15	10			

<b>OTIS</b>  Engineering Center Berlin	<b>Contract Parameters</b> <b>GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303</b> <b>Unit No. : 45SFOH56</b>	Page: 10 / 67 Date: 2022-07-27 SCN: GP230782GAK

#### 4. DRIVE Parameters

No	SVT Display	Units	Range	Actual	Rev1	Rev2	Remark
0	DRV-TYP		0-201	1			
1	EN-ADO		0-1	0			
2	EN-ABL		0-1	0			
3	SPEED	cm/s	0-255	63			100,160,175,250
4	SPEEDx10		0-1	0			
5	DUTY-HI		0-99	6			
6	DUTY-LOW		0-99	30			
7	PDR-D	1min	0-42	0			
8	P-ON-D	sec.	8-20	10			
9	BRK-TYP		0-255	1			
10	6LS-TYP		0-1	0			
11	SLIP-DET		0-1	0			
12	C-TYPE		0-3	2			
13	1AT	100ms	0-255	5			
14	2AT	100ms	0-255	5			
15	DDP	sec.	0-45	32			
16	EN-DDP		0-1	0			
17	3P	sec.	0-45	32			
18	EN-MPD		0-3	2			
19	MPD-T	sec.	0-255	10			
20	HY-TYP		0-3	0			
21	L-T	sec.	0-255	10			
22	UX-D	4ms	15-255	20			
23	UXT-D	100ms	0-10	0			
24	EN-PLS		0-1	0			
25	EN-OTS		0-3	0			
26	EN-1CL		0-1	0			
27	ACD/UXT		0-3	0			
28	EN-J		0-3	0			
29	J-T	# periods	5-150	5			
30	EN-BCD		0-1	0			
31	BON-D	100ms	0-100	15			
32	BFLT-T	100ms	0-100	30			
33	BOFF-D		0-100	5			

<b>OTIS</b>  Engineering Center Berlin	<b>Contract Parameters</b> <b>GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303</b> <b>Unit No. : 45SFOH56</b>	Page: 11 / 67 Date: 2022-07-27 SCN: GP230782GAK

## 5. DOORS Parameters

No	SVT Display	Units	Range	Actual	Rev1	Rev2	Remark
0	DOOR		0-15	13			
1	REAR		0-15	13			
2	EN-DDO		0-2	0			
3	EN-ADM		0-6	0			
4	DOOR-PWR		0-3	0			
5	F:DO-TYP		0-11	0			
6	F:DC-TYP		0-11	0			
7	F:EN-ACG		0-1	0			
8	F:EN-DCL		0-2	0			
9	F:DOL-D		0-255	0			
10	R:DO-TYP		0-11	0			
11	R:DC-TYP		0-11	0			
12	R:EN-ACG		0-1	0			
13	R:EN-DCL		0-2	0			
14	R:DOL-D		0-255	0			
15	CM-TYP		0-21	0			
16	CM-PROT	10s	0-255	0			
17	DO-D		0-255	0			
18	CM-D		0-255	0			
19	CM-OP-D		0-255	0			
20	TRO-TYP		0-3	0			
21	SEL-CMR		0-1	0			
22	CMR-ES		0-1	0			
23	TCI-TYP		0-1	0			
24	LDR		0-1	0			
25	EN-PMO		0-1	0			
26	EN-NDG		0-1	1			
27	NDG-T	1s	10-255	20			
28	EN-CK	1s	0-6	0			
29	DW-DLY	100ms	0-255	10			
30	TLD-DW-D	100ms	0-20	0			
31	DO-BEL	100ms	0-255	0			
32	MIN-C	100ms	3-255	20			
33	MAX-C	100ms	0-255	40			
34	MIN-H	100ms	3-255	40			
35	MAX-H	100ms	0-255	60			
36	EXT-C	100ms	0-255	80			
37	EXT-H	1s	0-255	30			
38	DOR-T	4ms	20-255	20			
39	RDOR-T	4ms	20-255	20			
40	DTC-T	1s	10-255	20			
41	DTO-T	1s	10-255	20			
42	CR-CHK-T	100 ms	0-20	8			
43	LOB-NT	100ms	0-255	40			
44	CFT-NT	100ms	0-255	40			
45	SPB-NT	100ms	0-255	0			
46	DHB-T	1s	0-255	120			
47	WCO-T	100ms	0-255	0			
48	SHO-T	100ms	0-255	0			
49	SHO-LT		0-255	0			Door Time = SHO-T + (SHO-LT * SHO-T)
50	DAR-T	1s	5-255	60			
51	DXT-T	100ms	0-255	0			

<b>OTIS</b>  Engineering Center Berlin	<b>Contract Parameters</b> <b>GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303</b> <b>Unit No. : 45SFOH56</b>	Page: 12 / 67 Date: 2022-07-27 SCN: GP230782GAK

5. DOORS Parameters

No	SVT Display	Units	Range	Actual	Rev1	Rev2	Remark
52	DCB-TYP		0-2	1			
53	EN-CGS		0-2	0			
54	DCB-EXT		0-1	0			
55	DHB_TK-T		0-255	0			
56	DS-TKBUZ		0-1	0			
57	OPEN-TYP		0-1	0			
58	EVAC-T		5-255	5			
59	DSTOP-T		0-15	0			
60	EN-M.CDL		0-1	0			
61	DLM-TYP		0-1	0			

<b>OTIS</b>  Engineering Center Berlin	<b>Contract Parameters</b> <b>GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303</b> <b>Unit No. : 45SFOH56</b>	Page: 13 / 67 Date: 2022-07-27 SCN: GP230782GAK

## 6. POS.REF Parameters

No	SVT Display	Units	Range	Actual	Rev1	Rev2	Remark
0	DZ-TYP		0-4	0			
1	EN-RLV		0-1	0			
2	EN-PRBB		0-1	0			
3	LV-ON-D	0.25 msec	1-255	10			
4	LV-OFF-D	0.25 msec	1-255	42			
5	LV-MOD		0-4	2			
6	PRS-TYP		0-1	0			
7	DZ-DLY	4ms	0-255	0			
8	LV-U-D	4ms	0-255	12			
9	LV-D-D	4ms	0-255	12			
10	T-BASE		0-3	0			
11	IPU-D	4ms	0-255	0			
12	IPD-D	4ms	0-255	0			
13	1LS-D	4ms/100ms	0-255	0			
14	2LS-D	4ms/100ms	0-255	0			
15	RLV-TYP		0-1	0			
16	RL-CNT		0-255	3			
17	RL-SHD		3-20	5			
18	RL-DIS	100ms	0-255	255			
19	RL-UIS	4ms/100ms	0-255	255			
20	RL-U-D	4ms	0-255	0			
21	RL-D-D	4ms	0-255	0			
22	ACD-OPT		0-15	0			
23	ABR-EBR		0-3	0			
24	BI-T	100ms	0-255	0			
25	BO-T	100ms	0-255	0			
26	MVD-T	100ms	0-255	0			
27	VMDX-Pin		0-2	0			
28	UIS-Stop		0-1	0			
29	REL-T	100ms	0-255	0			
30	DZ-CHK		0-1	0			

<b>OTIS</b>  Engineering Center Berlin	<b>Contract Parameters</b> <b>GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303</b> <b>Unit No. : 45SFOH56</b>	Page: 14 / 67 Date: 2022-07-27 SCN: GP230782GAK

## 7. SERVICE Parameters

No	SVT Display	Units	Range	Actual	Rev1	Rev2	Remark
0	SPB-TYP		0-255	0			
1	MRO-DIR		0-1	0			
2	EN-R-Enc		0-1	0			
3	Encoder	1mm	10-15	10			
4	SDI-Max	0.01 m/s	2-60	30			
5	SDI-Dir		0-1	0			
6	BRE-Max	0.01 m/s	1-12	1			
7	BRE-TOUT	0.04 ms	0-100	0			
8	SPB-Temp	1 DegC	30-70	69			
9	PSP-POS		0-210	100			

<b>OTIS</b>  Engineering Center Berlin	<b>Contract Parameters</b> <b>GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303</b> <b>Unit No. : 45SFOH56</b>	Page: 15 / 67 Date: 2022-07-27 SCN: GP230782GAK

## 8. EMERG. Parameters

No	SVT Display	Units	Range	Actual	Rev1	Rev2	Remark
0	ES-TYP		0-2	0			
1	ES-LRCU	100ms	0-255	0			
2	ES-SLOW		0-1	0			
3	EFO-P		0-255	0			
4	EFO-NC		0-1	0			
5	EFO-DC		0-255	0			
6	EFO-DO		0-2	0			
7	EFO-OP		0-3	0			
8	EFONDG		0-1	0			
9	EFO-REV		0-2	0			
10	EFO-MP		0-7	0			
11	EFO-MP-T	1s	0-60	0			
12	EFO-SD		0-4	0			
13	EFO-BUZ		0-120	0			
14	EFO-DCMD		0-2	0			
15	ASL-P		0-255	255			
16	ASL-DO		0-2	0			
17	ASL2-P		0-255	255			
18	EFS-TYP		0-12	1			
19	EFS-DO		0-2	0			
20	EFSINI		0-31	0			
21	EFS-CALL		0-3	0			
22	EFSCLD		0-63	0			
23	EFSDPD		0-15	0			
24	EFS-EX		0-3	0			
25	EFS-RT		0-255	0			
26	EFS-RC		0-255	0			
27	EFS-PI		0-1	0			
28	EF-I-LT		0-15	0			
29	EN-BAK		0-2	1			
30	HDWPOS		0-3	3			
31	EPO-P		0-255	255			
32	EPO-DC		0-255	0			
33	EPO-DO		0-2	0			
34	EPO-PR		0-1	0			
35	EPS-TYP		0-142	0			
36	EHS-T	1s	10-255	10			
37	VIP-DEPR		0-3	0			
38	VIP-T	1s	10-255	10			
39	EMT-TYP		0-153	0			
40	EMT-T	1s	10-255	10			
41	EN-EOSBZ		0-1	0			
42	EQO		0-3	0			
43	Mid Pos		0-255	255			
44	EQO-NT		0-255	15			
45	EQO-DO		0-2	0			
46	EEQF-TYP		0-2	0			
47	EEQF-T		0-255	0			
48	EN-EQAR		0-1	0			
49	EQAR-NT		1-255	10			
50	EQAR-O		0-255	3			
51	EN-EQOR		0-1	0			
52	EZ1_BOT		0-255	255			
53	EZ1_TOP		0-1	255			

<b>OTIS</b>  Engineering Center Berlin	<b>Contract Parameters</b> <b>GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303</b> <b>Unit No. : 45SFOH56</b>	Page: 16 / 67 Date: 2022-07-27 SCN: GP230782GAK

8. EMERG. Parameters

No	SVT Display	Units	Range	Actual	Rev1	Rev2	Remark
54	EZ1-UPST		0-255	255			
55	EZ1-DNST		0-255	255			
56	EN-AMEZ1		0-1	0			
57	BSS-TYP		0-1	0			
58	BSS-FIX		0-2	0			
59	BSS-BUZ		0-255	20			
60	BSS-NT1		0-255	15			
61	BSS-DOOR		0-2	0			
62	BSS-LCH1		0-255	5			
63	BSS-LCH2		0-255	5			
64	BSS-LCH3		0-255	5			

<b>OTIS</b>  Engineering Center Berlin	<b>Contract Parameters</b> <b>GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303</b> <b>Unit No. : 45SFOH56</b>	Page: 17 / 67 Date: 2022-07-27 SCN: GP230782GAK

## 9. SECURITY Parameters

No	SVT Display	Units	Range	Actual	Rev1	Rev2	Remark
0	EN-FPD		0-2	0			
1	FPD-RUN		0-3	0			
2	FPD-LINK		0-2	0			
3	EN-IST		0-7	0			
4	IST-P		0-255	255			
5	EN-CRO		0-7	0			
6	CRO-TTL		0-1	0			
7	EN-HCRO		0-7	0			
8	CCR-OP		0-1	0			
9	SEC-LINK		0-1	0			
10	EXT-SEC		0-3	0			
11	EMS-SEC		0-7	0			
12	GCBTYP		0-2	0			
13	RIOT-P		0-255	255			
14	RIOT-DO		0-2	0			
15	SACTYP		0-7	0			
16	SAC-D1		0-6	0			
17	SAC-D2		0-6	0			
18	SAC-D3		0-6	0			
19	RSC-SEC		0-1	0			
20	BLC-TYP		0-4	0			
21	BLC-T	s	10-255	180			
22	BLC-DCB		0-1	0			
23	ECB-TYP		0-1	0			
24	PET-TYP		0-4	0			
25	PET-NT		0-25	0			
26	PET-FANT		0-255	0			

<b>OTIS</b>  <b>Engineering Center Berlin</b>	<b>Contract Parameters GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303 Unit No. : 45SFOH56</b>	Page: 18 / 67 Date: 2022-07-27 SCN: GP230782GAK

# 10. TEST Parameters

No	SVT Display	Units	Range	Actual	Rev1	Rev2	Remark
0	TPOS 1		0-255	255			
1	TPOS 2		0-255	255			
2	TDELAY	1s	0-255	255			
3	TDEL-TIM		0-2	0			
4	TPOS-TYP		0-1	0			
5	DEBUG		0-255	0			
6	DEBUG1		0-255	0			
7	DBG-MSG		0-255	0			
8	DBG-MSG2		0-255	0			
9	DBG-PRNT		0-255	0			
10	DBG-PRN2		0-255	0			
11	DBG-PORT		0-2	0			
12	TEST1		0-255	0			
13	TEST2		0-255	0			
14	TEST3		0-255	0			
15	EN-CRT		0-100	0			
16	DISP-ALL		0-1	0			
17	MON-RATE		1-10	1			
18	DBG-MSK0		0-255	0			
19	DBG-MSK1		0-255	0			
20	DBG-MSK2		0-255	0			
21	DBG-MSK3		0-255	0			
22	DBG-MSK4		0-255	0			
23	DBG-MSK5		0-255	0			
24	DBG-MSK6		0-255	0			
25	DBG-MSK7		0-255	0			
26	DBG-SOC		0-255	0			
27	DBG-REI		0-255	0			
28	MON-FUNC		0-8	0			
29	TST-FUNC		0-2	0			
30	OD-TYP		0-1	0			

<b>OTIS</b>  Engineering Center Berlin	<b>Contract Parameters</b> <b>GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303</b> <b>Unit No. : 45SFOH56</b>	Page: 19 / 67 Date: 2022-07-27 SCN: GP230782GAK

## 11. TIME Parameters

No	SVT Display	Units	Range	Actual	Rev1	Rev2	Remark
0	SUMtmMTH		0-12	0			
1	SUMtmSUN		0-4	0			
2	WINtmMTH		0-12	0			
3	WINtmSUN		0-4	0			
4	NNR-SHR		0-23	0			
5	NNR-SMI		0-59	0			
6	NNR-EHR		0-23	0			
7	NNR-EMI		0-59	0			
8	TFA1-OP		0-23	0			
9	TFA1-TYP		0-4	0			
10	TFA1-SHR		0-23	0			
11	TFA1-SMI		0-59	0			
12	TFA1-EHR		0-23	0			
13	TFA1-EMI		0-59	0			
14	TFA1-WEK		0-127	0			
15	TFA1DofM		0-28	0			
16	TFA2-OP		0-23	0			
17	TFA2-TYP		0-4	0			
18	TFA2-SHR		0-23	0			
19	TFA2-SMI		0-59	0			
20	TFA2-EHR		0-23	0			
21	TFA2-EMI		0-59	0			
22	TFA2-WEK		0-127	0			
23	TFA2DofM		0-28	0			
24	TFA3-OP		0-23	0			
25	TFA3-TYP		0-4	0			
26	TFA3-SHR		0-23	0			
27	TFA3-SMI		0-59	0			
28	TFA3-EHR		0-23	0			
29	TFA3-EMI		0-59	0			
30	TFA3-WEK		0-127	0			
31	TFA3DofM		0-28	0			
32	TFA4-OP		0-23	0			
33	TFA4-TYP		0-4	0			
34	TFA4-SHR		0-23	0			
35	TFA4-SMI		0-59	0			
36	TFA4-EHR		0-23	0			
37	TFA4-EMI		0-59	0			
38	TFA4-WEK		0-127	0			
39	FTA4DofM		0-28	0			
40	TFA5-OP		0-23	0			
41	TFA5-TYP		0-4	0			
42	TFA5-SHR		0-23	0			
43	TFA5-SMI		0-59	0			
44	TFA5-EHR		0-23	0			
45	TFA5-EMI		0-59	0			
46	TFA5-WEK		0-127	0			
47	FTA5DofM		0-28	0			
48	RSL1-HI		0-60	0			

<b>OTIS</b>  Engineering Center Berlin	<b>Contract Parameters</b> <b>GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303</b> <b>Unit No. : 45SFOH56</b>	Page: 20 / 67 Date: 2022-07-27 SCN: GP230782GAK

## 11. TIME Parameters

No	SVT Display	Units	Range	Actual	Rev1	Rev2	Remark
49	RSL1-LO		0-99	0			
50	RSL1-SHR		0-23	0			
51	RSL1-SMI		0-59	0			
52	RSL1-SWE		0-127	0			
53	RSL1-EHR		0-23	0			
54	RSL1-EMI		0-59	0			
55	RSL1-EWE		0-127	0			
56	RSL2-HI		0-60	0			
57	RSL2-LO		0-99	0			
58	RSL2-SHR		0-23	0			
59	RSL2-SMI		0-59	0			
60	RSL2-SWE		0-127	0			
61	RSL2-EHR		0-23	0			
62	RSL2-EMI		0-59	0			
63	RSL2-EWE		0-127	0			
64	RSL3-HI		0-60	0			
65	RSL3-LO		0-99	0			
66	RSL3-SHR		0-23	0			
67	RSL3-SMI		0-59	0			
68	RSL3-SWE		0-127	0			
69	RSL3-EHR		0-23	0			
70	RSL3-EMI		0-59	0			
71	RSL3-EWE		0-127	0			
72	RSL4-HI		0-60	0			
73	RSL4-LO		0-99	0			
74	RSL4-SHR		0-23	0			
75	RSL4-SMI		0-59	0			
76	RSL4-SWE		0-127	0			
77	RSL4-EHR		0-23	0			
78	RSL4-EMI		0-59	0			
79	RSL4-EWE		0-127	0			
80	RSL5-HI		0-60	0			
81	RSL5-LO		0-99	0			
82	RSL5-SHR		0-23	0			
83	RSL5-SMI		0-59	0			
84	RSL5-SWE		0-127	0			
85	RSL5-EHR		0-23	0			
86	RSL5-EMI		0-59	0			
87	RSL5-EWE		0-127	0			
88	RSL6-HI		0-60	0			
89	RSL6-LO		0-99	0			
90	RSL6-SHR		0-23	0			
91	RSL6-SMI		0-59	0			
92	RSL6-SWE		0-127	0			
93	RSL6-EHR		0-23	0			
94	RSL6-EMI		0-59	0			
95	RSL6-EWE		0-127	0			
96	RSL7-HI		0-60	0			
97	RSL7-LO		0-99	0			
98	RSL7-SHR		0-23	0			

<b>OTIS</b>  Engineering Center Berlin	<b>Contract Parameters</b> <b>GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303</b> <b>Unit No. : 45SFOH56</b>	Page: 21 / 67 Date: 2022-07-27 SCN: GP230782GAK

## 11. TIME Parameters

No	SVT Display	Units	Range	Actual	Rev1	Rev2	Remark
99	RSL7-SMI		0-59	0			
100	RSL7-SWE		0-127	0			
101	RSL7-EHR		0-23	0			
102	RSL7-EMI		0-59	0			
103	RSL7-EWE		0-127	0			
104	RSL8-HI		0-60	0			
105	RSL8-LO		0-99	0			
106	RSL8-SHR		0-23	0			
107	RSL8-SMI		0-59	0			
108	RSL8-SWE		0-127	0			
109	RSL8-EHR		0-23	0			
110	RSL8-EMI		0-59	0			
111	RSL8-EWE		0-127	0			
112	DIS_SCH		0-1	0			

<b>OTIS</b>  Engineering Center Berlin	<b>Contract Parameters</b> <b>GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303</b> <b>Unit No. : 45SFOH56</b>	Page: 22 / 67 Date: 2022-07-27 SCN: GP230782GAK

## 12. REI Parameters

No	SVT Display	Units	Range	Actual	Rev1	Rev2	Remark
0	REI-TYP		0-4	0			
1	TRG-TYP		0-2	0			
2	REI-DRV		0-3	0			
3	TRGstrtH		0-23	0			
4	TRGstrtM		0-59	0			
5	TRGstopH		0-23	0			
6	TRGstopM		0-59	0			
7	TRG-DofM		0-31	0			
8	TRG-DofW		0-7	0			
9	TRG-WofM		0-5	0			
10	Stuck-T		0-255	30			
11	DoErr-NT		0-255	0			
12	DoErr2-P		0-255	255			
13	DoErr2-T		0-255	0			
14	DoErr3-P		0-255	255			
15	DoErr3-T		0-255	0			
16	LevelErr		0-31	0			
17	SpeedErr		0-31	0			
18	EmgL-TYP		0-2	2			
19	EmgL-T		0-255	5			

<b>OTIS</b>  Engineering Center Berlin	<b>Contract Parameters</b> <b>GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303</b> <b>Unit No. : 45SFOH56</b>	Page: 23 / 67 Date: 2022-07-27 SCN: GP230782GAK

### 13. SPEECH Parameters

No	SVT Display	Units	Range	Actual	Rev1	Rev2	Remark
0	SM-EMG		0-1	0			
1	SM-EN_FL		0-2	0			
2	SM-EN_DC		0-1	1			
3	SM-DC-T		0-255	0			
4	SM-UP-T		0-255	0			
5	SM-DN-T		0-255	0			
6	SM-OD-T		0-255	0			
7	SM-CS-T		0-255	0			
8	SM-OP-T		0-255	0			
9	SM-RO-T1		0-255	0			
10	SM-RO-T2		0-255	0			
11	SM-CCB-T		0-255	0			
12	DCBZ-TYP		0-1	0			
13	SM-DC_W		0-1	0			
14	SM-EN_SA		0-1	0			

<b>OTIS</b>  Engineering Center Berlin	<b>Contract Parameters</b> <b>GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303</b> <b>Unit No. : 45SFOH56</b>	Page: 24 / 67 Date: 2022-07-27 SCN: GP230782GAK

14. REMOTE Parameters

No	SVT Display	Units	Range	Actual	Rev1	Rev2	Remark
0	EgoAlarm		0-1	0			
1	EgoClr-T		0-255	0			
2	EqrTrg-T		0-255	0			
3	EqrClr-T		0-255	0			
4	RfsEvU-T		0-255	0			
5	RfsEvT-T		0-255	0			
6	RfsEvC-T		0-255	0			
7	RfsEv1Gr		0-7	0			
8	RfsEv1ld		0-99	0			
9	RfsEvOp1		0-2	0			
10	RfsEv2Gr		0-7	0			
11	RfsEv2ld		0-99	0			
12	RfsEvOp2		0-2	0			
13	RfsEv3Gr		0-7	0			
14	RfsEv3ld		0-99	0			

<b>OTIS</b>  <b>Engineering Center Berlin</b>	<b>Contract Parameters GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303 Unit No. : 45SFOH56</b>	Page: 25 / 67 Date: 2022-07-27 SCN: GP230782GAK

### Allowed ENABLE Masks (SVT Key Sequence M-1-3-3-1-GOON)

At level	CUDE CUDE P cude cude	Remark
0	1101 0000 0 0000 0000	
1	1011 0000 0 0000 0000	
2	1011 0000 0 0000 0000	
3	0000 0000 0 0000 0000	
4	0000 0000 0 0000 0000	
5	0000 0000 0 0000 0000	
6	0000 0000 0 0000 0000	
7	0000 0000 0 0000 0000	
8	0000 0000 0 0000 0000	
9	0000 0000 0 0000 0000	
10	0000 0000 0 0000 0000	
11	0000 0000 0 0000 0000	
12	0000 0000 0 0000 0000	
13	0000 0000 0 0000 0000	
14	0000 0000 0 0000 0000	
15	0000 0000 0 0000 0000	
16	0000 0000 0 0000 0000	
17	0000 0000 0 0000 0000	
18	0000 0000 0 0000 0000	
19	0000 0000 0 0000 0000	
20	0000 0000 0 0000 0000	
21	0000 0000 0 0000 0000	
22	0000 0000 0 0000 0000	
23	0000 0000 0 0000 0000	
24	0000 0000 0 0000 0000	
25	0000 0000 0 0000 0000	
26	0000 0000 0 0000 0000	
27	0000 0000 0 0000 0000	
28	0000 0000 0 0000 0000	
29	0000 0000 0 0000 0000	
30	0000 0000 0 0000 0000	
31	0000 0000 0 0000 0000	
32	0000 0000 0 0000 0000	
33	0000 0000 0 0000 0000	
34	0000 0000 0 0000 0000	
35	0000 0000 0 0000 0000	
36	0000 0000 0 0000 0000	
37	0000 0000 0 0000 0000	
38	0000 0000 0 0000 0000	
39	0000 0000 0 0000 0000	
40	0000 0000 0 0000 0000	
41	0000 0000 0 0000 0000	
42	0000 0000 0 0000 0000	
43	0000 0000 0 0000 0000	
44	0000 0000 0 0000 0000	
45	0000 0000 0 0000 0000	
46	0000 0000 0 0000 0000	
47	0000 0000 0 0000 0000	
48	0000 0000 0 0000 0000	
49	0000 0000 0 0000 0000	

<b>OTIS</b>  <b>Engineering Center Berlin</b>	<b>Contract Parameters GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303 Unit No. : 45SFOH56</b>	Page: 26 / 67 Date: 2022-07-27 SCN: GP230782GAK

### Allowed ENABLE Masks (SVT Key Sequence M-1-3-3-1-GOON)

At level	CUDE CUDE P cude cude	Remark
50	0000 0000 0 0000 0000	
51	0000 0000 0 0000 0000	
52	0000 0000 0 0000 0000	
53	0000 0000 0 0000 0000	
54	0000 0000 0 0000 0000	
55	0000 0000 0 0000 0000	
56	0000 0000 0 0000 0000	
57	0000 0000 0 0000 0000	
58	0000 0000 0 0000 0000	
59	0000 0000 0 0000 0000	
60	0000 0000 0 0000 0000	
61	0000 0000 0 0000 0000	
62	0000 0000 0 0000 0000	
63	0000 0000 0 0000 0000	
64	0000 0000 0 0000 0000	
65	0000 0000 0 0000 0000	
66	0000 0000 0 0000 0000	
67	0000 0000 0 0000 0000	
68	0000 0000 0 0000 0000	
69	0000 0000 0 0000 0000	
70	0000 0000 0 0000 0000	
71	0000 0000 0 0000 0000	
72	0000 0000 0 0000 0000	
73	0000 0000 0 0000 0000	
74	0000 0000 0 0000 0000	
75	0000 0000 0 0000 0000	
76	0000 0000 0 0000 0000	
77	0000 0000 0 0000 0000	
78	0000 0000 0 0000 0000	
79	0000 0000 0 0000 0000	
80	0000 0000 0 0000 0000	
81	0000 0000 0 0000 0000	
82	0000 0000 0 0000 0000	
83	0000 0000 0 0000 0000	
84	0000 0000 0 0000 0000	
85	0000 0000 0 0000 0000	
86	0000 0000 0 0000 0000	
87	0000 0000 0 0000 0000	
88	0000 0000 0 0000 0000	
89	0000 0000 0 0000 0000	
90	0000 0000 0 0000 0000	
91	0000 0000 0 0000 0000	
92	0000 0000 0 0000 0000	
93	0000 0000 0 0000 0000	
94	0000 0000 0 0000 0000	
95	0000 0000 0 0000 0000	
96	0000 0000 0 0000 0000	
97	0000 0000 0 0000 0000	
98	0000 0000 0 0000 0000	
99	0000 0000 0 0000 0000	

<b>OTIS</b>  <b>Engineering Center Berlin</b>	<b>Contract Parameters GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303</b> <b>Unit No. : 45SFOH56</b>	Page: 27 / 67 Date: 2022-07-27 SCN: GP230782GAK

### Allowed CUT-CALLS Masks (SVT Key Sequence M-1-3-3-2-GOON)

At level	CUDE CUDE Op	Remark
0	0000 0000 0	
1	0000 0000 0	
2	0000 0000 0	
3	0000 0000 0	
4	0000 0000 0	
5	0000 0000 0	
6	0000 0000 0	
7	0000 0000 0	
8	0000 0000 0	
9	0000 0000 0	
10	0000 0000 0	
11	0000 0000 0	
12	0000 0000 0	
13	0000 0000 0	
14	0000 0000 0	
15	0000 0000 0	
16	0000 0000 0	
17	0000 0000 0	
18	0000 0000 0	
19	0000 0000 0	
20	0000 0000 0	
21	0000 0000 0	
22	0000 0000 0	
23	0000 0000 0	
24	0000 0000 0	
25	0000 0000 0	
26	0000 0000 0	
27	0000 0000 0	
28	0000 0000 0	
29	0000 0000 0	
30	0000 0000 0	
31	0000 0000 0	
32	0000 0000 0	
33	0000 0000 0	
34	0000 0000 0	
35	0000 0000 0	
36	0000 0000 0	
37	0000 0000 0	
38	0000 0000 0	
39	0000 0000 0	
30	0000 0000 0	
41	0000 0000 0	
42	0000 0000 0	
43	0000 0000 0	
44	0000 0000 0	
45	0000 0000 0	
46	0000 0000 0	
47	0000 0000 0	
48	0000 0000 0	
49	0000 0000 0	

<b>OTIS</b>  <b>Engineering Center Berlin</b>	<b>Contract Parameters GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303</b> <b>Unit No. : 45SFOH56</b>	Page: 28 / 67 Date: 2022-07-27 SCN: GP230782GAK

### Allowed CUT-CALLS Masks (SVT Key Sequence M-1-3-3-2-GOON)

At level	CUDE CUDE Op	Remark
50	0000 0000 0	
51	0000 0000 0	
52	0000 0000 0	
53	0000 0000 0	
54	0000 0000 0	
55	0000 0000 0	
56	0000 0000 0	
57	0000 0000 0	
58	0000 0000 0	
59	0000 0000 0	
60	0000 0000 0	
61	0000 0000 0	
62	0000 0000 0	
63	0000 0000 0	
64	0000 0000 0	
65	0000 0000 0	
66	0000 0000 0	
67	0000 0000 0	
68	0000 0000 0	
69	0000 0000 0	
60	0000 0000 0	
71	0000 0000 0	
72	0000 0000 0	
73	0000 0000 0	
74	0000 0000 0	
75	0000 0000 0	
76	0000 0000 0	
77	0000 0000 0	
78	0000 0000 0	
79	0000 0000 0	
80	0000 0000 0	
81	0000 0000 0	
82	0000 0000 0	
83	0000 0000 0	
84	0000 0000 0	
85	0000 0000 0	
86	0000 0000 0	
87	0000 0000 0	
88	0000 0000 0	
89	0000 0000 0	
90	0000 0000 0	
91	0000 0000 0	
92	0000 0000 0	
93	0000 0000 0	
94	0000 0000 0	
95	0000 0000 0	
96	0000 0000 0	
97	0000 0000 0	
98	0000 0000 0	
99	0000 0000 0	

<b>OTIS</b>  <b>Engineering Center Berlin</b>	<b>Contract Parameters GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303 Unit No. : 45SFOH56</b>	Page: 29 / 67 Date: 2022-07-27 SCN: GP230782GAK

### Allowed CARD-READER Masks (SVT Key Sequence M-1-3-3-3-GOON)

At level	CLD- CLD- Sb Remark
0	0000 0000 0
1	0000 0000 0
2	0000 0000 0
3	0000 0000 0
4	0000 0000 0
5	0000 0000 0
6	0000 0000 0
7	0000 0000 0
8	0000 0000 0
9	0000 0000 0
10	0000 0000 0
11	0000 0000 0
12	0000 0000 0
13	0000 0000 0
14	0000 0000 0
15	0000 0000 0
16	0000 0000 0
17	0000 0000 0
18	0000 0000 0
19	0000 0000 0
20	0000 0000 0
21	0000 0000 0
22	0000 0000 0
23	0000 0000 0
24	0000 0000 0
25	0000 0000 0
26	0000 0000 0
27	0000 0000 0
28	0000 0000 0
29	0000 0000 0
30	0000 0000 0
31	0000 0000 0
32	0000 0000 0
33	0000 0000 0
34	0000 0000 0
35	0000 0000 0
36	0000 0000 0
37	0000 0000 0
38	0000 0000 0
39	0000 0000 0
40	0000 0000 0
41	0000 0000 0
42	0000 0000 0
43	0000 0000 0
44	0000 0000 0
45	0000 0000 0
46	0000 0000 0
47	0000 0000 0
48	0000 0000 0
49	0000 0000 0

<b>OTIS</b>  <b>Engineering Center Berlin</b>	<b>Contract Parameters GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303 Unit No. : 45SFOH56</b>	Page: 30 / 67 Date: 2022-07-27 SCN: GP230782GAK

### Allowed CARD-READER Masks (SVT Key Sequence M-1-3-3-3-GOON)

At level	CLD- CLD- Sb Remark
50	0000 0000 0
51	0000 0000 0
52	0000 0000 0
53	0000 0000 0
54	0000 0000 0
55	0000 0000 0
56	0000 0000 0
57	0000 0000 0
58	0000 0000 0
59	0000 0000 0
60	0000 0000 0
61	0000 0000 0
62	0000 0000 0
63	0000 0000 0
64	0000 0000 0
65	0000 0000 0
66	0000 0000 0
67	0000 0000 0
68	0000 0000 0
69	0000 0000 0
70	0000 0000 0
71	0000 0000 0
72	0000 0000 0
73	0000 0000 0
74	0000 0000 0
75	0000 0000 0
76	0000 0000 0
77	0000 0000 0
78	0000 0000 0
79	0000 0000 0
80	0000 0000 0
81	0000 0000 0
82	0000 0000 0
83	0000 0000 0
84	0000 0000 0
85	0000 0000 0
86	0000 0000 0
87	0000 0000 0
88	0000 0000 0
89	0000 0000 0
90	0000 0000 0
91	0000 0000 0
92	0000 0000 0
93	0000 0000 0
94	0000 0000 0
95	0000 0000 0
96	0000 0000 0
97	0000 0000 0
98	0000 0000 0
99	0000 0000 0

<b>OTIS</b>  <b>Engineering Center Berlin</b>	<b>Contract Parameters GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303</b> <b>Unit No. : 45SFOH56</b>	Page: 31 / 67 Date: 2022-07-27 SCN: GP230782GAK

Allowed SHOW/CO Masks (SVT Key Sequence M-1-3-3-4-GOON)		
At level	SUDFR WUDFR	Remark
0	0000 0000	
1	0000 0000	
2	0000 0000	
3	0000 0000	
4	0000 0000	
5	0000 0000	
6	0000 0000	
7	0000 0000	
8	0000 0000	
9	0000 0000	
10	0000 0000	
11	0000 0000	
12	0000 0000	
13	0000 0000	
14	0000 0000	
15	0000 0000	
16	0000 0000	
17	0000 0000	
18	0000 0000	
19	0000 0000	
20	0000 0000	
21	0000 0000	
22	0000 0000	
23	0000 0000	
24	0000 0000	
25	0000 0000	
26	0000 0000	
27	0000 0000	
28	0000 0000	
29	0000 0000	
30	0000 0000	
31	0000 0000	
32	0000 0000	
33	0000 0000	
34	0000 0000	
35	0000 0000	
36	0000 0000	
37	0000 0000	
38	0000 0000	
39	0000 0000	
40	0000 0000	
41	0000 0000	
42	0000 0000	
43	0000 0000	
44	0000 0000	
45	0000 0000	
46	0000 0000	
47	0000 0000	
48	0000 0000	
49	0000 0000	

<b>OTIS</b>  <b>Engineering Center Berlin</b>	<b>Contract Parameters GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303 Unit No. : 45SFOH56</b>	Page: 32 / 67 Date: 2022-07-27 SCN: GP230782GAK

### Allowed SHOW/CO Masks (SVT Key Sequence M-1-3-3-4-GOON)

At level	SUDFR WUDFR	Remark
50	0000 0000	
51	0000 0000	
52	0000 0000	
53	0000 0000	
54	0000 0000	
55	0000 0000	
56	0000 0000	
57	0000 0000	
58	0000 0000	
59	0000 0000	
60	0000 0000	
61	0000 0000	
62	0000 0000	
63	0000 0000	
64	0000 0000	
65	0000 0000	
66	0000 0000	
67	0000 0000	
68	0000 0000	
69	0000 0000	
70	0000 0000	
71	0000 0000	
72	0000 0000	
73	0000 0000	
74	0000 0000	
75	0000 0000	
76	0000 0000	
77	0000 0000	
78	0000 0000	
79	0000 0000	
80	0000 0000	
81	0000 0000	
82	0000 0000	
83	0000 0000	
84	0000 0000	
85	0000 0000	
86	0000 0000	
87	0000 0000	
88	0000 0000	
89	0000 0000	
90	0000 0000	
91	0000 0000	
92	0000 0000	
93	0000 0000	
94	0000 0000	
95	0000 0000	
96	0000 0000	
97	0000 0000	
98	0000 0000	
99	0000 0000	

<b>OTIS</b>  <b>Engineering Center Berlin</b>	<b>Contract Parameters GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303 Unit No. : 45SFOH56</b>	Page: 33 / 67 Date: 2022-07-27 SCN: GP230782GAK

Allowed MODE Masks (SVT Key Sequence M-1-3-3-6-GOON)		
At level	NEFI NEFI	Remark
0	00000000	
1	00000000	
2	00000000	
3	00000000	
4	00000000	
5	00000000	
6	00000000	
7	00000000	
8	00000000	
9	00000000	
10	00000000	
11	00000000	
12	00000000	
13	00000000	
14	00000000	
15	00000000	
16	00000000	
17	00000000	
18	00000000	
19	00000000	
20	00000000	
21	00000000	
22	00000000	
23	00000000	
24	00000000	
25	00000000	
26	00000000	
27	00000000	
28	00000000	
29	00000000	
30	00000000	
31	00000000	
32	00000000	
33	00000000	
34	00000000	
35	00000000	
36	00000000	
37	00000000	
38	00000000	
39	00000000	
40	00000000	
41	00000000	
42	00000000	
43	00000000	
44	00000000	
45	00000000	
46	00000000	
47	00000000	
48	00000000	
49	00000000	

<b>OTIS</b>  <b>Engineering Center Berlin</b>	<b>Contract Parameters GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303</b> <b>Unit No. : 45SFOH56</b>	Page: 34 / 67 Date: 2022-07-27 SCN: GP230782GAK

<b>Allowed MODE Masks (SVT Key Sequence M-1-3-3-6-GOON)</b>		
At level	NEFI NEFI	Remark
50	00000000	
51	00000000	
52	00000000	
53	00000000	
54	00000000	
55	00000000	
56	00000000	
57	00000000	
58	00000000	
59	00000000	
60	00000000	
61	00000000	
62	00000000	
63	00000000	
64	00000000	
65	00000000	
66	00000000	
67	00000000	
68	00000000	
69	00000000	
70	00000000	
71	00000000	
72	00000000	
73	00000000	
74	00000000	
75	00000000	
76	00000000	
77	00000000	
78	00000000	
79	00000000	
80	00000000	
81	00000000	
82	00000000	
83	00000000	
84	00000000	
85	00000000	
86	00000000	
87	00000000	
88	00000000	
89	00000000	
90	00000000	
91	00000000	
92	00000000	
93	00000000	
94	00000000	
95	00000000	
96	00000000	
97	00000000	
98	00000000	
99	00000000	

<b>OTIS</b>  <b>Engineering Center Berlin</b>	<b>Contract Parameters GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303 Unit No. : 45SFOH56</b>	Page: 35 / 67 Date: 2022-07-27 SCN: GP230782GAK

POSITION INDICATOR (SVT Key Sequence M-1-3-4-GOON)				
At level	PI Display	Left	Right	Remark
0	0	10	0	
1	1	10	1	
2	2	10	2	
3		10	10	
4		10	10	
5		10	10	
6		10	10	
7		10	10	
8		10	10	
9		10	10	
10		10	10	
11		10	10	
12		10	10	
13		10	10	
14		10	10	
15		10	10	
16		10	10	
17		10	10	
18		10	10	
19		10	10	
20		10	10	
21		10	10	
22		10	10	
23		10	10	
24		10	10	
25		10	10	
26		10	10	
27		10	10	
28		10	10	
29		10	10	
30		10	10	
31		10	10	
32		10	10	
33		10	10	
44		10	10	
55		10	10	
36		10	10	
37		10	10	
38		10	10	
39		10	10	
40		10	10	
41		10	10	
42		10	10	
43		10	10	
44		10	10	
45		10	10	
46		10	10	
47		10	10	
48		10	10	
49		10	10	

<b>OTIS</b>  <b>Engineering Center Berlin</b>	<b>Contract Parameters GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303 Unit No. : 45SFOH56</b>	Page: 36 / 67 Date: 2022-07-27 SCN: GP230782GAK

POSITION INDICATOR (SVT Key Sequence M-1-3-4-GOON)				
At level	PI Display	Left	Right	Remark
50		10	10	
51		10	10	
52		10	10	
53		10	10	
54		10	10	
55		10	10	
56		10	10	
57		10	10	
58		10	10	
59		10	10	
60		10	10	
61		10	10	
62		10	10	
63		10	10	
64		10	10	
65		10	10	
66		10	10	
67		10	10	
68		10	10	
69		10	10	
70		10	10	
71		10	10	
72		10	10	
73		10	10	
74		10	10	
75		10	10	
76		10	10	
77		10	10	
78		10	10	
79		10	10	
80		10	10	
81		10	10	
82		10	10	
83		10	10	
84		10	10	
85		10	10	
86		10	10	
87		10	10	
88		10	10	
89		10	10	
90		10	10	
91		10	10	
92		10	10	
93		10	10	
94		10	10	
95		10	10	
96		10	10	
97		10	10	
98		10	10	
99		10	10	

<b>OTIS</b>  Engineering Center Berlin	<b>Contract Parameters</b> <b>GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303</b> <b>Unit No. : 45SFOH56</b>	Page: 37 / 67 Date: 2022-07-27 SCN: GP230782GAK

## List of RSL Inputs and Outputs

The address of each IO has the format **RSL address + pin**.

**Address 0:** always off (unconnected inputs and outputs)

**Address 1:** always on (unconnected, low active inputs)

IO	Name	Address	Rev
0	DOL	17+P1	
1	DOB	4+P1	
2	EDP	0	
3	DCB	8+P2	
4	ISS	8+P3	
5	LWO	0	
6	LNS / DIS1	0	
7	LWX / ACS	1	
8	UIS	1	
9	DIS	1	
10	CTL / PKS	0	
11	PKS	0	
12	LWX-HYD	0	
13	CCTL	0	
14	CCBL	0	
15	-	0	
16	EFK	53+P2	
17	NU	1	
18	NUSD/NUSD-1	1	
19	NUG/NUG-1	1	
20	CUDL	0	
21	CDDL	0	
22	OLS	8+P4	
23	BUZ	8+P2	
24	FSL	0	
25	HEL	0	
26	LR	0	
27	NDG	0	
28	-	0	
29	STH	0	
30	STC	0	
31	DMD	0	
32	CB / CTTL 00	4+P2	
33	CB / CTTL 01	4+P3	
34	CB / CTTL 02	4+P4	
35	CB / CTTL 03	0	
36	CB / CTTL 04	0	
37	CB / CTTL 05	0	
38	CB / CTTL 06	0	
39	CB / CTTL 07	0	
40	CB / CTTL 08	0	
41	CB / CTTL 09	0	
42	CB / CTTL 10	0	
43	CB / CTTL 11	0	
44	CB / CTTL 12	0	
45	CB / CTTL 13	0	
46	CB / CTTL 14	0	
47	CB / CTTL 15	0	
48	CB / CTTL 16	0	
49	CB / CTTL 17	0	
50	CB / CTTL 18	0	
51	CB / CTTL 19	0	
52	CB / CTTL 20	0	
53	CB / CTTL 21	0	
54	CB / CTTL 22	0	

IO	Name	Address	Rev
55	CB / CTTL 23	0	
56	CB / CTTL 24	0	
57	CB / CTTL 25	0	
58	CB / CTTL 26	0	
59	CB / CTTL 27	0	
60	CB / CTTL 28	0	
61	CB / CTTL 29	0	
62	CB / CTTL 30	0	
63	CB / CTTL 31	0	
64	UHB / UHTTL 00	0	
65	UHB / UHTTL 01	0	
66	UHB / UHTTL 02	0	
67	UHB / UHTTL 03	0	
68	UHB / UHTTL 04	0	
69	UHB / UHTTL 05	0	
70	UHB / UHTTL 06	0	
71	UHB / UHTTL 07	0	
72	UHB / UHTTL 08	0	
73	UHB / UHTTL 09	0	
74	UHB / UHTTL 10	0	
75	UHB / UHTTL 11	0	
76	UHB / UHTTL 12	0	
77	UHB / UHTTL 13	0	
78	UHB / UHTTL 14	0	
79	UHB / UHTTL 15	0	
80	UHB / UHTTL 16	0	
81	UHB / UHTTL 17	0	
82	UHB / UHTTL 18	0	
83	UHB / UHTTL 19	0	
84	UHB / UHTTL 20	0	
85	UHB / UHTTL 21	0	
86	UHB / UHTTL 22	0	
87	UHB / UHTTL 23	0	
88	UHB / UHTTL 24	0	
89	UHB / UHTTL 25	0	
90	UHB / UHTTL 26	0	
91	UHB / UHTTL 27	0	
92	UHB / UHTTL 28	0	
93	UHB / UHTTL 29	0	
94	UHB / UHTTL 30	0	
95	UHB / UHTTL 31	0	
96	HB / HBTTL 00	21+P1	
97	HB / HBTTL 01	22+P1	
98	HB / HBTTL 02	23+P1	
99	HB / HBTTL 03	0	
100	HB / HBTTL 04	0	
101	HB / HBTTL 05	0	
102	HB / HBTTL 06	0	
103	HB / HBTTL 07	0	
104	HB / HBTTL 08	0	
105	HB / HBTTL 09	0	
106	HB / HBTTL 10	0	
107	HB / HBTTL 11	0	
108	HB / HBTTL 12	0	
109	HB / HBTTL 13	0	

<b>OTIS</b>  <b>Engineering Center Berlin</b>	<b>Contract Parameters GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303</b> <b>Unit No. : 45SFOH56</b>	Page: 38 / 67 Date: 2022-07-27 SCN: GP230782GAK

IO	Name	Address	Rev
110	HB / HBTTL 14	0	
111	HB / HBTTL 15	0	
112	HB / HBTTL 16	0	
113	HB / HBTTL 17	0	
114	HB / HBTTL 18	0	
115	HB / HBTTL 19	0	
116	HB / HBTTL 20	0	
117	HB / HBTTL 21	0	
118	HB / HBTTL 22	0	
119	HB / HBTTL 23	0	
120	HB / HBTTL 24	0	
121	HB / HBTTL 25	0	
122	HB / HBTTL 26	0	
123	HB / HBTTL 27	0	
124	HB / HBTTL 28	0	
125	HB / HBTTL 29	0	
126	HB / HBTTL 30	0	
127	HB / HBTTL 31	0	
128	UHL 00	42+P4	
129	UHL 01	43+P4	
130	UHL 02	0	
131	UHL 03	0	
132	UHL 04	0	
133	UHL 05	0	
134	UHL 06	0	
135	UHL 07	0	
136	UHL 08	0	
137	UHL 09	0	
138	UHL 10	0	
139	UHL 11	0	
140	UHL 12	0	
141	UHL 13	0	
142	UHL 14	0	
143	UHL 15	0	
144	UHL 16	0	
145	UHL 17	0	
146	UHL 18	0	
147	UHL 19	0	
148	UHL 20	0	
149	UHL 21	0	
150	UHL 22	0	
151	UHL 23	0	
152	UHL 24	0	
153	UHL 25	0	
154	UHL 26	0	
155	UHL 27	0	
156	UHL 28	0	
157	UHL 29	0	
158	UHL 30	0	
159	UHL 31	0	
160	DHL 00	0	
161	DHL 01	43+P3	
162	DHL 02	44+P3	
163	DHL 03	0	
164	DHL 04	0	
165	DHL 05	0	
166	DHL 06	0	
167	DHL 07	0	
168	DHL 08	0	
169	DHL 09	0	
170	DHL 10	0	
171	DHL 11	0	
172	DHL 12	0	
173	DHL 13	0	
174	DHL 14	0	
175	DHL 15	0	

IO	Name	Address	Rev
176	DHL 16	0	
177	DHL 17	0	
178	DHL 18	0	
179	DHL 19	0	
180	DHL 20	0	
181	DHL 21	0	
182	DHL 22	0	
183	DHL 23	0	
184	DHL 24	0	
185	DHL 25	0	
186	DHL 26	0	
187	DHL 27	0	
188	DHL 28	0	
189	DHL 29	0	
190	DHL 30	0	
191	DHL 31	0	
192	EHC / ETTL 00	21+P3	
193	EHC / ETTL 01	22+P3	
194	EHC / ETTL 02	23+P3	
195	EHC / ETTL 03	0	
196	EHC / ETTL 04	0	
197	EHC / ETTL 05	0	
198	EHC / ETTL 06	0	
199	EHC / ETTL 07	0	
200	EHC / ETTL 08	0	
201	EHC / ETTL 09	0	
202	EHC / ETTL 10	0	
203	EHC / ETTL 11	0	
204	EHC / ETTL 12	0	
205	EHC / ETTL 13	0	
206	EHC / ETTL 14	0	
207	EHC / ETTL 15	0	
208	EHC / ETTL 16	0	
209	EHC / ETTL 17	0	
210	EHC / ETTL 18	0	
211	EHC / ETTL 19	0	
212	EHC / ETTL 20	0	
213	EHC / ETTL 21	0	
214	EHC / ETTL 22	0	
215	EHC / ETTL 23	0	
216	EHC / ETTL 24	0	
217	EHC / ETTL 25	0	
218	EHC / ETTL 26	0	
219	EHC / ETTL 27	0	
220	EHC / ETTL 28	0	
221	EHC / ETTL 29	0	
222	EHC / ETTL 30	0	
223	EHC / ETTL 31	0	
224	FPD 00	1	
225	FPD 01	1	
226	FPD 02	1	
227	FPD 03	1	
228	FPD 04	1	
229	FPD 05	1	
230	FPD 06	1	
231	FPD 07	1	
232	FPD 08	1	
233	FPD 09	1	
234	FPD 10	1	
235	FPD 11	1	
236	FPD 12	1	
237	FPD 13	1	
238	FPD 14	1	
239	FPD 15	1	
240	FPD 16	1	
241	FPD 17	1	

<b>OTIS</b>  <b>Engineering Center Berlin</b>	<b>Contract Parameters GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303</b> <b>Unit No. : 45SFOH56</b>	Page: 39 / 67 Date: 2022-07-27 SCN: GP230782GAK

IO	Name	Address	Rev
242	FPD 18	1	
243	FPD 19	1	
244	FPD 20	1	
245	FPD 21	1	
246	FPD 22	1	
247	FPD 23	1	
248	FPD 24	1	
249	FPD 25	1	
250	FPD 26	1	
251	FPD 27	1	
252	FPD 28	1	
253	FPD 29	1	
254	FPD 30	1	
255	FPD 31	1	
256	CPC 00	0	
257	CPC 01	0	
258	CPC 02	0	
259	CPC 03	0	
260	CPC 04	0	
261	CPC 05	0	
262	CPC 06	0	
263	CPC 07	0	
264	CPC 08	0	
265	CPC 09	0	
266	CPC 10	0	
267	CPC 11	0	
268	CPC 12	0	
269	CPC 13	0	
270	CPC 14	0	
271	CPC 15	0	
272	CPC 16	0	
273	CPC 17	0	
274	CPC 18	0	
275	CPC 19	0	
276	CPC 20	0	
277	CPC 21	0	
278	CPC 22	0	
279	CPC 23	0	
280	CPC 24	0	
281	CPC 25	0	
282	CPC 26	0	
283	CPC 27	0	
284	CPC 28	0	
285	CPC 29	0	
286	CPC 30	0	
287	CPC 31	0	
288	RCB / RCTTL 00	0	
289	RCB / RCTTL 01	0	
290	RCB / RCTTL 02	0	
291	RCB / RCTTL 03	0	
292	RCB / RCTTL 04	0	
293	RCB / RCTTL 05	0	
294	RCB / RCTTL 06	0	
295	RCB / RCTTL 07	0	
296	RCB / RCTTL 08	0	
297	RCB / RCTTL 09	0	
298	RCB / RCTTL 10	0	
299	RCB / RCTTL 11	0	
300	RCB / RCTTL 12	0	
301	RCB / RCTTL 13	0	
302	RCB / RCTTL 14	0	
303	RCB / RCTTL 15	0	
304	RCB / RCTTL 16	0	
305	RCB / RCTTL 17	0	
306	RCB / RCTTL 18	0	
307	RCB / RCTTL 19	0	

IO	Name	Address	Rev
308	RCB / RCTTL 20	0	
309	RCB / RCTTL 21	0	
310	RCB / RCTTL 22	0	
311	RCB / RCTTL 23	0	
312	RCB / RCTTL 24	0	
313	RCB / RCTTL 25	0	
314	RCB / RCTTL 26	0	
315	RCB / RCTTL 27	0	
316	RCB / RCTTL 28	0	
317	RCB / RCTTL 29	0	
318	RCB / RCTTL 30	0	
319	RCB / RCTTL 31	0	
320	RUHB / RUTTL 00	0	
321	RUHB / RUTTL 01	0	
322	RUHB / RUTTL 02	0	
323	RUHB / RUTTL 03	0	
324	RUHB / RUTTL 04	0	
325	RUHB / RUTTL 05	0	
326	RUHB / RUTTL 06	0	
327	RUHB / RUTTL 07	0	
328	RUHB / RUTTL 08	0	
329	RUHB / RUTTL 09	0	
330	RUHB / RUTTL 10	0	
331	RUHB / RUTTL 11	0	
332	RUHB / RUTTL 12	0	
333	RUHB / RUTTL 13	0	
334	RUHB / RUTTL 14	0	
335	RUHB / RUTTL 15	0	
336	RUHB / RUTTL 16	0	
337	RUHB / RUTTL 17	0	
338	RUHB / RUTTL 18	0	
339	RUHB / RUTTL 19	0	
340	RUHB / RUTTL 20	0	
341	RUHB / RUTTL 21	0	
342	RUHB / RUTTL 22	0	
343	RUHB / RUTTL 23	0	
344	RUHB / RUTTL 24	0	
345	RUHB / RUTTL 25	0	
346	RUHB / RUTTL 26	0	
347	RUHB / RUTTL 27	0	
348	RUHB / RUTTL 28	0	
349	RUHB / RUTTL 29	0	
350	RUHB / RUTTL 30	0	
351	RUHB / RUTTL 31	0	
352	RDHB / RDTTL 00	0	
353	RDHB / RDTTL 01	0	
354	RDHB / RDTTL 02	0	
355	RDHB / RDTTL 03	0	
356	RDHB / RDTTL 04	0	
357	RDHB / RDTTL 05	0	
358	RDHB / RDTTL 06	0	
359	RDHB / RDTTL 07	0	
360	RDHB / RDTTL 08	0	
361	RDHB / RDTTL 09	0	
362	RDHB / RDTTL 10	0	
363	RDHB / RDTTL 11	0	
364	RDHB / RDTTL 12	0	
365	RDHB / RDTTL 13	0	
366	RDHB / RDTTL 14	0	
367	RDHB / RDTTL 15	0	
368	RDHB / RDTTL 16	0	
369	RDHB / RDTTL 17	0	
370	RDHB / RDTTL 18	0	
371	RDHB / RDTTL 19	0	
372	RDHB / RDTTL 20	0	
373	RDHB / RDTTL 21	0	

<b>OTIS</b>  <b>Engineering Center Berlin</b>	<b>Contract Parameters GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303</b> <b>Unit No. : 45SFOH56</b>	Page: 40 / 67 Date: 2022-07-27 SCN: GP230782GAK

IO	Name	Address	Rev
374	RDHB / RDTTL 22	0	
375	RDHB / RDTTL 23	0	
376	RDHB / RDTTL 24	0	
377	RDHB / RDTTL 25	0	
378	RDHB / RDTTL 26	0	
379	RDHB / RDTTL 27	0	
380	RDHB / RDTTL 28	0	
381	RDHB / RDTTL 29	0	
382	RDHB / RDTTL 30	0	
383	RDHB / RDTTL 31	0	
384	RUHL 00	0	
385	RUHL 01	0	
386	RUHL 02	0	
387	RUHL 03	0	
388	RUHL 04	0	
389	RUHL 05	0	
390	RUHL 06	0	
391	RUHL 07	0	
392	RUHL 08	0	
393	RUHL 09	0	
394	RUHL 10	0	
395	RUHL 11	0	
396	RUHL 12	0	
397	RUHL 13	0	
398	RUHL 14	0	
399	RUHL 15	0	
400	RUHL 16	0	
401	RUHL 17	0	
402	RUHL 18	0	
403	RUHL 19	0	
404	RUHL 20	0	
405	RUHL 21	0	
406	RUHL 22	0	
407	RUHL 23	0	
408	RUHL 24	0	
409	RUHL 25	0	
410	RUHL 26	0	
411	RUHL 27	0	
412	RUHL 28	0	
413	RUHL 29	0	
414	RUHL 30	0	
415	RUHL 31	0	
416	RDHL 00	0	
417	RDHL 01	0	
418	RDHL 02	0	
419	RDHL 03	0	
420	RDHL 04	0	
421	RDHL 05	0	
422	RDHL 06	0	
423	RDHL 07	0	
424	RDHL 08	0	
425	RDHL 09	0	
426	RDHL 10	0	
427	RDHL 11	0	
428	RDHL 12	0	
429	RDHL 13	0	
430	RDHL 14	0	
431	RDHL 15	0	
432	RDHL 16	0	
433	RDHL 17	0	
434	RDHL 18	0	
435	RDHL 19	0	
436	RDHL 20	0	
437	RDHL 21	0	
438	RDHL 22	0	
439	RDHL 23	0	

IO	Name	Address	Rev
440	RDHL 24	0	
441	RDHL 25	0	
442	RDHL 26	0	
443	RDHL 27	0	
444	RDHL 28	0	
445	RDHL 29	0	
446	RDHL 30	0	
447	RDHL 31	0	
448	REHC / RETTL 00	0	
449	REHC / RETTL 01	0	
450	REHC / RETTL 02	0	
451	REHC / RETTL 03	0	
452	REHC / RETTL 04	0	
453	REHC / RETTL 05	0	
454	REHC / RETTL 06	0	
455	REHC / RETTL 07	0	
456	REHC / RETTL 08	0	
457	REHC / RETTL 09	0	
458	REHC / RETTL 10	0	
459	REHC / RETTL 11	0	
460	REHC / RETTL 12	0	
461	REHC / RETTL 13	0	
462	REHC / RETTL 14	0	
463	REHC / RETTL 15	0	
464	REHC / RETTL 16	0	
465	REHC / RETTL 17	0	
466	REHC / RETTL 18	0	
467	REHC / RETTL 19	0	
468	REHC / RETTL 20	0	
469	REHC / RETTL 21	0	
470	REHC / RETTL 22	0	
471	REHC / RETTL 23	0	
472	REHC / RETTL 24	0	
473	REHC / RETTL 25	0	
474	REHC / RETTL 26	0	
475	REHC / RETTL 27	0	
476	REHC / RETTL 28	0	
477	REHC / RETTL 29	0	
478	REHC / RETTL 30	0	
479	REHC / RETTL 31	0	
480	CRS 00	1	
481	CRS 01	1	
482	CRS 02	1	
483	CRS 03	1	
484	CRS 04	1	
485	CRS 05	1	
486	CRS 06	1	
487	CRS 07	1	
488	CRS 08	1	
489	CRS 09	1	
490	CRS 10	1	
491	CRS 11	1	
492	CRS 12	1	
493	CRS 13	1	
494	CRS 14	1	
495	CRS 15	1	
496	CRS 16	1	
497	CRS 17	1	
498	CRS 18	1	
499	CRS 19	1	
500	CRS 20	1	
501	CRS 21	1	
502	CRS 22	1	
503	CRS 23	1	
504	CRS 24	1	
505	CRS 25	1	

<b>OTIS</b>  <b>Engineering Center Berlin</b>	<b>Contract Parameters GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303</b> <b>Unit No. : 45SFOH56</b>	Page: 41 / 67 Date: 2022-07-27 SCN: GP230782GAK

IO	Name	Address	Rev
506	CRS 26	1	
507	CRS 27	1	
508	CRS 28	1	
509	CRS 29	1	
510	CRS 30	1	
511	CRS 31	1	
512	SEC 00	0	
513	SEC 01	0	
514	SEC 02	0	
515	SEC 03	0	
516	SEC 04	0	
517	SEC 05	0	
518	SEC 06	0	
519	SEC 07	0	
520	SEC 08	0	
521	SEC 09	0	
522	SEC 10	0	
523	SEC 11	0	
524	SEC 12	0	
525	SEC 13	0	
526	SEC 14	0	
527	SEC 15	0	
528	SEC 16	0	
529	SEC 17	0	
530	SEC 18	0	
531	SEC 19	0	
532	SEC 20	0	
533	SEC 21	0	
534	SEC 22	0	
535	SEC 23	0	
536	SEC 24	0	
537	SEC 25	0	
538	SEC 26	0	
539	SEC 27	0	
540	SEC 28	0	
541	SEC 29	0	
542	SEC 30	0	
543	SEC 31	0	
544	RDOL	1	
545	RDOB	1	
546	REDP	0	
547	RDCB	0	
548	ATK	0	
549	HUDL (UDL)	0	
550	HDDL (DDL)	0	
551	GCB	0	
552	DDP	0	
553	PKL	0	
554	-	0	
555	DTP	0	
556	EPR	0	
557	OOS1B	0	
558	OOS1M	0	
559	OOS2B	0	
560	OOS2M	0	
561	ROLS	0	
562	RHEL	0	
563	RFSL	0	
564	RCUDL	0	
565	RCDDL	0	
566	RHUDL	0	
567	RHDDL	0	
568	RIOTS	0	
569	SR1	0	
570	SR2	0	
571	SR3	0	

IO	Name	Address	Rev
572	RSTH	0	
573	RSTC	0	
574	MDD	0	
575	RMDD	0	
576	UP	0	
577	DN	0	
578	CDLU	0	
579	CDLD	0	
580	CDGU(GNCUP)	0	
581	CDGD(GNCDN)	0	
582	RCDLU	0	
583	RCDLD	0	
584	RCDGU	0	
585	RCDGD	0	
586	ASL	0	
587	FLT	0	
588	MTC	1	
589	OVH	0	
590	ATTU	0	
591	ATTD	0	
592	FDLU	0	
593	FDLD	0	
594	NSB	0	
595	NSL	0	
596	INLC	0	
597	INLH	0	
598	-	0	
599	-	0	
600	PFL	0	
601	EPW	0	
602	INS	0	
603	-	0	
604	EHS	0	
605	DOS / SGS	17+P4	
606	RDOS / RSGS	0	
607	LRD	17+P3	
608	RLRD	1	
609	XEPR	0	
610	CCOC	1	
611	CCOH	1	
612	HCCO	1	
613	GCCO	1	
614	-	0	
615	-	0	
616	ACSC	0	
617	ACSH	0	
618	CHCC	0	
619	DFD	0	
620	DHB	0	
621	DRD	0	
622	EFKB	0	
623	EQS	0	
624	EFO	1	
625	ESH	1	
626	ESK	0	
627	RB	0	
628	RDHB	0	
629	AMCLK	0	
630	LPT	0	
631	WCOS	0	
632	-	0	
633	ESSR	0	
634	-	0	
635	-	0	
636	-	0	
637	RNDG	0	

<b>OTIS</b>  <b>Engineering Center Berlin</b>	<b>Contract Parameters GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303</b> <b>Unit No. : 45SFOH56</b>	Page: 42 / 67 Date: 2022-07-27 SCN: GP230782GAK

IO	Name	Address	Rev
638	ISPS	0	
639	CRC	0	
640	SDB	0	
641	RSDB	0	
642	GRIOT	0	
643	FPDL	0	
644	AEPS	0	
645	EQCW	0	
646	EQRS	0	
647	SSM1	18+P1	
648	SSM2	18+P2	
649	SSM3	18+P3	
650	SSM4	18+P4	
651	SSM5	19+P1	
652	SSM6	19+P2	
653	SSM7	19+P3	
654	SSMB	19+P1	
655	SSMR	0	
656	SSMS	0	
657	LPTB	0	
658	CTLPC	0	
659	CTLPO	0	
660	ULV	0	
661	RDZ	0	
662	CFSON	0	
663	CFSST	0	
664	-	0	
665	BOS	0	
666	SHAC	0	
667	SHAT	0	
668	SHLC	0	
669	-	0	
670	SSMRL	0	
671	CBT	0	
672	-	0	
673	BUT	0	
674	DO	0	
675	CPR	0	
676	NORM	0	
677	LDO	0	
678	RLDO	0	
679	8LS2	0	
680	-	0	
681	-	0	
682	-	0	
683	-	0	
684	-	0	
685	-	0	
686	-	0	
687	-	0	
688	-	0	
689	-	0	
690	-	0	
691	TCI	16+P3+inv	
692	1LS	1+inv	
693	2LS	1+inv	
694	DCL	1	
695	RDCL	1	
696	DO BEL	0	
697	MCLS	0	
698	-	0	
699	-	0	
700	SLU	0	
701	SLD	0	
702	OFF	0	
703	-	1	

IO	Name	Address	Rev
704	C-CHK	0	
705	TDOB	18+P3	
706	TDCB	18+P4	
707	RTDOB	0	
708	RTDCB	0	
709	EML	8+P3	
710	REML	0	
711	MF	0	
712	LND	0	
713	OOS	0	
714	RISS	0	
715	RGCB	0	
716	EFL	53+P2	
717	GOOL	0	
718	DHDI	0	
719	UHDI	0	
720	FR	0	
721	LNS-M	0	
722	LWO-M	0	
723	FCDGU	0	
724	FCDGD	0	
725	RRB	0	
726	XDSR	0	
727	AT20LRD	0	
728	AT20RLRD	0	
729	ITLH	0	
730	OTLH	0	
731	ITLC	0	
732	OTLC	0	
733	DPC	0	
734	UPC	0	
735	-	0	
736	-	0	
737	OOL	0	
738	EQL	0	
739	ERL	0	
740	FDL	0	
741	NSLH	0	
742	ARL	0	
743	IL	0	
744	-	0	
745	ISTS	0	
746	HCOC	1	
747	DHBL	0	
748	RDHBL	0	
749	CHMI	0	
750	CHMU	0	
751	SHBUZ	0	
752	SHLH	0	
753	PCLK 1	0	
754	PCLK 2	0	
755	PCLK 3	0	
756	PCLK 4	0	
757	PCLK 5	0	
758	PCLK 6	0	
759	PCLK 7	0	
760	PCLK 8	0	
761	CSA1	0	
762	CSA2	0	
763	CSA3	0	
764	CSA4	0	
765	CSA5	0	
766	CSA6	0	
767	CSAC	0	
768	CSAK	0	
769	CSAL	0	

<b>OTIS</b>  <b>Engineering Center Berlin</b>	<b>Contract Parameters GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303</b> <b>Unit No. : 45SFOH56</b>	Page: 43 / 67 Date: 2022-07-27 SCN: GP230782GAK

IO	Name	Address	Rev
770	GSAK	0	
771	GSAL	0	
772	AEFO	1	
773	ASLDOB	0	
774	EFODOB	0	
775	XEFO	1	
776	APC 0	0	
777	APC 1	0	
778	APC 2	0	
779	APC 3	0	
780	APC 4	0	
781	APC 5	0	
782	APC 6	0	
783	TCIB	16+P2+inv	
784	PDS	1	
785	CMR	0	
786	DCDS	0	
787	DCM	0	
788	RDCM	0	
789	-	0	
790	-	0	
791	NDG_M	0	
792	RNDG_M	0	
793	LEV	0	
794	-	0	
795	PI7S-RA	0	
796	PI7S-RB	0	
797	PI7S-RC	0	
798	PI7S-RD	0	
799	PI7S-RE	0	
800	PI7S-RF	0	
801	PI7S-RG	0	
802	PI7S-LB	0	
803	PI7S-LC	0	
804	PI7S-LG	0	
805	UD	0	
806	REV	0	
807	TI	0	
808	RREV	0	
809	LWDE	0	
810	DESB	0	
811	DDSR1	0	
812	DEECR	0	
813	DSGSR	0	
814	UHDL 00	0	
815	UHDL 01	0	
816	UHDL 02	0	
817	UHDL 03	0	
818	UHDL 04	0	
819	UHDL 05	0	
820	UHDL 06	0	
821	UHDL 07	0	
822	UHDL 08	0	
823	UHDL 09	0	
824	UHDL 10	0	
825	UHDL 11	0	
826	UHDL 12	0	
827	UHDL 13	0	
828	UHDL 14	0	
829	UHDL 15	0	
830	UHDL 16	0	
831	UHDL 17	0	
832	UHDL 18	0	
833	UHDL 19	0	
834	UHDL 20	0	
835	UHDL 21	0	

IO	Name	Address	Rev
836	UHDL 22	0	
837	UHDL 23	0	
838	UHDL 24	0	
839	UHDL 25	0	
840	UHDL 26	0	
841	UHDL 27	0	
842	UHDL 28	0	
843	UHDL 29	0	
844	UHDL 30	0	
845	UHDL 31	0	
846	DHDL 00	0	
847	DHDL 01	0	
848	DHDL 02	0	
849	DHDL 03	0	
850	DHDL 04	0	
851	DHDL 05	0	
852	DHDL 06	0	
853	DHDL 07	0	
854	DHDL 08	0	
855	DHDL 09	0	
856	DHDL 10	0	
857	DHDL 11	0	
858	DHDL 12	0	
859	DHDL 13	0	
860	DHDL 14	0	
861	DHDL 15	0	
862	DHDL 16	0	
863	DHDL 17	0	
864	DHDL 18	0	
865	DHDL 19	0	
866	DHDL 20	0	
867	DHDL 21	0	
868	DHDL 22	0	
869	DHDL 23	0	
870	DHDL 24	0	
871	DHDL 25	0	
872	DHDL 26	0	
873	DHDL 27	0	
874	DHDL 28	0	
875	DHDL 29	0	
876	DHDL 30	0	
877	DHDL 31	0	
878	OOL 00	0	
879	OOL 01	0	
880	OOL 02	0	
881	OOL 03	0	
882	OOL 04	0	
883	OOL 05	0	
884	OOL 06	0	
885	OOL 07	0	
886	OOL 08	0	
887	OOL 09	0	
888	OOL 10	0	
889	OOL 11	0	
890	OOL 12	0	
891	OOL 13	0	
892	OOL 14	0	
893	OOL 15	0	
894	OOL 16	0	
895	OOL 17	0	
896	OOL 18	0	
897	OOL 19	0	
898	OOL 20	0	
899	OOL 21	0	
900	OOL 22	0	
901	OOL 23	0	

<b>OTIS</b>  <b>Engineering Center Berlin</b>	<b>Contract Parameters GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303</b> <b>Unit No. : 45SFOH56</b>	Page: 44 / 67 Date: 2022-07-27 SCN: GP230782GAK

IO	Name	Address	Rev
902	OOL 24	0	
903	OOL 25	0	
904	OOL 26	0	
905	OOL 27	0	
906	OOL 28	0	
907	OOL 29	0	
908	OOL 30	0	
909	OOL 31	0	
910	DOC 00	0	
911	DOC 01	0	
912	DOC 02	0	
913	DOC 03	0	
914	DOC 04	0	
915	DOC 05	0	
916	DOC 06	0	
917	DOC 07	0	
918	DOC 08	0	
919	DOC 09	0	
920	DOC 10	0	
921	DOC 11	0	
922	DOC 12	0	
923	DOC 13	0	
924	DOC 14	0	
925	DOC 15	0	
926	DOC 16	0	
927	DOC 17	0	
928	DOC 18	0	
929	DOC 19	0	
930	DOC 20	0	
931	DOC 21	0	
932	DOC 22	0	
933	DOC 23	0	
934	DOC 24	0	
935	DOC 25	0	
936	DOC 26	0	
937	DOC 27	0	
938	DOC 28	0	
939	DOC 29	0	
940	DOC 30	0	
941	DOC 31	0	
942	BCP1	0	
943	BCP2	0	
944	BCP4	0	
945	BCP8	0	
946	BCP16	0	
947	CPMT	0	
948	DCMT	0	
949	DOMT	0	
950	EMMT	0	
951	OLMT	0	
952	DDMT	0	
953	UDMT	0	
954	DNMT	0	
955	1EFS	0	
956	2EFS	0	
957	EFOL	0	
958	CRFL	0	
959	EFLM	0	
960	EFLTC	0	
961	CSABUZ	0	
962	AT20NDG	0	
963	AT20RNDG	0	
964	LRTS (OKR)	0	
965	LRCR	0	
966	RLRCR	0	
967	LBG	0	

IO	Name	Address	Rev
968	RLBG	0	
969	ESBUZ	0	
970	DDSRC	0	
971	DEMERC	0	
972	GSSI	0	
973	GSSO	0	
974	DDSR2	0	
975	DMOOS	0	
976	DMOLD	0	
977	GPIN1	0	
978	GPOUT1	0	
979	GPIN2	0	
980	GPOUT2	0	
981	GPIN3	0	
982	GPOUT3	0	
983	GPIN4	0	
984	GPOUT4	0	
985	GPIN5	0	
986	GPOUT5	0	
987	1LV	0	
988	2LV	0	
989	TARGET	0	
990	LBGCHK	0	
991	ST1	17+P3	
992	ST2	17+P4	
993	ST3	16+P3	
994	RST1	0	
995	RST2	0	
996	RST3	16+P4	
997	DDM	0	
998	RDDM	0	
999	EFSL	0	
1000	CLR	0	
1001	CLS	0	
1002	DFO	0	
1007	RFS	0	
1008	EQC1	0	
1009	EQC2	0	
1010	EQR1	0	
1011	ASLPL	0	
1012	EFOPL	0	
1013	DbgEvnts	0	
1014	DebugIn6	0	
1015	DebugIn1	0	
1016	DebugIn2	0	
1017	DPP	0	
1018	RPFL	0	
1019	RISPS	0	
1020	LDOS	0	
1021	MAS	0	
1022	HCRC	0	
1023	MPDL	0	
1024	LNSL	0	
1025	CCOL	0	
1026	HCOL	0	
1028	RBTE	0	
1029	RBTC	0	
1030	RDFO	0	
1031	AEFL	0	
1032	FOSS1	0	
1033	FOSS2	0	
1034	FOSS3	0	
1035	XDO	0	
1036	RXDO	0	

<b>OTIS</b>  <b>Engineering Center Berlin</b>	<b>Contract Parameters GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303</b> <b>Unit No. : 45SFOH56</b>	Page: 45 / 67 Date: 2022-07-27 SCN: GP230782GAK

IO	Name	Address	Rev
1037	CCDC	0	
1038	RCCDC	0	
1039	X1LV	0	
1040	X2LV	0	
1041	ABON	0	
1042	ABDO	0	
1043	LW30	0	
1044	LW50	0	
1045	AROL	0	
1046	AF	0	
1047	TUM1	0	
1048	TUM2	0	
1049	TDM	0	
1050	TUPS	0	
1051	TDPS	0	
1053	ATB	0	
1054	SOSU	0	
1055	SOSD	0	
1056	GRPFBK1	0	
1057	GRPTST1	0	
1058	CARFBK1	0	
1059	CARTST1	0	
1060	ADFK1	0	
1061	ADFK2	0	
1062	ADFK3	0	
1063	EFOAL	0	
1064	PKSG	0	
1065	SGOK1	0	
1066	SGOK2	0	
1067	SGOK3	0	
1068	SGOK4	0	
1069	SGOK5	0	
1070	SGOK6	0	
1071	SGOK7	0	
1072	SGOL1	0	
1073	SGOL2	0	
1074	SGOL3	0	
1075	SGOL4	0	
1076	SGOL5	0	
1077	SGOL6	0	
1078	SGOL7	0	
1079	ELZS	0	
1080	BPZS	0	
1081	ELDFD	0	
1082	ELDTD	0	
1083	FAN	0	
1084	RFAN	0	
1085	HCFAN	0	
1086	FANL	0	
1087	RFANL	0	
1088	HCFANL	0	
1089	FANR	0	
1090	FGSM	0	
1091	RGSM	0	
1092	FSFO	0	
1093	RSFO	0	
1094	DO1	0	
1095	DO2	0	
1096	DC	0	
1097	DSDOB	0	
1098	DSL RD	0	
1099	CLT	0	
1100	RDO1	0	
1101	RDO2	0	
1102	RDC	0	

IO	Name	Address	Rev
1103	RDSDOB	0	
1104	RDSL RD	0	
1105	RCLT	0	
1106	ESD	0	
1107	TRO	0	
1108	DOBL	0	
1109	DCBL	0	
1110	RDOBL	0	
1111	RDCBL	0	
1112	RTD_OUT1	0	
1113	RTD_OUT2	0	
1115	EN-TPOS	0	
1116	DLN	0	
1117	OVLREV	0	
1118	DbgCstL	0	
1119	DbgCstT	0	
1120	GDI0	0	
1121	GDI1	0	
1122	GDI2	0	
1123	GDI3	0	
1124	GDI4	0	
1125	GDI5	0	
1126	GDI6	0	
1127	GDI7	0	
1128	GDI8	0	
1129	GDI9	0	
1130	GDI10	0	
1131	GDI11	0	
1132	GDI12	0	
1133	GDI13	0	
1134	GDI14	0	
1135	GDI15	0	
1136	GDO0	0	
1137	GDO1	0	
1138	GDO2	0	
1139	GDO3	0	
1140	GDO4	0	
1141	GDO5	0	
1142	GDO6	0	
1143	GDO7	0	
1144	GDO8	0	
1145	GDO9	0	
1146	GDO10	0	
1147	GDO11	0	
1148	GDO12	0	
1149	GDO13	0	
1150	GDO14	0	
1151	GDO15	0	
1153	DDO	0	
1155	SGS2	0	
1156	RSGS2	0	
1157	ServInC	62+P1	
1158	ServOutC	62+P1	
1159	ALB	0	
1160	ALM	0	
1161	TRUNK	0	
1162	EOL	0	
1163	WTL	0	
1164	GOL	0	
1165	WISS	0	
1166	WDOB	0	
1167	WDCB	0	
1168	WDOBL	0	
1169	WDCBL	0	
1170	RWDOB	0	

<b>OTIS</b>  <b>Engineering Center Berlin</b>	<b>Contract Parameters GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303</b> <b>Unit No. : 45SFOH56</b>	Page: 46 / 67 Date: 2022-07-27 SCN: GP230782GAK

IO	Name	Address	Rev
1171	RWDCB	0	
1172	RWDOBL	0	
1173	RWDCBL	0	
1174	MR_TMP	0	
1175	5LS_ERR	0	
1176	6LS_ERR	0	
1177	LIGHT1	0	
1178	LIGHT2	0	
1179	ELIN1	0	
1180	ELIN2	0	
1181	ELOUT	0	
1183	FPHD1	0	
1184	FPHD2	0	
1185	FPHD3	0	
1186	FPHD4	0	
1187	FPHDRC	0	
1188	RPHD1	0	
1189	RPHD2	0	
1190	RPHD3	0	
1191	RPHD4	0	
1192	RPHDRC	0	
1193	BRB1H	0	
1194	BRB2H	0	
1195	FDZ	0	
1196	CHK_SO	0	
1197	FSO	0	
1198	CHK_RSO	0	
1199	RSO	0	
1200	EQARL	0	
1201	EEQFL	0	
1202	EQLH	0	
1203	EQARLH	0	
1204	INSLH	0	
1205	OLSH	0	
1206	ROLSH	0	
1207	NSVCL	0	
1208	NOL	0	
1209	CFS	0	
1210	SCFS	0	
1211	BUZH	0	
1212	PWC	0	
1213	EEQFH	0	
1214	EEQFG	0	
1215	EQC3	0	
1216	EQSR1	0	
1217	EQSR2	0	
1218	SEQS	0	
1219	EQLSS	0	
1220	EQRSH	0	
1221	EQC1H	0	
1222	EQC2H	0	
1223	EQC3H	0	
1224	PWCL	0	
1225	EQC1LH	0	
1226	EQC2LH	0	
1227	EQC3LH	0	
1228	SCML	0	
1229	ECBC	0	
1230	ERS1H	0	
1231	ERS2H	0	
1232	SERB	0	
1233	FWALL1	0	
1234	FWALL2	0	
1235	AMEZ1	0	
1236	DoorPor1	0	
1237	DoorPor2	0	

IO	Name	Address	Rev
1238	RGEN_D1	0	
1239	RGEN_D2	0	
1240	RGEN_D3	0	
1241	RGEN_D4	0	
1242	RGEN_D5	0	
1243	RGEN_D6	0	
1244	RGEN_D7	0	
1245	RGEN_D8	0	
1246	RGEN_D9	0	
1247	DbgOut1	0	
1248	DbgOut2	0	
1249	DbgOut3	0	
1250	DbgOut4	0	
1251	KS-L	0	
1252	DS1	0	
1253	PMSI	0	
1254	APS	0	
1255	PBUZ	0	
1256	RAPS	0	
1257	ET_P1	0+inv	
1258	ET_P2	0+inv	
1259	ET_S1	0+inv	
1260	ET_S2	0+inv	
1261	ET_P3	0+inv	
1262	ET_P4	0+inv	
1263	ET_S3	0+inv	
1264	ET_S4	0+inv	
1265	ServInH	0	
1266	ServOutH	0	
1272	UCMEN-UP	0	
1273	UCMEN-DN	0	
1274	MD_UNORM	0	
1275	MD_DTP	0	
1276	MD_COR	0	
1277	PET_BT1	0	
1278	PET_BT2	0	
1279	PET_BT3	0	
1280	PET_DHB1	0	
1281	PET_DHB2	0	
1282	PET_DHB3	0	
1283	PET_BL1	0	
1284	PET_BL2	0	
1285	PET_BL3	0	
1286	PET_DHL1	0	
1287	PET_DHL2	0	
1288	PET_DHL3	0	
1289	PET_FAN	0	
1290	PET_LAMP	0	
1291	CESS	0	
1293	APRF1C	0	
1294	APRF1H	0	
1295	APRF2C	0	
1296	APRF2H	0	
1297	APRF3C	0	
1298	APRF3H	0	
1303	AROMT	0	
1304	SVC	0	
1305	SVI	0	
1306	SVF	0	
1307	SVT	0	
1311	LowBat	0	
1312	RTD_H1	0	
1313	RTD_H2	0	
1314	RCW_H2	0	
1315	RRD_H	0	
1316	MD_BTN	0	

<b>OTIS</b>  <b>Engineering Center Berlin</b>	<b>Contract Parameters GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303</b> <b>Unit No. : 45SFOH56</b>	Page: 47 / 67 Date: 2022-07-27 SCN: GP230782GAK

IO	Name	Address	Rev
1317	CR_FSO	0	
1318	CR_RSO	0	
1319	TprInC	0	
1320	TprOutC	0	
1321	TprInH	0	
1322	TprOutH	0	
1323	AV-Alarm	0	
1324	WCOL	0	
1334	LR2	0	
1335	EMTL	0	
1336	HADL	0	
1337	MOTION	0	
1338	P-DET	0	
1339	DFCM	0	
1340	PICS	0	
1341	PUIB	0	
1342	PDIB	0	
1343	BAT_ERR	0	
1346	SPEEDCHK	0	
1350	PICS_INV	0	
1371	BCP32	0	
1372	BCP64	0	
1373	DCBD_P5T	0	
1374	DCBD_P6T	0	
1375	DCBD_P7T	0	
1376	DCBD_PTY	0	
1377	ERO_UP	0	
1378	ERO_DN	0	
1379	ERO_PTY	0	
1380	EFSBUZ-C	0	
1381	EFSBUZ-M	0	
1382	EFSBUZ-H	0	
1383	EFSBUZ-P	0	
1384	SCPON	0	
1385	SCPOFF	0	
1386	SCP	0	
1387	EBR1	0	
1388	EBR2	0	
1389	EBK1	0	
1390	EBK2	0	
1391	EBRK1	0	
1392	EBRK2	0	
1393	ABR1	0	
1394	ABR2	0	
1395	ABK1	0	
1396	ABK2	0	
1397	ABRK1	0	
1398	ABRK2	0	
1399	BATFAULT	0	
1716	EVAC_RET	0	
1717	EVAC_ST	0	
1718	EVAC_FAL	0	
1719	ARD_Op	0	
1720	ARD_Fin	0	
1721	ARD_Err	0	
1722	ARED_IN	0	
1723	AFH	0	
1724	GOLMT	0	
1725	EFOR	0	
1726	SMTDRIN	0	
1727	SMTDRON	0	
1728	SMTDROFF	0	
1729	SMTDROUT	0	
1730	DUPC	0	

IO	Name	Address	Rev
1731	DUPL	0	
1732	C_BRGD	0	
1733	L_BRGD	0	
1734	LC_BRGD	0	
1735	RR1	0	
1736	RR2	0	
1737	RR_ST	0	
1738	AROR	0	
1739	AROR_ST	0	
1740	L1L2_F	0	
1741	L3_F	0	
1742	OCB_ST_C	0	
1743	CDC_ST_H	0	
1744	EN_CONV	0	
1745	BatChrg	0	
1746	BatMaint	0	
1747	BatFault	0	
1748	BatReplc	0	
1749	BatFChrg	0	
1750	MroBrkCn	0	
1751	MroChOvr	0	
1752	EnMroSaf	0	
1753	DSBD_ON	0	
1754	P7T_ON	0	
1755	PICS_Rst	0	
1756	RDFCM	0	
1757	BSL1	0	
1758	BSL2	0	
1759	BSL3	0	
1760	BSDO	0	
1761	BSS1	0	
1762	BSS2	0	
1763	BSS3	0	
1764	BSSA	0	
1765	BSLP	0	
1766	BSLL1	0	
1767	BSLL2	0	
1768	BSLL3	0	
1771	WDHB	0	
1772	RWDHB	0	
1773	WDHBL	0	
1774	RWDHBL	0	
1775	BSLL1C	0	
1776	BSLL2C	0	
1777	BSLL3C	0	
1778	BSLL1C2	0	
1779	BSLL2C2	0	
1780	BSLL3C2	0	
1781	PKSMT	0	
3000	CB/CTTL 00	0	
3001	CB/CTTL 01	0	
3002	CB/CTTL 02	0	
3003	CB/CTTL 03	0	
3004	CB/CTTL 04	0	
3005	CB/CTTL 05	0	
3006	CB/CTTL 06	0	
3007	CB/CTTL 07	0	
3008	CB/CTTL 08	0	
3009	CB/CTTL 09	0	
3010	CB/CTTL 10	0	
3011	CB/CTTL 11	0	
3012	CB/CTTL 12	0	
3013	CB/CTTL 13	0	
3014	CB/CTTL 14	0	

<b>OTIS</b>  <b>Engineering Center Berlin</b>	<b>Contract Parameters GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303</b> <b>Unit No. : 45SFOH56</b>	Page: 48 / 67 Date: 2022-07-27 SCN: GP230782GAK

IO	Name	Address	Rev
3015	CB/CTTL 15	0	
3016	CB/CTTL 16	0	
3017	CB/CTTL 17	0	
3018	CB/CTTL 18	0	
3019	CB/CTTL 19	0	
3020	CB/CTTL 20	0	
3021	CB/CTTL 21	0	
3022	CB/CTTL 22	0	
3023	CB/CTTL 23	0	
3024	CB/CTTL 24	0	
3025	CB/CTTL 25	0	
3026	CB/CTTL 26	0	
3027	CB/CTTL 27	0	
3028	CB/CTTL 28	0	
3029	CB/CTTL 29	0	
3030	CB/CTTL 30	0	
3031	CB/CTTL 31	0	
3032	CB/CTTL 32	0	
3033	CB/CTTL 33	0	
3034	CB/CTTL 34	0	
3035	CB/CTTL 35	0	
3036	CB/CTTL 36	0	
3037	CB/CTTL 37	0	
3038	CB/CTTL 38	0	
3039	CB/CTTL 39	0	
3040	CB/CTTL 40	0	
3041	CB/CTTL 41	0	
3042	CB/CTTL 42	0	
3043	CB/CTTL 43	0	
3044	CB/CTTL 44	0	
3045	CB/CTTL 45	0	
3046	CB/CTTL 46	0	
3047	CB/CTTL 47	0	
3048	CB/CTTL 48	0	
3049	CB/CTTL 49	0	
3050	CB/CTTL 50	0	
3051	CB/CTTL 51	0	
3052	CB/CTTL 52	0	
3053	CB/CTTL 53	0	
3054	CB/CTTL 54	0	
3055	CB/CTTL 55	0	
3056	CB/CTTL 56	0	
3057	CB/CTTL 57	0	
3058	CB/CTTL 58	0	
3059	CB/CTTL 59	0	
3060	CB/CTTL 60	0	
3061	CB/CTTL 61	0	
3062	CB/CTTL 62	0	
3063	CB/CTTL 63	0	
3064	CB/CTTL 64	0	
3065	CB/CTTL 65	0	
3066	CB/CTTL 66	0	
3067	CB/CTTL 67	0	
3068	CB/CTTL 68	0	
3069	CB/CTTL 69	0	
3070	CB/CTTL 70	0	
3071	CB/CTTL 71	0	
3072	CB/CTTL 72	0	
3073	CB/CTTL 73	0	
3074	CB/CTTL 74	0	
3075	CB/CTTL 75	0	
3076	CB/CTTL 76	0	
3077	CB/CTTL 77	0	
3078	CB/CTTL 78	0	
3079	CB/CTTL 79	0	
3080	CB/CTTL 80	0	

IO	Name	Address	Rev
3081	CB/CTTL 81	0	
3082	CB/CTTL 82	0	
3083	CB/CTTL 83	0	
3084	CB/CTTL 84	0	
3085	CB/CTTL 85	0	
3086	CB/CTTL 86	0	
3087	CB/CTTL 87	0	
3088	CB/CTTL 88	0	
3089	CB/CTTL 89	0	
3090	CB/CTTL 90	0	
3091	CB/CTTL 91	0	
3092	CB/CTTL 92	0	
3093	CB/CTTL 93	0	
3094	CB/CTTL 94	0	
3095	CB/CTTL 95	0	
3096	CB/CTTL 96	0	
3097	CB/CTTL 97	0	
3098	CB/CTTL 98	0	
3099	CB/CTTL 99	0	
3100	RCB/RCTTL 00	0	
3101	RCB/RCTTL 01	0	
3102	RCB/RCTTL 02	0	
3103	RCB/RCTTL 03	0	
3104	RCB/RCTTL 04	0	
3105	RCB/RCTTL 05	0	
3106	RCB/RCTTL 06	0	
3107	RCB/RCTTL 07	0	
3108	RCB/RCTTL 08	0	
3109	RCB/RCTTL 09	0	
3110	RCB/RCTTL 10	0	
3111	RCB/RCTTL 11	0	
3112	RCB/RCTTL 12	0	
3113	RCB/RCTTL 13	0	
3114	RCB/RCTTL 14	0	
3115	RCB/RCTTL 15	0	
3116	RCB/RCTTL 16	0	
3117	RCB/RCTTL 17	0	
3118	RCB/RCTTL 18	0	
3119	RCB/RCTTL 19	0	
3120	RCB/RCTTL 20	0	
3121	RCB/RCTTL 21	0	
3122	RCB/RCTTL 22	0	
3123	RCB/RCTTL 23	0	
3124	RCB/RCTTL 24	0	
3125	RCB/RCTTL 25	0	
3126	RCB/RCTTL 26	0	
3127	RCB/RCTTL 27	0	
3128	RCB/RCTTL 28	0	
3129	RCB/RCTTL 29	0	
3130	RCB/RCTTL 30	0	
3131	RCB/RCTTL 31	0	
3132	RCB/RCTTL 32	0	
3133	RCB/RCTTL 33	0	
3134	RCB/RCTTL 34	0	
3135	RCB/RCTTL 35	0	
3136	RCB/RCTTL 36	0	
3137	RCB/RCTTL 37	0	
3138	RCB/RCTTL 38	0	
3139	RCB/RCTTL 39	0	
3140	RCB/RCTTL 40	0	
3141	RCB/RCTTL 41	0	
3142	RCB/RCTTL 42	0	
3143	RCB/RCTTL 43	0	
3144	RCB/RCTTL 44	0	
3145	RCB/RCTTL 45	0	
3146	RCB/RCTTL 46	0	

<b>OTIS</b>  <b>Engineering Center Berlin</b>	<b>Contract Parameters GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303</b> <b>Unit No. : 45SFOH56</b>	Page: 49 / 67 Date: 2022-07-27 SCN: GP230782GAK

IO	Name	Address	Rev
3147	RCB/RCTTL 47	0	
3148	RCB/RCTTL 48	0	
3149	RCB/RCTTL 49	0	
3150	RCB/RCTTL 50	0	
3151	RCB/RCTTL 51	0	
3152	RCB/RCTTL 52	0	
3153	RCB/RCTTL 53	0	
3154	RCB/RCTTL 54	0	
3155	RCB/RCTTL 55	0	
3156	RCB/RCTTL 56	0	
3157	RCB/RCTTL 57	0	
3158	RCB/RCTTL 58	0	
3159	RCB/RCTTL 59	0	
3160	RCB/RCTTL 60	0	
3161	RCB/RCTTL 61	0	
3162	RCB/RCTTL 62	0	
3163	RCB/RCTTL 63	0	
3164	RCB/RCTTL 64	0	
3165	RCB/RCTTL 65	0	
3166	RCB/RCTTL 66	0	
3167	RCB/RCTTL 67	0	
3168	RCB/RCTTL 68	0	
3169	RCB/RCTTL 69	0	
3170	RCB/RCTTL 70	0	
3171	RCB/RCTTL 71	0	
3172	RCB/RCTTL 72	0	
3173	RCB/RCTTL 73	0	
3174	RCB/RCTTL 74	0	
3175	RCB/RCTTL 75	0	
3176	RCB/RCTTL 76	0	
3177	RCB/RCTTL 77	0	
3178	RCB/RCTTL 78	0	
3179	RCB/RCTTL 79	0	
3180	RCB/RCTTL 80	0	
3181	RCB/RCTTL 81	0	
3182	RCB/RCTTL 82	0	
3183	RCB/RCTTL 83	0	
3184	RCB/RCTTL 84	0	
3185	RCB/RCTTL 85	0	
3186	RCB/RCTTL 86	0	
3187	RCB/RCTTL 87	0	
3188	RCB/RCTTL 88	0	
3189	RCB/RCTTL 89	0	
3190	RCB/RCTTL 90	0	
3191	RCB/RCTTL 91	0	
3192	RCB/RCTTL 92	0	
3193	RCB/RCTTL 93	0	
3194	RCB/RCTTL 94	0	
3195	RCB/RCTTL 95	0	
3196	RCB/RCTTL 96	0	
3197	RCB/RCTTL 97	0	
3198	RCB/RCTTL 98	0	
3199	RCB/RCTTL 99	0	
3200	UHB/UHTTL 00	0	
3201	UHB/UHTTL 01	0	
3202	UHB/UHTTL 02	0	
3203	UHB/UHTTL 03	0	
3204	UHB/UHTTL 04	0	
3205	UHB/UHTTL 05	0	
3206	UHB/UHTTL 06	0	
3207	UHB/UHTTL 07	0	
3208	UHB/UHTTL 08	0	
3209	UHB/UHTTL 09	0	
3210	UHB/UHTTL 10	0	
3211	UHB/UHTTL 11	0	
3212	UHB/UHTTL 12	0	

IO	Name	Address	Rev
3213	UHB/UHTTL 13	0	
3214	UHB/UHTTL 14	0	
3215	UHB/UHTTL 15	0	
3216	UHB/UHTTL 16	0	
3217	UHB/UHTTL 17	0	
3218	UHB/UHTTL 18	0	
3219	UHB/UHTTL 19	0	
3220	UHB/UHTTL 20	0	
3221	UHB/UHTTL 21	0	
3222	UHB/UHTTL 22	0	
3223	UHB/UHTTL 23	0	
3224	UHB/UHTTL 24	0	
3225	UHB/UHTTL 25	0	
3226	UHB/UHTTL 26	0	
3227	UHB/UHTTL 27	0	
3228	UHB/UHTTL 28	0	
3229	UHB/UHTTL 29	0	
3230	UHB/UHTTL 30	0	
3231	UHB/UHTTL 31	0	
3232	UHB/UHTTL 32	0	
3233	UHB/UHTTL 33	0	
3234	UHB/UHTTL 34	0	
3235	UHB/UHTTL 35	0	
3236	UHB/UHTTL 36	0	
3237	UHB/UHTTL 37	0	
3238	UHB/UHTTL 38	0	
3239	UHB/UHTTL 39	0	
3240	UHB/UHTTL 40	0	
3241	UHB/UHTTL 41	0	
3242	UHB/UHTTL 42	0	
3243	UHB/UHTTL 43	0	
3244	UHB/UHTTL 44	0	
3245	UHB/UHTTL 45	0	
3246	UHB/UHTTL 46	0	
3247	UHB/UHTTL 47	0	
3248	UHB/UHTTL 48	0	
3249	UHB/UHTTL 49	0	
3250	UHB/UHTTL 50	0	
3251	UHB/UHTTL 51	0	
3252	UHB/UHTTL 52	0	
3253	UHB/UHTTL 53	0	
3254	UHB/UHTTL 54	0	
3255	UHB/UHTTL 55	0	
3256	UHB/UHTTL 56	0	
3257	UHB/UHTTL 57	0	
3258	UHB/UHTTL 58	0	
3259	UHB/UHTTL 59	0	
3260	UHB/UHTTL 60	0	
3261	UHB/UHTTL 61	0	
3262	UHB/UHTTL 62	0	
3263	UHB/UHTTL 63	0	
3264	UHB/UHTTL 64	0	
3265	UHB/UHTTL 65	0	
3266	UHB/UHTTL 66	0	
3267	UHB/UHTTL 67	0	
3268	UHB/UHTTL 68	0	
3269	UHB/UHTTL 69	0	
3270	UHB/UHTTL 70	0	
3271	UHB/UHTTL 71	0	
3272	UHB/UHTTL 72	0	
3273	UHB/UHTTL 73	0	
3274	UHB/UHTTL 74	0	
3275	UHB/UHTTL 75	0	
3276	UHB/UHTTL 76	0	
3277	UHB/UHTTL 77	0	
3278	UHB/UHTTL 78	0	

<b>OTIS</b>  <b>Engineering Center Berlin</b>	<b>Contract Parameters GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303</b> <b>Unit No. : 45SFOH56</b>	Page: 50 / 67 Date: 2022-07-27 SCN: GP230782GAK

IO	Name	Address	Rev
3279	UHB/UHTTL 79	0	
3280	UHB/UHTTL 80	0	
3281	UHB/UHTTL 81	0	
3282	UHB/UHTTL 82	0	
3283	UHB/UHTTL 83	0	
3284	UHB/UHTTL 84	0	
3285	UHB/UHTTL 85	0	
3286	UHB/UHTTL 86	0	
3287	UHB/UHTTL 87	0	
3288	UHB/UHTTL 88	0	
3289	UHB/UHTTL 89	0	
3290	UHB/UHTTL 90	0	
3291	UHB/UHTTL 91	0	
3292	UHB/UHTTL 92	0	
3293	UHB/UHTTL 93	0	
3294	UHB/UHTTL 94	0	
3295	UHB/UHTTL 95	0	
3296	UHB/UHTTL 96	0	
3297	UHB/UHTTL 97	0	
3298	UHB/UHTTL 98	0	
3299	UHB/UHTTL 99	0	
3300	HB/HTTL 00	0	
3301	HB/HTTL 01	0	
3302	HB/HTTL 02	0	
3303	HB/HTTL 03	0	
3304	HB/HTTL 04	0	
3305	HB/HTTL 05	0	
3306	HB/HTTL 06	0	
3307	HB/HTTL 07	0	
3308	HB/HTTL 08	0	
3309	HB/HTTL 09	0	
3310	HB/HTTL 10	0	
3311	HB/HTTL 11	0	
3312	HB/HTTL 12	0	
3313	HB/HTTL 13	0	
3314	HB/HTTL 14	0	
3315	HB/HTTL 15	0	
3316	HB/HTTL 16	0	
3317	HB/HTTL 17	0	
3318	HB/HTTL 18	0	
3319	HB/HTTL 19	0	
3320	HB/HTTL 20	0	
3321	HB/HTTL 21	0	
3322	HB/HTTL 22	0	
3323	HB/HTTL 23	0	
3324	HB/HTTL 24	0	
3325	HB/HTTL 25	0	
3326	HB/HTTL 26	0	
3327	HB/HTTL 27	0	
3328	HB/HTTL 28	0	
3329	HB/HTTL 29	0	
3330	HB/HTTL 30	0	
3331	HB/HTTL 31	0	
3332	HB/HTTL 32	0	
3333	HB/HTTL 33	0	
3334	HB/HTTL 34	0	
3335	HB/HTTL 35	0	
3336	HB/HTTL 36	0	
3337	HB/HTTL 37	0	
3338	HB/HTTL 38	0	
3339	HB/HTTL 39	0	
3340	HB/HTTL 40	0	
3341	HB/HTTL 41	0	
3342	HB/HTTL 42	0	
3343	HB/HTTL 43	0	
3344	HB/HTTL 44	0	

IO	Name	Address	Rev
3345	HB/HTTL 45	0	
3346	HB/HTTL 46	0	
3347	HB/HTTL 47	0	
3348	HB/HTTL 48	0	
3349	HB/HTTL 49	0	
3350	HB/HTTL 50	0	
3351	HB/HTTL 51	0	
3352	HB/HTTL 52	0	
3353	HB/HTTL 53	0	
3354	HB/HTTL 54	0	
3355	HB/HTTL 55	0	
3356	HB/HTTL 56	0	
3357	HB/HTTL 57	0	
3358	HB/HTTL 58	0	
3359	HB/HTTL 59	0	
3360	HB/HTTL 60	0	
3361	HB/HTTL 61	0	
3362	HB/HTTL 62	0	
3363	HB/HTTL 63	0	
3364	HB/HTTL 64	0	
3365	HB/HTTL 65	0	
3366	HB/HTTL 66	0	
3367	HB/HTTL 67	0	
3368	HB/HTTL 68	0	
3369	HB/HTTL 69	0	
3370	HB/HTTL 70	0	
3371	HB/HTTL 71	0	
3372	HB/HTTL 72	0	
3373	HB/HTTL 73	0	
3374	HB/HTTL 74	0	
3375	HB/HTTL 75	0	
3376	HB/HTTL 76	0	
3377	HB/HTTL 77	0	
3378	HB/HTTL 78	0	
3379	HB/HTTL 79	0	
3380	HB/HTTL 80	0	
3381	HB/HTTL 81	0	
3382	HB/HTTL 82	0	
3383	HB/HTTL 83	0	
3384	HB/HTTL 84	0	
3385	HB/HTTL 85	0	
3386	HB/HTTL 86	0	
3387	HB/HTTL 87	0	
3388	HB/HTTL 88	0	
3389	HB/HTTL 89	0	
3390	HB/HTTL 90	0	
3391	HB/HTTL 91	0	
3392	HB/HTTL 92	0	
3393	HB/HTTL 93	0	
3394	HB/HTTL 94	0	
3395	HB/HTTL 95	0	
3396	HB/HTTL 96	0	
3397	HB/HTTL 97	0	
3398	HB/HTTL 98	0	
3399	HB/HTTL 99	0	
3400	EHC/EHTTL 00	0	
3401	EHC/EHTTL 01	0	
3402	EHC/EHTTL 02	0	
3403	EHC/EHTTL 03	0	
3404	EHC/EHTTL 04	0	
3405	EHC/EHTTL 05	0	
3406	EHC/EHTTL 06	0	
3407	EHC/EHTTL 07	0	
3408	EHC/EHTTL 08	0	
3409	EHC/EHTTL 09	0	
3410	EHC/EHTTL 10	0	

<b>OTIS</b>  Engineering Center Berlin	<b>Contract Parameters</b> <b>GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303</b> <b>Unit No. : 45SFOH56</b>	Page: 51 / 67 Date: 2022-07-27 SCN: GP230782GAK

IO	Name	Address	Rev
3411	EHC/EHTTL 11	0	
3412	EHC/EHTTL 12	0	
3413	EHC/EHTTL 13	0	
3414	EHC/EHTTL 14	0	
3415	EHC/EHTTL 15	0	
3416	EHC/EHTTL 16	0	
3417	EHC/EHTTL 17	0	
3418	EHC/EHTTL 18	0	
3419	EHC/EHTTL 19	0	
3420	EHC/EHTTL 20	0	
3421	EHC/EHTTL 21	0	
3422	EHC/EHTTL 22	0	
3423	EHC/EHTTL 23	0	
3424	EHC/EHTTL 24	0	
3425	EHC/EHTTL 25	0	
3426	EHC/EHTTL 26	0	
3427	EHC/EHTTL 27	0	
3428	EHC/EHTTL 28	0	
3429	EHC/EHTTL 29	0	
3430	EHC/EHTTL 30	0	
3431	EHC/EHTTL 31	0	
3432	EHC/EHTTL 32	0	
3433	EHC/EHTTL 33	0	
3434	EHC/EHTTL 34	0	
3435	EHC/EHTTL 35	0	
3436	EHC/EHTTL 36	0	
3437	EHC/EHTTL 37	0	
3438	EHC/EHTTL 38	0	
3439	EHC/EHTTL 39	0	
3440	EHC/EHTTL 40	0	
3441	EHC/EHTTL 41	0	
3442	EHC/EHTTL 42	0	
3443	EHC/EHTTL 43	0	
3444	EHC/EHTTL 44	0	
3445	EHC/EHTTL 45	0	
3446	EHC/EHTTL 46	0	
3447	EHC/EHTTL 47	0	
3448	EHC/EHTTL 48	0	
3449	EHC/EHTTL 49	0	
3450	EHC/EHTTL 50	0	
3451	EHC/EHTTL 51	0	
3452	EHC/EHTTL 52	0	
3453	EHC/EHTTL 53	0	
3454	EHC/EHTTL 54	0	
3455	EHC/EHTTL 55	0	
3456	EHC/EHTTL 56	0	
3457	EHC/EHTTL 57	0	
3458	EHC/EHTTL 58	0	
3459	EHC/EHTTL 59	0	
3460	EHC/EHTTL 60	0	
3461	EHC/EHTTL 61	0	
3462	EHC/EHTTL 62	0	
3463	EHC/EHTTL 63	0	
3464	EHC/EHTTL 64	0	
3465	EHC/EHTTL 65	0	
3466	EHC/EHTTL 66	0	
3467	EHC/EHTTL 67	0	
3468	EHC/EHTTL 68	0	
3469	EHC/EHTTL 69	0	
3470	EHC/EHTTL 70	0	
3471	EHC/EHTTL 71	0	
3472	EHC/EHTTL 72	0	
3473	EHC/EHTTL 73	0	
3474	EHC/EHTTL 74	0	
3475	EHC/EHTTL 75	0	
3476	EHC/EHTTL 76	0	

IO	Name	Address	Rev
3477	EHC/EHTTL 77	0	
3478	EHC/EHTTL 78	0	
3479	EHC/EHTTL 79	0	
3480	EHC/EHTTL 80	0	
3481	EHC/EHTTL 81	0	
3482	EHC/EHTTL 82	0	
3483	EHC/EHTTL 83	0	
3484	EHC/EHTTL 84	0	
3485	EHC/EHTTL 85	0	
3486	EHC/EHTTL 86	0	
3487	EHC/EHTTL 87	0	
3488	EHC/EHTTL 88	0	
3489	EHC/EHTTL 89	0	
3490	EHC/EHTTL 90	0	
3491	EHC/EHTTL 91	0	
3492	EHC/EHTTL 92	0	
3493	EHC/EHTTL 93	0	
3494	EHC/EHTTL 94	0	
3495	EHC/EHTTL 95	0	
3496	EHC/EHTTL 96	0	
3497	EHC/EHTTL 97	0	
3498	EHC/EHTTL 98	0	
3499	EHC/EHTTL 99	0	
3500	eCB/eCTTL 00	0	
3501	eCB/eCTTL 01	0	
3502	eCB/eCTTL 02	0	
3503	eCB/eCTTL 03	0	
3504	eCB/eCTTL 04	0	
3505	eCB/eCTTL 05	0	
3506	eCB/eCTTL 06	0	
3507	eCB/eCTTL 07	0	
3508	eCB/eCTTL 08	0	
3509	eCB/eCTTL 09	0	
3510	eCB/eCTTL 10	0	
3511	eCB/eCTTL 11	0	
3512	eCB/eCTTL 12	0	
3513	eCB/eCTTL 13	0	
3514	eCB/eCTTL 14	0	
3515	eCB/eCTTL 15	0	
3516	eCB/eCTTL 16	0	
3517	eCB/eCTTL 17	0	
3518	eCB/eCTTL 18	0	
3519	eCB/eCTTL 19	0	
3520	eCB/eCTTL 20	0	
3521	eCB/eCTTL 21	0	
3522	eCB/eCTTL 22	0	
3523	eCB/eCTTL 23	0	
3524	eCB/eCTTL 24	0	
3525	eCB/eCTTL 25	0	
3526	eCB/eCTTL 26	0	
3527	eCB/eCTTL 27	0	
3528	eCB/eCTTL 28	0	
3529	eCB/eCTTL 29	0	
3530	eCB/eCTTL 30	0	
3531	eCB/eCTTL 31	0	
3532	eCB/eCTTL 32	0	
3533	eCB/eCTTL 33	0	
3534	eCB/eCTTL 34	0	
3535	eCB/eCTTL 35	0	
3536	eCB/eCTTL 36	0	
3537	eCB/eCTTL 37	0	
3538	eCB/eCTTL 38	0	
3539	eCB/eCTTL 39	0	
3540	eCB/eCTTL 40	0	
3541	eCB/eCTTL 41	0	
3542	eCB/eCTTL 42	0	

<b>OTIS</b>  <b>Engineering Center Berlin</b>	<b>Contract Parameters GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303</b> <b>Unit No. : 45SFOH56</b>	Page: 52 / 67 Date: 2022-07-27 SCN: GP230782GAK

IO	Name	Address	Rev
3543	eCB/eCTTL 43	0	
3544	eCB/eCTTL 44	0	
3545	eCB/eCTTL 45	0	
3546	eCB/eCTTL 46	0	
3547	eCB/eCTTL 47	0	
3548	eCB/eCTTL 48	0	
3549	eCB/eCTTL 49	0	
3550	eCB/eCTTL 50	0	
3551	eCB/eCTTL 51	0	
3552	eCB/eCTTL 52	0	
3553	eCB/eCTTL 53	0	
3554	eCB/eCTTL 54	0	
3555	eCB/eCTTL 55	0	
3556	eCB/eCTTL 56	0	
3557	eCB/eCTTL 57	0	
3558	eCB/eCTTL 58	0	
3559	eCB/eCTTL 59	0	
3560	eCB/eCTTL 60	0	
3561	eCB/eCTTL 61	0	
3562	eCB/eCTTL 62	0	
3563	eCB/eCTTL 63	0	
3564	eCB/eCTTL 64	0	
3565	eCB/eCTTL 65	0	
3566	eCB/eCTTL 66	0	
3567	eCB/eCTTL 67	0	
3568	eCB/eCTTL 68	0	
3569	eCB/eCTTL 69	0	
3570	eCB/eCTTL 70	0	
3571	eCB/eCTTL 71	0	
3572	eCB/eCTTL 72	0	
3573	eCB/eCTTL 73	0	
3574	eCB/eCTTL 74	0	
3575	eCB/eCTTL 75	0	
3576	eCB/eCTTL 76	0	
3577	eCB/eCTTL 77	0	
3578	eCB/eCTTL 78	0	
3579	eCB/eCTTL 79	0	
3580	eCB/eCTTL 80	0	
3581	eCB/eCTTL 81	0	
3582	eCB/eCTTL 82	0	
3583	eCB/eCTTL 83	0	
3584	eCB/eCTTL 84	0	
3585	eCB/eCTTL 85	0	
3586	eCB/eCTTL 86	0	
3587	eCB/eCTTL 87	0	
3588	eCB/eCTTL 88	0	
3589	eCB/eCTTL 89	0	
3590	eCB/eCTTL 90	0	
3591	eCB/eCTTL 91	0	
3592	eCB/eCTTL 92	0	
3593	eCB/eCTTL 93	0	
3594	eCB/eCTTL 94	0	
3595	eCB/eCTTL 95	0	
3596	eCB/eCTTL 96	0	
3597	eCB/eCTTL 97	0	
3598	eCB/eCTTL 98	0	
3599	eCB/eCTTL 99	0	
3600	eRCB/eRCTTL 00	0	
3601	eRCB/eRCTTL 01	0	
3602	eRCB/eRCTTL 02	0	
3603	eRCB/eRCTTL 03	0	
3604	eRCB/eRCTTL 04	0	
3605	eRCB/eRCTTL 05	0	
3606	eRCB/eRCTTL 06	0	
3607	eRCB/eRCTTL 07	0	
3608	eRCB/eRCTTL 08	0	

IO	Name	Address	Rev
3609	eRCB/eRCTTL 09	0	
3610	eRCB/eRCTTL 10	0	
3611	eRCB/eRCTTL 11	0	
3612	eRCB/eRCTTL 12	0	
3613	eRCB/eRCTTL 13	0	
3614	eRCB/eRCTTL 14	0	
3615	eRCB/eRCTTL 15	0	
3616	eRCB/eRCTTL 16	0	
3617	eRCB/eRCTTL 17	0	
3618	eRCB/eRCTTL 18	0	
3619	eRCB/eRCTTL 19	0	
3620	eRCB/eRCTTL 20	0	
3621	eRCB/eRCTTL 21	0	
3622	eRCB/eRCTTL 22	0	
3623	eRCB/eRCTTL 23	0	
3624	eRCB/eRCTTL 24	0	
3625	eRCB/eRCTTL 25	0	
3626	eRCB/eRCTTL 26	0	
3627	eRCB/eRCTTL 27	0	
3628	eRCB/eRCTTL 28	0	
3629	eRCB/eRCTTL 29	0	
3630	eRCB/eRCTTL 30	0	
3631	eRCB/eRCTTL 31	0	
3632	eRCB/eRCTTL 32	0	
3633	eRCB/eRCTTL 33	0	
3634	eRCB/eRCTTL 34	0	
3635	eRCB/eRCTTL 35	0	
3636	eRCB/eRCTTL 36	0	
3637	eRCB/eRCTTL 37	0	
3638	eRCB/eRCTTL 38	0	
3639	eRCB/eRCTTL 39	0	
3640	eRCB/eRCTTL 40	0	
3641	eRCB/eRCTTL 41	0	
3642	eRCB/eRCTTL 42	0	
3643	eRCB/eRCTTL 43	0	
3644	eRCB/eRCTTL 44	0	
3645	eRCB/eRCTTL 45	0	
3646	eRCB/eRCTTL 46	0	
3647	eRCB/eRCTTL 47	0	
3648	eRCB/eRCTTL 48	0	
3649	eRCB/eRCTTL 49	0	
3650	eRCB/eRCTTL 50	0	
3651	eRCB/eRCTTL 51	0	
3652	eRCB/eRCTTL 52	0	
3653	eRCB/eRCTTL 53	0	
3654	eRCB/eRCTTL 54	0	
3655	eRCB/eRCTTL 55	0	
3656	eRCB/eRCTTL 56	0	
3657	eRCB/eRCTTL 57	0	
3658	eRCB/eRCTTL 58	0	
3659	eRCB/eRCTTL 59	0	
3660	eRCB/eRCTTL 60	0	
3661	eRCB/eRCTTL 61	0	
3662	eRCB/eRCTTL 62	0	
3663	eRCB/eRCTTL 63	0	
3664	eRCB/eRCTTL 64	0	
3665	eRCB/eRCTTL 65	0	
3666	eRCB/eRCTTL 66	0	
3667	eRCB/eRCTTL 67	0	
3668	eRCB/eRCTTL 68	0	
3669	eRCB/eRCTTL 69	0	
3670	eRCB/eRCTTL 70	0	
3671	eRCB/eRCTTL 71	0	
3672	eRCB/eRCTTL 72	0	
3673	eRCB/eRCTTL 73	0	
3674	eRCB/eRCTTL 74	0	

<b>OTIS</b>  <b>Engineering Center Berlin</b>	<b>Contract Parameters GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303</b> <b>Unit No. : 45SFOH56</b>	Page: 53 / 67 Date: 2022-07-27 SCN: GP230782GAK

IO	Name	Address	Rev
3675	eRCB/eRCTTL 75	0	
3676	eRCB/eRCTTL 76	0	
3677	eRCB/eRCTTL 77	0	
3678	eRCB/eRCTTL 78	0	
3679	eRCB/eRCTTL 79	0	
3680	eRCB/eRCTTL 80	0	
3681	eRCB/eRCTTL 81	0	
3682	eRCB/eRCTTL 82	0	
3683	eRCB/eRCTTL 83	0	
3684	eRCB/eRCTTL 84	0	
3685	eRCB/eRCTTL 85	0	
3686	eRCB/eRCTTL 86	0	
3687	eRCB/eRCTTL 87	0	
3688	eRCB/eRCTTL 88	0	
3689	eRCB/eRCTTL 89	0	
3690	eRCB/eRCTTL 90	0	
3691	eRCB/eRCTTL 91	0	
3692	eRCB/eRCTTL 92	0	
3693	eRCB/eRCTTL 93	0	
3694	eRCB/eRCTTL 94	0	
3695	eRCB/eRCTTL 95	0	
3696	eRCB/eRCTTL 96	0	
3697	eRCB/eRCTTL 97	0	
3698	eRCB/eRCTTL 98	0	
3699	eRCB/eRCTTL 99	0	
3700	eUHB/eUHTTL 00	0	
3701	eUHB/eUHTTL 01	0	
3702	eUHB/eUHTTL 02	0	
3703	eUHB/eUHTTL 03	0	
3704	eUHB/eUHTTL 04	0	
3705	eUHB/eUHTTL 05	0	
3706	eUHB/eUHTTL 06	0	
3707	eUHB/eUHTTL 07	0	
3708	eUHB/eUHTTL 08	0	
3709	eUHB/eUHTTL 09	0	
3710	eUHB/eUHTTL 10	0	
3711	eUHB/eUHTTL 11	0	
3712	eUHB/eUHTTL 12	0	
3713	eUHB/eUHTTL 13	0	
3714	eUHB/eUHTTL 14	0	
3715	eUHB/eUHTTL 15	0	
3716	eUHB/eUHTTL 16	0	
3717	eUHB/eUHTTL 17	0	
3718	eUHB/eUHTTL 18	0	
3719	eUHB/eUHTTL 19	0	
3720	eUHB/eUHTTL 20	0	
3721	eUHB/eUHTTL 21	0	
3722	eUHB/eUHTTL 22	0	
3723	eUHB/eUHTTL 23	0	
3724	eUHB/eUHTTL 24	0	
3725	eUHB/eUHTTL 25	0	
3726	eUHB/eUHTTL 26	0	
3727	eUHB/eUHTTL 27	0	
3728	eUHB/eUHTTL 28	0	
3729	eUHB/eUHTTL 29	0	
3730	eUHB/eUHTTL 30	0	
3731	eUHB/eUHTTL 31	0	
3732	eUHB/eUHTTL 32	0	
3733	eUHB/eUHTTL 33	0	
3734	eUHB/eUHTTL 34	0	
3735	eUHB/eUHTTL 35	0	
3736	eUHB/eUHTTL 36	0	
3737	eUHB/eUHTTL 37	0	
3738	eUHB/eUHTTL 38	0	
3739	eUHB/eUHTTL 39	0	
3740	eUHB/eUHTTL 40	0	

IO	Name	Address	Rev
3741	eUHB/eUHTTL 41	0	
3742	eUHB/eUHTTL 42	0	
3743	eUHB/eUHTTL 43	0	
3744	eUHB/eUHTTL 44	0	
3745	eUHB/eUHTTL 45	0	
3746	eUHB/eUHTTL 46	0	
3747	eUHB/eUHTTL 47	0	
3748	eUHB/eUHTTL 48	0	
3749	eUHB/eUHTTL 49	0	
3750	eUHB/eUHTTL 50	0	
3751	eUHB/eUHTTL 51	0	
3752	eUHB/eUHTTL 52	0	
3753	eUHB/eUHTTL 53	0	
3754	eUHB/eUHTTL 54	0	
3755	eUHB/eUHTTL 55	0	
3756	eUHB/eUHTTL 56	0	
3757	eUHB/eUHTTL 57	0	
3758	eUHB/eUHTTL 58	0	
3759	eUHB/eUHTTL 59	0	
3760	eUHB/eUHTTL 60	0	
3761	eUHB/eUHTTL 61	0	
3762	eUHB/eUHTTL 62	0	
3763	eUHB/eUHTTL 63	0	
3764	eUHB/eUHTTL 64	0	
3765	eUHB/eUHTTL 65	0	
3766	eUHB/eUHTTL 66	0	
3767	eUHB/eUHTTL 67	0	
3768	eUHB/eUHTTL 68	0	
3769	eUHB/eUHTTL 69	0	
3770	eUHB/eUHTTL 70	0	
3771	eUHB/eUHTTL 71	0	
3772	eUHB/eUHTTL 72	0	
3773	eUHB/eUHTTL 73	0	
3774	eUHB/eUHTTL 74	0	
3775	eUHB/eUHTTL 75	0	
3776	eUHB/eUHTTL 76	0	
3777	eUHB/eUHTTL 77	0	
3778	eUHB/eUHTTL 78	0	
3779	eUHB/eUHTTL 79	0	
3780	eUHB/eUHTTL 80	0	
3781	eUHB/eUHTTL 81	0	
3782	eUHB/eUHTTL 82	0	
3783	eUHB/eUHTTL 83	0	
3784	eUHB/eUHTTL 84	0	
3785	eUHB/eUHTTL 85	0	
3786	eUHB/eUHTTL 86	0	
3787	eUHB/eUHTTL 87	0	
3788	eUHB/eUHTTL 88	0	
3789	eUHB/eUHTTL 89	0	
3790	eUHB/eUHTTL 90	0	
3791	eUHB/eUHTTL 91	0	
3792	eUHB/eUHTTL 92	0	
3793	eUHB/eUHTTL 93	0	
3794	eUHB/eUHTTL 94	0	
3795	eUHB/eUHTTL 95	0	
3796	eUHB/eUHTTL 96	0	
3797	eUHB/eUHTTL 97	0	
3798	eUHB/eUHTTL 98	0	
3799	eUHB/eUHTTL 99	0	
3800	eHB/eHTTL 00	0	
3801	eHB/eHTTL 01	0	
3802	eHB/eHTTL 02	0	
3803	eHB/eHTTL 03	0	
3804	eHB/eHTTL 04	0	
3805	eHB/eHTTL 05	0	
3806	eHB/eHTTL 06	0	

<b>OTIS</b>  Engineering Center Berlin	<b>Contract Parameters</b> <b>GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303</b> <b>Unit No. : 45SFOH56</b>	Page: 54 / 67 Date: 2022-07-27 SCN: GP230782GAK

IO	Name	Address	Rev
3807	eHB/eHTTL 07	0	
3808	eHB/eHTTL 08	0	
3809	eHB/eHTTL 09	0	
3810	eHB/eHTTL 10	0	
3811	eHB/eHTTL 11	0	
3812	eHB/eHTTL 12	0	
3813	eHB/eHTTL 13	0	
3814	eHB/eHTTL 14	0	
3815	eHB/eHTTL 15	0	
3816	eHB/eHTTL 16	0	
3817	eHB/eHTTL 17	0	
3818	eHB/eHTTL 18	0	
3819	eHB/eHTTL 19	0	
3820	eHB/eHTTL 20	0	
3821	eHB/eHTTL 21	0	
3822	eHB/eHTTL 22	0	
3823	eHB/eHTTL 23	0	
3824	eHB/eHTTL 24	0	
3825	eHB/eHTTL 25	0	
3826	eHB/eHTTL 26	0	
3827	eHB/eHTTL 27	0	
3828	eHB/eHTTL 28	0	
3829	eHB/eHTTL 29	0	
3830	eHB/eHTTL 30	0	
3831	eHB/eHTTL 31	0	
3832	eHB/eHTTL 32	0	
3833	eHB/eHTTL 33	0	
3834	eHB/eHTTL 34	0	
3835	eHB/eHTTL 35	0	
3836	eHB/eHTTL 36	0	
3837	eHB/eHTTL 37	0	
3838	eHB/eHTTL 38	0	
3839	eHB/eHTTL 39	0	
3840	eHB/eHTTL 40	0	
3841	eHB/eHTTL 41	0	
3842	eHB/eHTTL 42	0	
3843	eHB/eHTTL 43	0	
3844	eHB/eHTTL 44	0	
3845	eHB/eHTTL 45	0	
3846	eHB/eHTTL 46	0	
3847	eHB/eHTTL 47	0	
3848	eHB/eHTTL 48	0	
3849	eHB/eHTTL 49	0	
3850	eHB/eHTTL 50	0	
3851	eHB/eHTTL 51	0	
3852	eHB/eHTTL 52	0	
3853	eHB/eHTTL 53	0	
3854	eHB/eHTTL 54	0	
3855	eHB/eHTTL 55	0	
3856	eHB/eHTTL 56	0	
3857	eHB/eHTTL 57	0	
3858	eHB/eHTTL 58	0	
3859	eHB/eHTTL 59	0	
3860	eHB/eHTTL 60	0	
3861	eHB/eHTTL 61	0	
3862	eHB/eHTTL 62	0	
3863	eHB/eHTTL 63	0	
3864	eHB/eHTTL 64	0	
3865	eHB/eHTTL 65	0	
3866	eHB/eHTTL 66	0	
3867	eHB/eHTTL 67	0	
3868	eHB/eHTTL 68	0	
3869	eHB/eHTTL 69	0	
3870	eHB/eHTTL 70	0	
3871	eHB/eHTTL 71	0	
3872	eHB/eHTTL 72	0	

IO	Name	Address	Rev
3873	eHB/eHTTL 73	0	
3874	eHB/eHTTL 74	0	
3875	eHB/eHTTL 75	0	
3876	eHB/eHTTL 76	0	
3877	eHB/eHTTL 77	0	
3878	eHB/eHTTL 78	0	
3879	eHB/eHTTL 79	0	
3880	eHB/eHTTL 80	0	
3881	eHB/eHTTL 81	0	
3882	eHB/eHTTL 82	0	
3883	eHB/eHTTL 83	0	
3884	eHB/eHTTL 84	0	
3885	eHB/eHTTL 85	0	
3886	eHB/eHTTL 86	0	
3887	eHB/eHTTL 87	0	
3888	eHB/eHTTL 88	0	
3889	eHB/eHTTL 89	0	
3890	eHB/eHTTL 90	0	
3891	eHB/eHTTL 91	0	
3892	eHB/eHTTL 92	0	
3893	eHB/eHTTL 93	0	
3894	eHB/eHTTL 94	0	
3895	eHB/eHTTL 95	0	
3896	eHB/eHTTL 96	0	
3897	eHB/eHTTL 97	0	
3898	eHB/eHTTL 98	0	
3899	eHB/eHTTL 99	0	
3900	eHC/eETTL 00	0	
3901	eHC/eETTL 01	0	
3902	eHC/eETTL 02	0	
3903	eHC/eETTL 03	0	
3904	eHC/eETTL 04	0	
3905	eHC/eETTL 05	0	
3906	eHC/eETTL 06	0	
3907	eHC/eETTL 07	0	
3908	eHC/eETTL 08	0	
3909	eHC/eETTL 09	0	
3910	eHC/eETTL 10	0	
3911	eHC/eETTL 11	0	
3912	eHC/eETTL 12	0	
3913	eHC/eETTL 13	0	
3914	eHC/eETTL 14	0	
3915	eHC/eETTL 15	0	
3916	eHC/eETTL 16	0	
3917	eHC/eETTL 17	0	
3918	eHC/eETTL 18	0	
3919	eHC/eETTL 19	0	
3920	eHC/eETTL 20	0	
3921	eHC/eETTL 21	0	
3922	eHC/eETTL 22	0	
3923	eHC/eETTL 23	0	
3924	eHC/eETTL 24	0	
3925	eHC/eETTL 25	0	
3926	eHC/eETTL 26	0	
3927	eHC/eETTL 27	0	
3928	eHC/eETTL 28	0	
3929	eHC/eETTL 29	0	
3930	eHC/eETTL 30	0	
3931	eHC/eETTL 31	0	
3932	eHC/eETTL 32	0	
3933	eHC/eETTL 33	0	
3934	eHC/eETTL 34	0	
3935	eHC/eETTL 35	0	
3936	eHC/eETTL 36	0	
3937	eHC/eETTL 37	0	
3938	eHC/eETTL 38	0	

<b>OTIS</b>  <b>Engineering Center Berlin</b>	<b>Contract Parameters GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303</b> <b>Unit No. : 45SFOH56</b>	Page: 55 / 67 Date: 2022-07-27 SCN: GP230782GAK

IO	Name	Address	Rev
3939	eEHC/eETTL 39	0	
3940	eEHC/eETTL 40	0	
3941	eEHC/eETTL 41	0	
3942	eEHC/eETTL 42	0	
3943	eEHC/eETTL 43	0	
3944	eEHC/eETTL 44	0	
3945	eEHC/eETTL 45	0	
3946	eEHC/eETTL 46	0	
3947	eEHC/eETTL 47	0	
3948	eEHC/eETTL 48	0	
3949	eEHC/eETTL 49	0	
3950	eEHC/eETTL 50	0	
3951	eEHC/eETTL 51	0	
3952	eEHC/eETTL 52	0	
3953	eEHC/eETTL 53	0	
3954	eEHC/eETTL 54	0	
3955	eEHC/eETTL 55	0	
3956	eEHC/eETTL 56	0	
3957	eEHC/eETTL 57	0	
3958	eEHC/eETTL 58	0	
3959	eEHC/eETTL 59	0	
3960	eEHC/eETTL 60	0	
3961	eEHC/eETTL 61	0	
3962	eEHC/eETTL 62	0	
3963	eEHC/eETTL 63	0	
3964	eEHC/eETTL 64	0	
3965	eEHC/eETTL 65	0	
3966	eEHC/eETTL 66	0	
3967	eEHC/eETTL 67	0	
3968	eEHC/eETTL 68	0	
3969	eEHC/eETTL 69	0	
3970	eEHC/eETTL 70	0	
3971	eEHC/eETTL 71	0	
3972	eEHC/eETTL 72	0	
3973	eEHC/eETTL 73	0	
3974	eEHC/eETTL 74	0	
3975	eEHC/eETTL 75	0	
3976	eEHC/eETTL 76	0	
3977	eEHC/eETTL 77	0	
3978	eEHC/eETTL 78	0	
3979	eEHC/eETTL 79	0	
3980	eEHC/eETTL 80	0	
3981	eEHC/eETTL 81	0	
3982	eEHC/eETTL 82	0	
3983	eEHC/eETTL 83	0	
3984	eEHC/eETTL 84	0	
3985	eEHC/eETTL 85	0	
3986	eEHC/eETTL 86	0	
3987	eEHC/eETTL 87	0	
3988	eEHC/eETTL 88	0	
3989	eEHC/eETTL 89	0	
3990	eEHC/eETTL 90	0	
3991	eEHC/eETTL 91	0	
3992	eEHC/eETTL 92	0	
3993	eEHC/eETTL 93	0	
3994	eEHC/eETTL 94	0	
3995	eEHC/eETTL 95	0	
3996	eEHC/eETTL 96	0	
3997	eEHC/eETTL 97	0	
3998	eEHC/eETTL 98	0	
3999	eEHC/eETTL 99	0	
4000	UHL 00	0	
4001	UHL 01	0	
4002	UHL 02	0	
4003	UHL 03	0	
4004	UHL 04	0	

IO	Name	Address	Rev
4005	UHL 05	0	
4006	UHL 06	0	
4007	UHL 07	0	
4008	UHL 08	0	
4009	UHL 09	0	
4010	UHL 10	0	
4011	UHL 11	0	
4012	UHL 12	0	
4013	UHL 13	0	
4014	UHL 14	0	
4015	UHL 15	0	
4016	UHL 16	0	
4017	UHL 17	0	
4018	UHL 18	0	
4019	UHL 19	0	
4020	UHL 20	0	
4021	UHL 21	0	
4022	UHL 22	0	
4023	UHL 23	0	
4024	UHL 24	0	
4025	UHL 25	0	
4026	UHL 26	0	
4027	UHL 27	0	
4028	UHL 28	0	
4029	UHL 29	0	
4030	UHL 30	0	
4031	UHL 31	0	
4032	UHL 32	0	
4033	UHL 33	0	
4034	UHL 34	0	
4035	UHL 35	0	
4036	UHL 36	0	
4037	UHL 37	0	
4038	UHL 38	0	
4039	UHL 39	0	
4040	UHL 40	0	
4041	UHL 41	0	
4042	UHL 42	0	
4043	UHL 43	0	
4044	UHL 44	0	
4045	UHL 45	0	
4046	UHL 46	0	
4047	UHL 47	0	
4048	UHL 48	0	
4049	UHL 49	0	
4050	UHL 50	0	
4051	UHL 51	0	
4052	UHL 52	0	
4053	UHL 53	0	
4054	UHL 54	0	
4055	UHL 55	0	
4056	UHL 56	0	
4057	UHL 57	0	
4058	UHL 58	0	
4059	UHL 59	0	
4060	UHL 60	0	
4061	UHL 61	0	
4062	UHL 62	0	
4063	UHL 63	0	
4064	UHL 64	0	
4065	UHL 65	0	
4066	UHL 66	0	
4067	UHL 67	0	
4068	UHL 68	0	
4069	UHL 69	0	
4070	UHL 70	0	

<b>OTIS</b>  <b>Engineering Center Berlin</b>	<b>Contract Parameters GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303</b> <b>Unit No. : 45SFOH56</b>	Page: 56 / 67 Date: 2022-07-27 SCN: GP230782GAK

IO	Name	Address	Rev
4071	UHL 71	0	
4072	UHL 72	0	
4073	UHL 73	0	
4074	UHL 74	0	
4075	UHL 75	0	
4076	UHL 76	0	
4077	UHL 77	0	
4078	UHL 78	0	
4079	UHL 79	0	
4080	UHL 80	0	
4081	UHL 81	0	
4082	UHL 82	0	
4083	UHL 83	0	
4084	UHL 84	0	
4085	UHL 85	0	
4086	UHL 86	0	
4087	UHL 87	0	
4088	UHL 88	0	
4089	UHL 89	0	
4090	UHL 90	0	
4091	UHL 91	0	
4092	UHL 92	0	
4093	UHL 93	0	
4094	UHL 94	0	
4095	UHL 95	0	
4096	UHL 96	0	
4097	UHL 97	0	
4098	UHL 98	0	
4099	UHL 99	0	
4100	DHL 00	0	
4101	DHL 01	0	
4102	DHL 02	0	
4103	DHL 03	0	
4104	DHL 04	0	
4105	DHL 05	0	
4106	DHL 06	0	
4107	DHL 07	0	
4108	DHL 08	0	
4109	DHL 09	0	
4110	DHL 10	0	
4111	DHL 11	0	
4112	DHL 12	0	
4113	DHL 13	0	
4114	DHL 14	0	
4115	DHL 15	0	
4116	DHL 16	0	
4117	DHL 17	0	
4118	DHL 18	0	
4119	DHL 19	0	
4120	DHL 20	0	
4121	DHL 21	0	
4122	DHL 22	0	
4123	DHL 23	0	
4124	DHL 24	0	
4125	DHL 25	0	
4126	DHL 26	0	
4127	DHL 27	0	
4128	DHL 28	0	
4129	DHL 29	0	
4130	DHL 30	0	
4131	DHL 31	0	
4132	DHL 32	0	
4133	DHL 33	0	
4134	DHL 34	0	
4135	DHL 35	0	
4136	DHL 36	0	

IO	Name	Address	Rev
4137	DHL 37	0	
4138	DHL 38	0	
4139	DHL 39	0	
4140	DHL 40	0	
4141	DHL 41	0	
4142	DHL 42	0	
4143	DHL 43	0	
4144	DHL 44	0	
4145	DHL 45	0	
4146	DHL 46	0	
4147	DHL 47	0	
4148	DHL 48	0	
4149	DHL 49	0	
4150	DHL 50	0	
4151	DHL 51	0	
4152	DHL 52	0	
4153	DHL 53	0	
4154	DHL 54	0	
4155	DHL 55	0	
4156	DHL 56	0	
4157	DHL 57	0	
4158	DHL 58	0	
4159	DHL 59	0	
4160	DHL 60	0	
4161	DHL 61	0	
4162	DHL 62	0	
4163	DHL 63	0	
4164	DHL 64	0	
4165	DHL 65	0	
4166	DHL 66	0	
4167	DHL 67	0	
4168	DHL 68	0	
4169	DHL 69	0	
4170	DHL 70	0	
4171	DHL 71	0	
4172	DHL 72	0	
4173	DHL 73	0	
4174	DHL 74	0	
4175	DHL 75	0	
4176	DHL 76	0	
4177	DHL 77	0	
4178	DHL 78	0	
4179	DHL 79	0	
4180	DHL 80	0	
4181	DHL 81	0	
4182	DHL 82	0	
4183	DHL 83	0	
4184	DHL 84	0	
4185	DHL 85	0	
4186	DHL 86	0	
4187	DHL 87	0	
4188	DHL 88	0	
4189	DHL 89	0	
4190	DHL 90	0	
4191	DHL 91	0	
4192	DHL 92	0	
4193	DHL 93	0	
4194	DHL 94	0	
4195	DHL 95	0	
4196	DHL 96	0	
4197	DHL 97	0	
4198	DHL 98	0	
4199	DHL 99	0	
4200	UHDL 00	0	
4201	UHDL 01	0	
4202	UHDL 02	0	

<b>OTIS</b>  <b>Engineering Center Berlin</b>	<b>Contract Parameters GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303</b> <b>Unit No. : 45SFOH56</b>	Page: 57 / 67 Date: 2022-07-27 SCN: GP230782GAK

IO	Name	Address	Rev
4203	UHDL 03	0	
4204	UHDL 04	0	
4205	UHDL 05	0	
4206	UHDL 06	0	
4207	UHDL 07	0	
4208	UHDL 08	0	
4209	UHDL 09	0	
4210	UHDL 10	0	
4211	UHDL 11	0	
4212	UHDL 12	0	
4213	UHDL 13	0	
4214	UHDL 14	0	
4215	UHDL 15	0	
4216	UHDL 16	0	
4217	UHDL 17	0	
4218	UHDL 18	0	
4219	UHDL 19	0	
4220	UHDL 20	0	
4221	UHDL 21	0	
4222	UHDL 22	0	
4223	UHDL 23	0	
4224	UHDL 24	0	
4225	UHDL 25	0	
4226	UHDL 26	0	
4227	UHDL 27	0	
4228	UHDL 28	0	
4229	UHDL 29	0	
4230	UHDL 30	0	
4231	UHDL 31	0	
4232	UHDL 32	0	
4233	UHDL 33	0	
4234	UHDL 34	0	
4235	UHDL 35	0	
4236	UHDL 36	0	
4237	UHDL 37	0	
4238	UHDL 38	0	
4239	UHDL 39	0	
4240	UHDL 40	0	
4241	UHDL 41	0	
4242	UHDL 42	0	
4243	UHDL 43	0	
4244	UHDL 44	0	
4245	UHDL 45	0	
4246	UHDL 46	0	
4247	UHDL 47	0	
4248	UHDL 48	0	
4249	UHDL 49	0	
4250	UHDL 50	0	
4251	UHDL 51	0	
4252	UHDL 52	0	
4253	UHDL 53	0	
4254	UHDL 54	0	
4255	UHDL 55	0	
4256	UHDL 56	0	
4257	UHDL 57	0	
4258	UHDL 58	0	
4259	UHDL 59	0	
4260	UHDL 60	0	
4261	UHDL 61	0	
4262	UHDL 62	0	
4263	UHDL 63	0	
4264	UHDL 64	0	
4265	UHDL 65	0	
4266	UHDL 66	0	
4267	UHDL 67	0	
4268	UHDL 68	0	

IO	Name	Address	Rev
4269	UHDL 69	0	
4270	UHDL 70	0	
4271	UHDL 71	0	
4272	UHDL 72	0	
4273	UHDL 73	0	
4274	UHDL 74	0	
4275	UHDL 75	0	
4276	UHDL 76	0	
4277	UHDL 77	0	
4278	UHDL 78	0	
4279	UHDL 79	0	
4280	UHDL 80	0	
4281	UHDL 81	0	
4282	UHDL 82	0	
4283	UHDL 83	0	
4284	UHDL 84	0	
4285	UHDL 85	0	
4286	UHDL 86	0	
4287	UHDL 87	0	
4288	UHDL 88	0	
4289	UHDL 89	0	
4290	UHDL 90	0	
4291	UHDL 91	0	
4292	UHDL 92	0	
4293	UHDL 93	0	
4294	UHDL 94	0	
4295	UHDL 95	0	
4296	UHDL 96	0	
4297	UHDL 97	0	
4298	UHDL 98	0	
4299	UHDL 99	0	
4300	DHDL 00	0	
4301	DHDL 01	0	
4302	DHDL 02	0	
4303	DHDL 03	0	
4304	DHDL 04	0	
4305	DHDL 05	0	
4306	DHDL 06	0	
4307	DHDL 07	0	
4308	DHDL 08	0	
4309	DHDL 09	0	
4310	DHDL 10	0	
4311	DHDL 11	0	
4312	DHDL 12	0	
4313	DHDL 13	0	
4314	DHDL 14	0	
4315	DHDL 15	0	
4316	DHDL 16	0	
4317	DHDL 17	0	
4318	DHDL 18	0	
4319	DHDL 19	0	
4320	DHDL 20	0	
4321	DHDL 21	0	
4322	DHDL 22	0	
4323	DHDL 23	0	
4324	DHDL 24	0	
4325	DHDL 25	0	
4326	DHDL 26	0	
4327	DHDL 27	0	
4328	DHDL 28	0	
4329	DHDL 29	0	
4330	DHDL 30	0	
4331	DHDL 31	0	
4332	DHDL 32	0	
4333	DHDL 33	0	
4334	DHDL 34	0	

<b>OTIS</b>  <b>Engineering Center Berlin</b>	<b>Contract Parameters GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303</b> <b>Unit No. : 45SFOH56</b>	Page: 58 / 67 Date: 2022-07-27 SCN: GP230782GAK

IO	Name	Address	Rev
4335	DHDL 35	0	
4336	DHDL 36	0	
4337	DHDL 37	0	
4338	DHDL 38	0	
4339	DHDL 39	0	
4340	DHDL 40	0	
4341	DHDL 41	0	
4342	DHDL 42	0	
4343	DHDL 43	0	
4344	DHDL 44	0	
4345	DHDL 45	0	
4346	DHDL 46	0	
4347	DHDL 47	0	
4348	DHDL 48	0	
4349	DHDL 49	0	
4350	DHDL 50	0	
4351	DHDL 51	0	
4352	DHDL 52	0	
4353	DHDL 53	0	
4354	DHDL 54	0	
4355	DHDL 55	0	
4356	DHDL 56	0	
4357	DHDL 57	0	
4358	DHDL 58	0	
4359	DHDL 59	0	
4360	DHDL 60	0	
4361	DHDL 61	0	
4362	DHDL 62	0	
4363	DHDL 63	0	
4364	DHDL 64	0	
4365	DHDL 65	0	
4366	DHDL 66	0	
4367	DHDL 67	0	
4368	DHDL 68	0	
4369	DHDL 69	0	
4370	DHDL 70	0	
4371	DHDL 71	0	
4372	DHDL 72	0	
4373	DHDL 73	0	
4374	DHDL 74	0	
4375	DHDL 75	0	
4376	DHDL 76	0	
4377	DHDL 77	0	
4378	DHDL 78	0	
4379	DHDL 79	0	
4380	DHDL 80	0	
4381	DHDL 81	0	
4382	DHDL 82	0	
4383	DHDL 83	0	
4384	DHDL 84	0	
4385	DHDL 85	0	
4386	DHDL 86	0	
4387	DHDL 87	0	
4388	DHDL 88	0	
4389	DHDL 89	0	
4390	DHDL 90	0	
4391	DHDL 91	0	
4392	DHDL 92	0	
4393	DHDL 93	0	
4394	DHDL 94	0	
4395	DHDL 95	0	
4396	DHDL 96	0	
4397	DHDL 97	0	
4398	DHDL 98	0	
4399	DHDL 99	0	
4400	FPD 00	1	

IO	Name	Address	Rev
4401	FPD 01	1	
4402	FPD 02	1	
4403	FPD 03	1	
4404	FPD 04	1	
4405	FPD 05	1	
4406	FPD 06	1	
4407	FPD 07	1	
4408	FPD 08	1	
4409	FPD 09	1	
4410	FPD 10	1	
4411	FPD 11	1	
4412	FPD 12	1	
4413	FPD 13	1	
4414	FPD 14	1	
4415	FPD 15	1	
4416	FPD 16	1	
4417	FPD 17	1	
4418	FPD 18	1	
4419	FPD 19	1	
4420	FPD 20	1	
4421	FPD 21	1	
4422	FPD 22	1	
4423	FPD 23	1	
4424	FPD 24	1	
4425	FPD 25	1	
4426	FPD 26	1	
4427	FPD 27	1	
4428	FPD 28	1	
4429	FPD 29	1	
4430	FPD 30	1	
4431	FPD 31	1	
4432	FPD 32	1	
4433	FPD 33	1	
4434	FPD 34	1	
4435	FPD 35	1	
4436	FPD 36	1	
4437	FPD 37	1	
4438	FPD 38	1	
4439	FPD 39	1	
4440	FPD 40	1	
4441	FPD 41	1	
4442	FPD 42	1	
4443	FPD 43	1	
4444	FPD 44	1	
4445	FPD 45	1	
4446	FPD 46	1	
4447	FPD 47	1	
4448	FPD 48	1	
4449	FPD 49	1	
4450	FPD 50	1	
4451	FPD 51	1	
4452	FPD 52	1	
4453	FPD 53	1	
4454	FPD 54	1	
4455	FPD 55	1	
4456	FPD 56	1	
4457	FPD 57	1	
4458	FPD 58	1	
4459	FPD 59	1	
4460	FPD 60	1	
4461	FPD 61	1	
4462	FPD 62	1	
4463	FPD 63	1	
4464	FPD 64	1	
4465	FPD 65	1	
4466	FPD 66	1	

<b>OTIS</b>  <b>Engineering Center Berlin</b>	<b>Contract Parameters GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303</b> <b>Unit No. : 45SFOH56</b>	Page: 59 / 67 Date: 2022-07-27 SCN: GP230782GAK

IO	Name	Address	Rev
4467	FPD 67	1	
4468	FPD 68	1	
4469	FPD 69	1	
4470	FPD 70	1	
4471	FPD 71	1	
4472	FPD 72	1	
4473	FPD 73	1	
4474	FPD 74	1	
4475	FPD 75	1	
4476	FPD 76	1	
4477	FPD 77	1	
4478	FPD 78	1	
4479	FPD 79	1	
4480	FPD 80	1	
4481	FPD 81	1	
4482	FPD 82	1	
4483	FPD 83	1	
4484	FPD 84	1	
4485	FPD 85	1	
4486	FPD 86	1	
4487	FPD 87	1	
4488	FPD 88	1	
4489	FPD 89	1	
4490	FPD 90	1	
4491	FPD 91	1	
4492	FPD 92	1	
4493	FPD 93	1	
4494	FPD 94	1	
4495	FPD 95	1	
4496	FPD 96	1	
4497	FPD 97	1	
4498	FPD 98	1	
4499	FPD 99	1	
4500	CPC 00	0	
4501	CPC 01	0	
4502	CPC 02	0	
4503	CPC 03	0	
4504	CPC 04	0	
4505	CPC 05	0	
4506	CPC 06	0	
4507	CPC 07	0	
4508	CPC 08	0	
4509	CPC 09	0	
4510	CPC 10	0	
4511	CPC 11	0	
4512	CPC 12	0	
4513	CPC 13	0	
4514	CPC 14	0	
4515	CPC 15	0	
4516	CPC 16	0	
4517	CPC 17	0	
4518	CPC 18	0	
4519	CPC 19	0	
4520	CPC 20	0	
4521	CPC 21	0	
4522	CPC 22	0	
4523	CPC 23	0	
4524	CPC 24	0	
4525	CPC 25	0	
4526	CPC 26	0	
4527	CPC 27	0	
4528	CPC 28	0	
4529	CPC 29	0	
4530	CPC 30	0	
4531	CPC 31	0	
4532	CPC 32	0	

IO	Name	Address	Rev
4533	CPC 33	0	
4534	CPC 34	0	
4535	CPC 35	0	
4536	CPC 36	0	
4537	CPC 37	0	
4538	CPC 38	0	
4539	CPC 39	0	
4540	CPC 40	0	
4541	CPC 41	0	
4542	CPC 42	0	
4543	CPC 43	0	
4544	CPC 44	0	
4545	CPC 45	0	
4546	CPC 46	0	
4547	CPC 47	0	
4548	CPC 48	0	
4549	CPC 49	0	
4550	CPC 50	0	
4551	CPC 51	0	
4552	CPC 52	0	
4553	CPC 53	0	
4554	CPC 54	0	
4555	CPC 55	0	
4556	CPC 56	0	
4557	CPC 57	0	
4558	CPC 58	0	
4559	CPC 59	0	
4560	CPC 60	0	
4561	CPC 61	0	
4562	CPC 62	0	
4563	CPC 63	0	
4564	CPC 64	0	
4565	CPC 65	0	
4566	CPC 66	0	
4567	CPC 67	0	
4568	CPC 68	0	
4569	CPC 69	0	
4570	CPC 70	0	
4571	CPC 71	0	
4572	CPC 72	0	
4573	CPC 73	0	
4574	CPC 74	0	
4575	CPC 75	0	
4576	CPC 76	0	
4577	CPC 77	0	
4578	CPC 78	0	
4579	CPC 79	0	
4580	CPC 80	0	
4581	CPC 81	0	
4582	CPC 82	0	
4583	CPC 83	0	
4584	CPC 84	0	
4585	CPC 85	0	
4586	CPC 86	0	
4587	CPC 87	0	
4588	CPC 88	0	
4589	CPC 89	0	
4590	CPC 90	0	
4591	CPC 91	0	
4592	CPC 92	0	
4593	CPC 93	0	
4594	CPC 94	0	
4595	CPC 95	0	
4596	CPC 96	0	
4597	CPC 97	0	
4598	CPC 98	0	

<b>OTIS</b>  <b>Engineering Center Berlin</b>	<b>Contract Parameters GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303</b> <b>Unit No. : 45SFOH56</b>	Page: 60 / 67 Date: 2022-07-27 SCN: GP230782GAK

IO	Name	Address	Rev
4599	CPC 99	0	
4600	CRS 00	1	
4601	CRS 01	1	
4602	CRS 02	1	
4603	CRS 03	1	
4604	CRS 04	1	
4605	CRS 05	1	
4606	CRS 06	1	
4607	CRS 07	1	
4608	CRS 08	1	
4609	CRS 09	1	
4610	CRS 10	1	
4611	CRS 11	1	
4612	CRS 12	1	
4613	CRS 13	1	
4614	CRS 14	1	
4615	CRS 15	1	
4616	CRS 16	1	
4617	CRS 17	1	
4618	CRS 18	1	
4619	CRS 19	1	
4620	CRS 20	1	
4621	CRS 21	1	
4622	CRS 22	1	
4623	CRS 23	1	
4624	CRS 24	1	
4625	CRS 25	1	
4626	CRS 26	1	
4627	CRS 27	1	
4628	CRS 28	1	
4629	CRS 29	1	
4630	CRS 30	1	
4631	CRS 31	1	
4632	CRS 32	1	
4633	CRS 33	1	
4634	CRS 34	1	
4635	CRS 35	1	
4636	CRS 36	1	
4637	CRS 37	1	
4638	CRS 38	1	
4639	CRS 39	1	
4640	CRS 40	1	
4641	CRS 41	1	
4642	CRS 42	1	
4643	CRS 43	1	
4644	CRS 44	1	
4645	CRS 45	1	
4646	CRS 46	1	
4647	CRS 47	1	
4648	CRS 48	1	
4649	CRS 49	1	
4650	CRS 50	1	
4651	CRS 51	1	
4652	CRS 52	1	
4653	CRS 53	1	
4654	CRS 54	1	
4655	CRS 55	1	
4656	CRS 56	1	
4657	CRS 57	1	
4658	CRS 58	1	
4659	CRS 59	1	
4660	CRS 60	1	
4661	CRS 61	1	
4662	CRS 62	1	
4663	CRS 63	1	
4664	CRS 64	1	

IO	Name	Address	Rev
4665	CRS 65	1	
4666	CRS 66	1	
4667	CRS 67	1	
4668	CRS 68	1	
4669	CRS 69	1	
4670	CRS 70	1	
4671	CRS 71	1	
4672	CRS 72	1	
4673	CRS 73	1	
4674	CRS 74	1	
4675	CRS 75	1	
4676	CRS 76	1	
4677	CRS 77	1	
4678	CRS 78	1	
4679	CRS 79	1	
4680	CRS 80	1	
4681	CRS 81	1	
4682	CRS 82	1	
4683	CRS 83	1	
4684	CRS 84	1	
4685	CRS 85	1	
4686	CRS 86	1	
4687	CRS 87	1	
4688	CRS 88	1	
4689	CRS 89	1	
4690	CRS 90	1	
4691	CRS 91	1	
4692	CRS 92	1	
4693	CRS 93	1	
4694	CRS 94	1	
4695	CRS 95	1	
4696	CRS 96	1	
4697	CRS 97	1	
4698	CRS 98	1	
4699	CRS 99	1	
4700	SEC 00	0	
4701	SEC 01	0	
4702	SEC 02	0	
4703	SEC 03	0	
4704	SEC 04	0	
4705	SEC 05	0	
4706	SEC 06	0	
4707	SEC 07	0	
4708	SEC 08	0	
4709	SEC 09	0	
4710	SEC 10	0	
4711	SEC 11	0	
4712	SEC 12	0	
4713	SEC 13	0	
4714	SEC 14	0	
4715	SEC 15	0	
4716	SEC 16	0	
4717	SEC 17	0	
4718	SEC 18	0	
4719	SEC 19	0	
4720	SEC 20	0	
4721	SEC 21	0	
4722	SEC 22	0	
4723	SEC 23	0	
4724	SEC 24	0	
4725	SEC 25	0	
4726	SEC 26	0	
4727	SEC 27	0	
4728	SEC 28	0	
4729	SEC 29	0	
4730	SEC 30	0	

<b>OTIS</b>  <b>Engineering Center Berlin</b>	<b>Contract Parameters GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303</b> <b>Unit No. : 45SFOH56</b>	Page: 61 / 67 Date: 2022-07-27 SCN: GP230782GAK

IO	Name	Address	Rev
4731	SEC 31	0	
4732	SEC 32	0	
4733	SEC 33	0	
4734	SEC 34	0	
4735	SEC 35	0	
4736	SEC 36	0	
4737	SEC 37	0	
4738	SEC 38	0	
4739	SEC 39	0	
4740	SEC 40	0	
4741	SEC 41	0	
4742	SEC 42	0	
4743	SEC 43	0	
4744	SEC 44	0	
4745	SEC 45	0	
4746	SEC 46	0	
4747	SEC 47	0	
4748	SEC 48	0	
4749	SEC 49	0	
4750	SEC 50	0	
4751	SEC 51	0	
4752	SEC 52	0	
4753	SEC 53	0	
4754	SEC 54	0	
4755	SEC 55	0	
4756	SEC 56	0	
4757	SEC 57	0	
4758	SEC 58	0	
4759	SEC 59	0	
4760	SEC 60	0	
4761	SEC 61	0	
4762	SEC 62	0	
4763	SEC 63	0	
4764	SEC 64	0	
4765	SEC 65	0	
4766	SEC 66	0	
4767	SEC 67	0	
4768	SEC 68	0	
4769	SEC 69	0	
4770	SEC 70	0	
4771	SEC 71	0	
4772	SEC 72	0	
4773	SEC 73	0	
4774	SEC 74	0	
4775	SEC 75	0	
4776	SEC 76	0	
4777	SEC 77	0	
4778	SEC 78	0	
4779	SEC 79	0	
4780	SEC 80	0	
4781	SEC 81	0	
4782	SEC 82	0	
4783	SEC 83	0	
4784	SEC 84	0	
4785	SEC 85	0	
4786	SEC 86	0	
4787	SEC 87	0	
4788	SEC 88	0	
4789	SEC 89	0	
4790	SEC 90	0	
4791	SEC 91	0	
4792	SEC 92	0	
4793	SEC 93	0	
4794	SEC 94	0	
4795	SEC 95	0	
4796	SEC 96	0	

IO	Name	Address	Rev
4797	SEC 97	0	
4798	SEC 98	0	
4799	SEC 99	0	
4800	OOL 00	0	
4801	OOL 01	0	
4802	OOL 02	0	
4803	OOL 03	0	
4804	OOL 04	0	
4805	OOL 05	0	
4806	OOL 06	0	
4807	OOL 07	0	
4808	OOL 08	0	
4809	OOL 09	0	
4810	OOL 10	0	
4811	OOL 11	0	
4812	OOL 12	0	
4813	OOL 13	0	
4814	OOL 14	0	
4815	OOL 15	0	
4816	OOL 16	0	
4817	OOL 17	0	
4818	OOL 18	0	
4819	OOL 19	0	
4820	OOL 20	0	
4821	OOL 21	0	
4822	OOL 22	0	
4823	OOL 23	0	
4824	OOL 24	0	
4825	OOL 25	0	
4826	OOL 26	0	
4827	OOL 27	0	
4828	OOL 28	0	
4829	OOL 29	0	
4830	OOL 30	0	
4831	OOL 31	0	
4832	OOL 32	0	
4833	OOL 33	0	
4834	OOL 34	0	
4835	OOL 35	0	
4836	OOL 36	0	
4837	OOL 37	0	
4838	OOL 38	0	
4839	OOL 39	0	
4840	OOL 40	0	
4841	OOL 41	0	
4842	OOL 42	0	
4843	OOL 43	0	
4844	OOL 44	0	
4845	OOL 45	0	
4846	OOL 46	0	
4847	OOL 47	0	
4848	OOL 48	0	
4849	OOL 49	0	
4850	OOL 50	0	
4851	OOL 51	0	
4852	OOL 52	0	
4853	OOL 53	0	
4854	OOL 54	0	
4855	OOL 55	0	
4856	OOL 56	0	
4857	OOL 57	0	
4858	OOL 58	0	
4859	OOL 59	0	
4860	OOL 60	0	
4861	OOL 61	0	
4862	OOL 62	0	

<b>OTIS</b>  <b>Engineering Center Berlin</b>	<b>Contract Parameters GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303</b> <b>Unit No. : 45SFOH56</b>	Page: 62 / 67 Date: 2022-07-27 SCN: GP230782GAK

IO	Name	Address	Rev
4863	OOL 63	0	
4864	OOL 64	0	
4865	OOL 65	0	
4866	OOL 66	0	
4867	OOL 67	0	
4868	OOL 68	0	
4869	OOL 69	0	
4870	OOL 70	0	
4871	OOL 71	0	
4872	OOL 72	0	
4873	OOL 73	0	
4874	OOL 74	0	
4875	OOL 75	0	
4876	OOL 76	0	
4877	OOL 77	0	
4878	OOL 78	0	
4879	OOL 79	0	
4880	OOL 80	0	
4881	OOL 81	0	
4882	OOL 82	0	
4883	OOL 83	0	
4884	OOL 84	0	
4885	OOL 85	0	
4886	OOL 86	0	
4887	OOL 87	0	
4888	OOL 88	0	
4889	OOL 89	0	
4890	OOL 90	0	
4891	OOL 91	0	
4892	OOL 92	0	
4893	OOL 93	0	
4894	OOL 94	0	
4895	OOL 95	0	
4896	OOL 96	0	
4897	OOL 97	0	
4898	OOL 98	0	
4899	OOL 99	0	
4900	DOC 00	0	
4901	DOC 01	0	
4902	DOC 02	0	
4903	DOC 03	0	
4904	DOC 04	0	
4905	DOC 05	0	
4906	DOC 06	0	
4907	DOC 07	0	
4908	DOC 08	0	
4909	DOC 09	0	
4910	DOC 10	0	
4911	DOC 11	0	
4912	DOC 12	0	
4913	DOC 13	0	
4914	DOC 14	0	
4915	DOC 15	0	
4916	DOC 16	0	
4917	DOC 17	0	
4918	DOC 18	0	
4919	DOC 19	0	
4920	DOC 20	0	
4921	DOC 21	0	
4922	DOC 22	0	
4923	DOC 23	0	
4924	DOC 24	0	
4925	DOC 25	0	
4926	DOC 26	0	
4927	DOC 27	0	
4928	DOC 28	0	

IO	Name	Address	Rev
4929	DOC 29	0	
4930	DOC 30	0	
4931	DOC 31	0	
4932	DOC 32	0	
4933	DOC 33	0	
4934	DOC 34	0	
4935	DOC 35	0	
4936	DOC 36	0	
4937	DOC 37	0	
4938	DOC 38	0	
4939	DOC 39	0	
4940	DOC 40	0	
4941	DOC 41	0	
4942	DOC 42	0	
4943	DOC 43	0	
4944	DOC 44	0	
4945	DOC 45	0	
4946	DOC 46	0	
4947	DOC 47	0	
4948	DOC 48	0	
4949	DOC 49	0	
4950	DOC 50	0	
4951	DOC 51	0	
4952	DOC 52	0	
4953	DOC 53	0	
4954	DOC 54	0	
4955	DOC 55	0	
4956	DOC 56	0	
4957	DOC 57	0	
4958	DOC 58	0	
4959	DOC 59	0	
4960	DOC 60	0	
4961	DOC 61	0	
4962	DOC 62	0	
4963	DOC 63	0	
4964	DOC 64	0	
4965	DOC 65	0	
4966	DOC 66	0	
4967	DOC 67	0	
4968	DOC 68	0	
4969	DOC 69	0	
4970	DOC 70	0	
4971	DOC 71	0	
4972	DOC 72	0	
4973	DOC 73	0	
4974	DOC 74	0	
4975	DOC 75	0	
4976	DOC 76	0	
4977	DOC 77	0	
4978	DOC 78	0	
4979	DOC 79	0	
4980	DOC 80	0	
4981	DOC 81	0	
4982	DOC 82	0	
4983	DOC 83	0	
4984	DOC 84	0	
4985	DOC 85	0	
4986	DOC 86	0	
4987	DOC 87	0	
4988	DOC 88	0	
4989	DOC 89	0	
4990	DOC 90	0	
4991	DOC 91	0	
4992	DOC 92	0	
4993	DOC 93	0	
4994	DOC 94	0	

<b>OTIS</b>  <b>Engineering Center Berlin</b>	<b>Contract Parameters GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303 Unit No. : 45SFOH56</b>	Page: 63 / 67 Date: 2022-07-27 SCN: GP230782GAK

IO	Name	Address	Rev
4995	DOC 95	0	
4996	DOC 96	0	
4997	DOC 97	0	
4998	DOC 98	0	
4999	DOC 99	0	
5500	AUHCL 00	0	
5501	AUHCL 01	0	
5502	AUHCL 02	0	
5503	AUHCL 03	0	
5504	AUHCL 04	0	
5505	AUHCL 05	0	
5506	AUHCL 06	0	
5507	AUHCL 07	0	
5508	AUHCL 08	0	
5509	AUHCL 09	0	
5510	AUHCL 10	0	
5511	AUHCL 11	0	
5512	AUHCL 12	0	
5513	AUHCL 13	0	
5514	AUHCL 14	0	
5515	AUHCL 15	0	
5516	AUHCL 16	0	
5517	AUHCL 17	0	
5518	AUHCL 18	0	
5519	AUHCL 19	0	
5520	AUHCL 20	0	
5521	AUHCL 21	0	
5522	AUHCL 22	0	
5523	AUHCL 23	0	
5524	AUHCL 24	0	
5525	AUHCL 25	0	
5526	AUHCL 26	0	
5527	AUHCL 27	0	
5528	AUHCL 28	0	
5529	AUHCL 29	0	
5530	AUHCL 30	0	
5531	AUHCL 31	0	
5532	AUHCL 32	0	
5533	AUHCL 33	0	
5534	AUHCL 34	0	
5535	AUHCL 35	0	
5536	AUHCL 36	0	
5537	AUHCL 37	0	
5538	AUHCL 38	0	
5539	AUHCL 39	0	
5540	AUHCL 40	0	
5541	AUHCL 41	0	
5542	AUHCL 42	0	
5543	AUHCL 43	0	
5544	AUHCL 44	0	
5545	AUHCL 45	0	
5546	AUHCL 46	0	
5547	AUHCL 47	0	
5548	AUHCL 48	0	
5549	AUHCL 49	0	
5550	AUHCL 50	0	
5551	AUHCL 51	0	
5552	AUHCL 52	0	
5553	AUHCL 53	0	
5554	AUHCL 54	0	
5555	AUHCL 55	0	
5556	AUHCL 56	0	
5557	AUHCL 57	0	
5558	AUHCL 58	0	
5559	AUHCL 59	0	
5560	AUHCL 60	0	

IO	Name	Address	Rev
5561	AUHCL 61	0	
5562	AUHCL 62	0	
5563	AUHCL 63	0	
5564	AUHCL 64	0	
5565	AUHCL 65	0	
5566	AUHCL 66	0	
5567	AUHCL 67	0	
5568	AUHCL 68	0	
5569	AUHCL 69	0	
5570	AUHCL 70	0	
5571	AUHCL 71	0	
5572	AUHCL 72	0	
5573	AUHCL 73	0	
5574	AUHCL 74	0	
5575	AUHCL 75	0	
5576	AUHCL 76	0	
5577	AUHCL 77	0	
5578	AUHCL 78	0	
5579	AUHCL 79	0	
5580	AUHCL 80	0	
5581	AUHCL 81	0	
5582	AUHCL 82	0	
5583	AUHCL 83	0	
5584	AUHCL 84	0	
5585	AUHCL 85	0	
5586	AUHCL 86	0	
5587	AUHCL 87	0	
5588	AUHCL 88	0	
5589	AUHCL 89	0	
5590	AUHCL 90	0	
5591	AUHCL 91	0	
5592	AUHCL 92	0	
5593	AUHCL 93	0	
5594	AUHCL 94	0	
5595	AUHCL 95	0	
5596	AUHCL 96	0	
5597	AUHCL 97	0	
5598	AUHCL 98	0	
5599	AUHCL 99	0	
5600	ADHCL 00	0	
5601	ADHCL 01	0	
5602	ADHCL 02	0	
5603	ADHCL 03	0	
5604	ADHCL 04	0	
5605	ADHCL 05	0	
5606	ADHCL 06	0	
5607	ADHCL 07	0	
5608	ADHCL 08	0	
5609	ADHCL 09	0	
5610	ADHCL 10	0	
5611	ADHCL 11	0	
5612	ADHCL 12	0	
5613	ADHCL 13	0	
5614	ADHCL 14	0	
5615	ADHCL 15	0	
5616	ADHCL 16	0	
5617	ADHCL 17	0	
5618	ADHCL 18	0	
5619	ADHCL 19	0	
5620	ADHCL 20	0	
5621	ADHCL 21	0	
5622	ADHCL 22	0	
5623	ADHCL 23	0	
5624	ADHCL 24	0	
5625	ADHCL 25	0	
5626	ADHCL 26	0	

<b>OTIS</b>  <b>Engineering Center Berlin</b>	<b>Contract Parameters GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303</b> <b>Unit No. : 45SFOH56</b>	Page: 64 / 67 Date: 2022-07-27 SCN: GP230782GAK

IO	Name	Address	Rev
5627	ADHCL 27	0	
5628	ADHCL 28	0	
5629	ADHCL 29	0	
5630	ADHCL 30	0	
5631	ADHCL 31	0	
5632	ADHCL 32	0	
5633	ADHCL 33	0	
5634	ADHCL 34	0	
5635	ADHCL 35	0	
5636	ADHCL 36	0	
5637	ADHCL 37	0	
5638	ADHCL 38	0	
5639	ADHCL 39	0	
5640	ADHCL 40	0	
5641	ADHCL 41	0	
5642	ADHCL 42	0	
5643	ADHCL 43	0	
5644	ADHCL 44	0	
5645	ADHCL 45	0	
5646	ADHCL 46	0	
5647	ADHCL 47	0	
5648	ADHCL 48	0	
5649	ADHCL 49	0	
5650	ADHCL 50	0	
5651	ADHCL 51	0	
5652	ADHCL 52	0	
5653	ADHCL 53	0	
5654	ADHCL 54	0	
5655	ADHCL 55	0	
5656	ADHCL 56	0	
5657	ADHCL 57	0	
5658	ADHCL 58	0	
5659	ADHCL 59	0	
5660	ADHCL 60	0	
5661	ADHCL 61	0	
5662	ADHCL 62	0	
5663	ADHCL 63	0	
5664	ADHCL 64	0	
5665	ADHCL 65	0	
5666	ADHCL 66	0	
5667	ADHCL 67	0	
5668	ADHCL 68	0	
5669	ADHCL 69	0	
5670	ADHCL 70	0	
5671	ADHCL 71	0	
5672	ADHCL 72	0	
5673	ADHCL 73	0	
5674	ADHCL 74	0	
5675	ADHCL 75	0	
5676	ADHCL 76	0	
5677	ADHCL 77	0	
5678	ADHCL 78	0	
5679	ADHCL 79	0	
5680	ADHCL 80	0	
5681	ADHCL 81	0	
5682	ADHCL 82	0	
5683	ADHCL 83	0	
5684	ADHCL 84	0	
5685	ADHCL 85	0	
5686	ADHCL 86	0	
5687	ADHCL 87	0	
5688	ADHCL 88	0	
5689	ADHCL 89	0	
5690	ADHCL 90	0	
5691	ADHCL 91	0	
5692	ADHCL 92	0	

IO	Name	Address	Rev
5693	ADHCL 93	0	
5694	ADHCL 94	0	
5695	ADHCL 95	0	
5696	ADHCL 96	0	
5697	ADHCL 97	0	
5698	ADHCL 98	0	
5699	ADHCL 99	0	
5700	HANN 00	0	
5701	HANN 01	0	
5702	HANN 02	0	
5703	HANN 03	0	
5704	HANN 04	0	
5705	HANN 05	0	
5706	HANN 06	0	
5707	HANN 07	0	
5708	HANN 08	0	
5709	HANN 09	0	
5710	HANN 10	0	
5711	HANN 11	0	
5712	HANN 12	0	
5713	HANN 13	0	
5714	HANN 14	0	
5715	HANN 15	0	
5716	HANN 16	0	
5717	HANN 17	0	
5718	HANN 18	0	
5719	HANN 19	0	
5720	HANN 20	0	
5721	HANN 21	0	
5722	HANN 22	0	
5723	HANN 23	0	
5724	HANN 24	0	
5725	HANN 25	0	
5726	HANN 26	0	
5727	HANN 27	0	
5728	HANN 28	0	
5729	HANN 29	0	
5730	HANN 30	0	
5731	HANN 31	0	
5732	HANN 32	0	
5733	HANN 33	0	
5734	HANN 34	0	
5735	HANN 35	0	
5736	HANN 36	0	
5737	HANN 37	0	
5738	HANN 38	0	
5739	HANN 39	0	
5740	HANN 40	0	
5741	HANN 41	0	
5742	HANN 42	0	
5743	HANN 43	0	
5744	HANN 44	0	
5745	HANN 45	0	
5746	HANN 46	0	
5747	HANN 47	0	
5748	HANN 48	0	
5749	HANN 49	0	
5750	HANN 50	0	
5751	HANN 51	0	
5752	HANN 52	0	
5753	HANN 53	0	
5754	HANN 54	0	
5755	HANN 55	0	
5756	HANN 56	0	
5757	HANN 57	0	
5758	HANN 58	0	

<b>OTIS</b>  <b>Engineering Center Berlin</b>	<b>Contract Parameters GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303</b> <b>Unit No. : 45SFOH56</b>	Page: 65 / 67 Date: 2022-07-27 SCN: GP230782GAK

IO	Name	Address	Rev
5759	HANN 59	0	
5760	HANN 60	0	
5761	HANN 61	0	
5762	HANN 62	0	
5763	HANN 63	0	
5764	HANN 64	0	
5765	HANN 65	0	
5766	HANN 66	0	
5767	HANN 67	0	
5768	HANN 68	0	
5769	HANN 69	0	
5770	HANN 70	0	
5771	HANN 71	0	
5772	HANN 72	0	
5773	HANN 73	0	
5774	HANN 74	0	
5775	HANN 75	0	
5776	HANN 76	0	
5777	HANN 77	0	
5778	HANN 78	0	
5779	HANN 79	0	
5780	HANN 80	0	
5781	HANN 81	0	
5782	HANN 82	0	
5783	HANN 83	0	
5784	HANN 84	0	
5785	HANN 85	0	
5786	HANN 86	0	
5787	HANN 87	0	
5788	HANN 88	0	
5789	HANN 89	0	
5790	HANN 90	0	
5791	HANN 91	0	
5792	HANN 92	0	
5793	HANN 93	0	
5794	HANN 94	0	
5795	HANN 95	0	
5796	HANN 96	0	
5797	HANN 97	0	
5798	HANN 98	0	
5799	HANN 99	0	
6000	FPDL 00	0	
6001	FPDL 01	0	
6002	FPDL 02	0	
6003	FPDL 03	0	
6004	FPDL 04	0	
6005	FPDL 05	0	
6006	FPDL 06	0	
6007	FPDL 07	0	
6008	FPDL 08	0	
6009	FPDL 09	0	
6010	FPDL 10	0	
6011	FPDL 11	0	
6012	FPDL 12	0	
6013	FPDL 13	0	
6014	FPDL 14	0	
6015	FPDL 15	0	
6016	FPDL 16	0	
6017	FPDL 17	0	
6018	FPDL 18	0	
6019	FPDL 19	0	
6020	FPDL 20	0	
6021	FPDL 21	0	
6022	FPDL 22	0	
6023	FPDL 23	0	
6024	FPDL 24	0	

IO	Name	Address	Rev
6025	FPDL 25	0	
6026	FPDL 26	0	
6027	FPDL 27	0	
6028	FPDL 28	0	
6029	FPDL 29	0	
6030	FPDL 30	0	
6031	FPDL 31	0	
6032	FPDL 32	0	
6033	FPDL 33	0	
6034	FPDL 34	0	
6035	FPDL 35	0	
6036	FPDL 36	0	
6037	FPDL 37	0	
6038	FPDL 38	0	
6039	FPDL 39	0	
6040	FPDL 40	0	
6041	FPDL 41	0	
6042	FPDL 42	0	
6043	FPDL 43	0	
6044	FPDL 44	0	
6045	FPDL 45	0	
6046	FPDL 46	0	
6047	FPDL 47	0	
6048	FPDL 48	0	
6049	FPDL 49	0	
6050	FPDL 50	0	
6051	FPDL 51	0	
6052	FPDL 52	0	
6053	FPDL 53	0	
6054	FPDL 54	0	
6055	FPDL 55	0	
6056	FPDL 56	0	
6057	FPDL 57	0	
6058	FPDL 58	0	
6059	FPDL 59	0	
6060	FPDL 60	0	
6061	FPDL 61	0	
6062	FPDL 62	0	
6063	FPDL 63	0	
6064	FPDL 64	0	
6065	FPDL 65	0	
6066	FPDL 66	0	
6067	FPDL 67	0	
6068	FPDL 68	0	
6069	FPDL 69	0	
6070	FPDL 70	0	
6071	FPDL 71	0	
6072	FPDL 72	0	
6073	FPDL 73	0	
6074	FPDL 74	0	
6075	FPDL 75	0	
6076	FPDL 76	0	
6077	FPDL 77	0	
6078	FPDL 78	0	
6079	FPDL 79	0	
6080	FPDL 80	0	
6081	FPDL 81	0	
6082	FPDL 82	0	
6083	FPDL 83	0	
6084	FPDL 84	0	
6085	FPDL 85	0	
6086	FPDL 86	0	
6087	FPDL 87	0	
6088	FPDL 88	0	
6089	FPDL 89	0	
6090	FPDL 90	0	

<b>OTIS</b>  <b>Engineering Center Berlin</b>	<b>Contract Parameters GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303 Unit No. : 45SFOH56</b>	Page: <b>66 / 67</b> Date: <b>2022-07-27</b> SCN: <b>GP230782GAK</b>

IO	Name	Address	Rev
6091	FPDL 91	0	
6092	FPDL 92	0	
6093	FPDL 93	0	
6094	FPDL 94	0	
6095	FPDL 95	0	
6096	FPDL 96	0	
6097	FPDL 97	0	
6098	FPDL 98	0	
6099	FPDL 99	0	

<b>OTIS</b>  <b>Engineering Center Berlin</b>	<b>Contract Parameters GCS212MMR</b>	<b>GECB-EN</b>
	<b>Order No. : 45W280303</b> <b>Unit No. : 45SFOH56</b>	Page: 67 / 67 Date: 2022-07-27 SCN: GP230782GAK

IO	Name	Address	Rev
1482	Contract000	0	
1483	Contract001	0	
1484	Contract002	0	
1485	Contract003	0	
1486	Contract004	0	
1487	Contract005	0	
1488	Contract006	0	
1489	Contract007	0	
1490	Contract008	0	
1491	Contract009	0	
1492	Contract010	0	
1493	Contract011	0	
1494	Contract012	0	
1495	Contract013	0	
1496	Contract014	0	
1497	Contract015	0	
1498	Contract016	0	
1499	Contract017	0	
1500	Contract018	0	
1501	Contract019	0	
1502	Contract020	0	
1503	Contract021	0	
1504	Contract022	0	
1505	Contract023	0	
1506	Contract024	0	
1507	Contract025	0	
1508	Contract026	0	
1509	Contract027	0	
1510	Contract028	0	
1511	Contract029	0	
1512	Contract030	0	
1513	Contract031	0	
1514	Contract032	0	
1515	Contract033	0	
1516	Contract034	0	
1517	Contract035	0	
1518	Contract036	0	
1519	Contract037	0	
1520	Contract038	0	
1521	Contract039	0	
1522	Contract040	0	
1523	Contract041	0	
1524	Contract042	0	
1525	Contract043	0	
1526	Contract044	0	
1527	Contract045	0	
1528	Contract046	0	
1529	Contract047	0	
1530	Contract048	0	
1531	Contract049	0	
1532	Contract050	0	
1533	Contract051	0	

IO	Name	Address	Rev
1534	Contract052	0	
1535	Contract053	0	
1536	Contract054	0	
1537	Contract055	0	
1538	Contract056	0	
1539	Contract057	0	
1540	Contract058	0	
1541	Contract059	0	
1542	Contract060	0	
1543	Contract061	0	
1544	Contract062	0	
1545	Contract063	0	
1546	Contract064	0	
1547	Contract065	0	
1548	Contract066	0	
1549	Contract067	0	
1550	Contract068	0	
1551	Contract069	0	
1552	Contract070	0	
1553	Contract071	0	
1554	Contract072	0	
1555	Contract073	0	
1556	Contract074	0	
1557	Contract075	0	
1558	Contract076	0	
1559	Contract077	0	
1560	Contract078	0	
1561	Contract079	0	
1562	Contract080	0	
1563	Contract081	0	
1564	Contract082	0	
1565	Contract083	0	
1566	Contract084	0	
1567	Contract085	0	
1568	Contract086	0	
1569	Contract087	0	
1570	Contract088	0	
1571	Contract089	0	
1572	Contract090	0	
1573	Contract091	0	
1574	Contract092	0	
1575	Contract093	0	
1576	Contract094	0	
1577	Contract095	0	
1578	Contract096	0	
1579	Contract097	0	
1580	Contract098	0	
1581	Contract099	0	