

EXPERTISE FRANCE

AGUSTINE PROJECT

PROJECT FOR SUPPORT TO VIOLENCE PREVENTION IN EL SALVADOR

LA/2024/458-141/700002312

Términos de referencia

“Provision of Equipment for Technical Secondary Education Institutions to Strengthen the Technical and Vocational High School Program in Tourism Services”

Complejo Educativo Cantón Los Patos, Distrito de Conchagua, Municipio La Unión Sur,
Departamento de la Unión.

Complejo Educativo Eduardo Guirola, Distrito de la Libertad, Municipio de la Libertad
Costa, Departamento de La Libertad.

Instituto Nacional de Apastepeque, Distrito de Apastepeque, Municipio San Vicente Norte,
Departamento de San Vicente.

Instituto Nacional de Suchitoto, Municipio de Cuscatlán Norte,
Departamento de Cuscatlán

May 2026

1. CONTEXT AND BACKGROUND

One of the most important actions of the European Union in El Salvador is to provide permanent support to address the issues of violence prevention and the inclusion of youth at social risk. The European Union is focusing on the implementation of violence prevention programs as part of the development of the educational policies of the Ministry of Education, Science and Technology (MINEDUCYT), particularly as part of Priority Number Five of its Institutional Strategic Plan (ISP): “A school that promotes education for coexistence, inclusion and diversity.”

In this context, the Augustine Project—Project for Support to Violence Prevention in El Salvador—is framed, through Contribution Agreement LA/2024/458-141/700002312, in force since November 1, 2024. The Action has a total budget of EUR 18,785,902 and is co-financed by the European Union (EUR 17.7 million), Expertise France, which acts as project lead (EUR 300,000), UNESCO (EUR 439,329) and UNICEF (EUR 329,483).

The Project will have presence throughout the national territory. It will be implemented in the 129 prioritized districts at the national level that have areas with high levels of violence, criminality, poverty and exposure to psychosocial risks. Of these, 76 correspond to the Territorial Control Plan in the Departments of Ahuachapán, Cabañas, Chalatenango, Cuscatlán, La Libertad, La Paz, La Unión, Morazán, San Miguel, San Salvador, San Vicente, Santa Ana, Sonsonate and Usulután.

The main objective of the project is to transform people’s lives and improve conditions in the territories in order to reduce social vulnerability to violence and crime.

Among its specific objectives, the following stand out:

1. Increase the social integration of children, adolescents and youth, including those in conflict with the law.
2. Improve psychosocial care services for the educational community.
3. Increase the productive integration of adolescents and youth.
4. Increase the participation of girls in inclusive school programs.

Among the key actions related to Objective 3, in order to enhance the productive integration of adolescents and youth, the improvement and diversification of the technical educational offer is considered. This includes the equipment of secondary education institutions, with the aim of strengthening technical high school programs and providing students with tools that allow them to develop productive skills relevant to the labor environment

2. JUSTIFICATION

Currently, the Educational Complex of Cantón Los Patos, the Eduardo Guirola Educational Complex, the National Institute of Apastepeque, and the National Institute of Suchitoto face the challenge of aligning their educational offerings with the demands of the current labor market. Through the Technical Baccalaureate in Tourism Services, these institutions aim to provide high-quality training that enables their students to successfully enter the professional world or continue higher education.

To achieve this, it is essential to modernize their teaching workshops and upgrade the technological infrastructure of the educational complexes, equipping their tourism services workshops.

The current limitations in material and technical resources hinder the proper implementation of the curriculum. Among the main shortcomings are:

- There is a lack of adequate space, infrastructure, and facilities.
- The equipment is in poor condition, making it necessary to rely on local companies in the gastronomic, lodging, recreation, and transportation sectors in order to carry out professional practices.

These deficiencies directly impact the teaching process and the learning experience.

In response to this need, Proyecto Agustine launches a call for proposals for the “Supply of kitchen utensils and equipment, household appliances, professional kitchen machinery, equipment for rooms and service areas, and furniture for administrative areas.”

These resources will be allocated to the equipping and modernization of laboratories in the institutes, so that students will have access to specialized equipment in their field of study. The objective is to strengthen technical training, ensure and raise educational standards, and provide them with a competitive advantage to seek employment or apply for university scholarships.

With this, the aim is to positively impact:

1. **Increase in enrollment:** A projected increase of 45% in enrollment at the Cantón Los Patos Educational Complex, 15% at the Eduardo Guirola Educational Complex, 30% at the National Institute of Apastepeque, and up to 100% at the National Institute of Suchitoto over the next three years.
2. **Improvement in educational quality:** It is estimated that 90% to 100% of the graduates from these institutes will acquire competencies to manage and implement activities related to the tourism market, events, conferences, operational safety mechanisms, entrepreneurship, hospitality, and gastronomy in areas with tourism potential such as sun and beach, culture, rural tourism, and agrotourism, applying software technologies and social media in the management of tourism businesses.
3. **Reduction in school dropout rates:** A decrease in school dropout rates is expected, ranging from 1%, 20%, up to 100%, thanks to a more practical, motivating learning environment aligned with students' professional expectations.

4. **Labor/Educational insertion:** It is projected that more than 75% of graduates from the Cantón Los Patos Educational Complex, 25% from the Eduardo Guirola Educational Complex, 80% from the National Institute of Apastepeque, and 95% from the National Institute of Suchitoto will directly enter the labor market or continue with higher education

3. **OBJETIVE:**

In order to fulfill the objectives of Proyecto Agustine, proposals are invited for the “Supply of kitchen utensils and equipment, household appliances, professional kitchen machinery, equipment for rooms and service areas, and furniture for administrative areas,” in compliance with the technical requirements specified for each item, in accordance with the conditions and criteria established in these Terms of Reference.

These goods must be delivered to be used at the Cantón Los Patos Educational Complex, the Eduardo Guirola Educational Complex, the National Institute of Apastepeque, and the National Institute of Suchitoto.

4. **PROFILE OF THE BIDDING ENTITIES:**

A legally established company with proven experience in the sale and supply of kitchen utensils and equipment, household appliances, and professional kitchen machinery, equipment for rooms, service areas, and administrative areas.

5. **SPECIFICATIONS OF THE REQUIRED GOODS:**

The provision of the following goods and equipment is required in accordance with the technical characteristics detailed in each lot of the tender; any additional elements will be valued.

Companies interested in participating in the tender may submit bids for a specific lot, one (1) or two (2) lots. It is possible to make a single electronic submission for multiple lots, provided that the lots included in the offer can be clearly identified, meaning that the financial offers and specifications must be submitted separately for each lot (for example: if bidding for two lots, two financial proposals must be submitted—one for each lot—within the same submission, clearly identifying in each offer the corresponding lot).

LOT 1: UTENSILS AND PROFESSIONAL KITCHEN EQUIPMENT

#	Technical specification	Description	DISTRIBUTION BY SITE				Total, general	Image
			Complejo Educativo Cantón Los Patos	Complejo Educativo Eduardo	Instituto Nacional de Apastepeque	Instituto Nacional Suchitoto		
1	Tray	Aluminum baking trays, solid rectangular shape, dimensions 18" x 13"	12	12	12	12	48	
2	Pizza trays	Set of 3 pizza trays, gray coating, non-stick, round steel. Three sizes: personal, large, and extra-large.	5	5	5	5	20	
3	Bain-marie, double boiler pot set :	Double boiler pot set. Capacity: 3 quarts. Double boiler bain-marie flan pot with an internal saucepan of 7.9". Dimensions: 13.18 x 8.26 x 6.61 inches. Ideal for desserts and sauces.	3	3	5	5	16	
4	Pizza cutter	Pizza cutter with a 4" plastic handle.	5	5	5	5	20	
5	Measuring spoon	Stainless steel measuring spoons.	5	5	5	5	20	
6	Slotted spoon	Durable 304 stainless steel slotted spoon with a vacuum ergonomic handle, straining ladle with a comfortable grip design for kitchen use, 14.96 inches.	5	5	5	5	20	

7	Chef's knife	8" chef's knife.	5	5	10	5	25	
8	Knives (set)	Set of 5 knives with handle, made of steel.	5	5	4	5	19	
9	Cocktail shaker set	Boston shaker set or equivalent, 4-piece set, bartender kit with a mixed shaker of 18 ounces and 28 ounces, Hawthorne strainer, and double jigger.	5	5	5	5	20	
10	Utensils set	Food-grade stainless steel kitchen utensil set for serving, 6-piece set including wok spatula, slotted spoon, pasta spoon, serving spoon, and slotted spatula.	5	5			10	
11	Bartender kit	Corkscrew, jigger, ice tongs, muddler, mortar, cocktail shaker, corkscrew, spatulas, bottle pourers, strainers.	2	2	2	2	8	
12	13 cm Depth pot	stainless steel pot with non-stick coating, two steel handles, glass lid with steel handle, approximate depth of 13 cm.	5	5		5	15	
13	2-quart pot	Small stainless steel pot with handle, glass lid with handle, approximate capacity of 2 quarts	5	5	3	3	16	
14	28 cm diameter pot	Stainless steel pot with non-stick coating, two steel handles, glass lid with steel handle, approximate diameter of 28 cm	5	5	5	5	20	

15	7.5-liter Teflon pressure cooker	Multi-purpose 7.5-liter pressure cooker, stainless steel with an internal stainless steel container, handles, with 12 food preparation functions.	2	2	3	3	10	
16	Griddle / Comal	Non-stick griddle / rectangular comal, with non-stick coating and handles, approximate dimensions 19" x 11".	5	5	5	5	20	
17	Steel grater:	Stainless steel grater. 4-sided, with handle for hanging.	5	5	5	5	20	
18	Rotary cheese grater	Four-in-one kitchen grater with 4 interchangeable stainless steel blades, including a slicing blade, coarse shredding blade, fine shredding blade, and grinding blade.	2	2	2	2	8	
19	10-inch frying pan:	10" frying pan with non-stick coating, stainless steel handle, high-strength rivets. Includes a removable silicone handle cover. NSF certified.	5	5	5	5	20	
20	14-inch frying pan	14" frying pan with non-stick coating, stainless steel handle, high-strength rivets. It must include a removable silicone handle cover. NSF certified.	5	5	5	5	20	
21	20-inch frying pan	20" frying pan with non-stick coating, stainless steel handle, high-strength rivets. It must include a removable silicone handle cover. NSF certified.	5	5	3	3	16	No Image

22	Wok frying pan	Iron wok frying pan, with an approximate size of 13 inches.	2	2	4	2	10	
23	Hand whisk set	Set of 3 non-stick silicone whisks with a heat-resistant non-stick silicone coating	5	5	5	5	20	
24	Ladle set:	Long-handle stainless steel ladles, set of 3.	5	5	5	5	20	
25	Professional spatula set:	Set of professional stainless steel spatulas: includes 1 cooking spatula, 1 grill spatula, and 1 hamburger turner (4 x 8 inches). Ideal for use as a pancake turner, fish turner spatula, griddle spatula, kitchen spatula, and bench scraper.	5	5	5	5	20	
26	Silicone spatula set	Set of silicone spatulas (4 sizes	5	5	5	5	20	
27	Bowl set	Stainless steel bowls, set of 3 small, thick stainless steel bowls with a flat base, storage organizers.	5	5	5	5	20	
28	Tongs set	Tongs. Stainless steel, with a heat-protective coated handle, set of 3.	5	5	5	5	20	
29	Milk pitcher	Stainless steel milk pitcher, approximately 6 oz.	5	5	5	5	20	

30	Set of strainers 1	Set of 3 Asian-style stainless steel strainers with handle for frying foods, pasta, spaghetti, noodles, 12.0 in, 12.6 in, 13.8 in	5	5	5	5	20	
31	Set of strainers 2	Deep stainless steel strainers with handle, set of 3, sizes 3.3, 5.5, and 8 inches with fine twill mesh.	5	5	5	5	20	
32	Spatula set 1:	Set of 3 heat-resistant silicone spatulas (up to 600 °F) for non-stick cookware, large and flexible kitchen utensils, BPA-free.	5	5	4	4	18	
33	Cup set:	Cup for American coffee. White ceramic, round, without decorations, set of 12.	2	2			4	
34	Dinnerware set (ceramic):	Tableware set per person including soup bowl, dinner plate No. 9, salad plate, and butter dish, all round pieces. Made of white ceramic without decoration	5	5			10	No Image

LOTE 2: APPLIANCES FOR PROFESSIONAL KITCHEN

#	Technical Specification	Description	Complejo Educativo Cantón	Complejo Educativo	Instituto Nacional de Apasteneque	Instituto Nacional Suchitoto	Total, general	Imagen
1	20-Cup Electric Rice Cooker	120 V 20-cup electric rice cooker with lid and Teflon base, cooking and warming indicator light.	2	2	3	3	10	

2	Coffee Maker	36-cup coffee maker with percolator – stainless steel body. 110 V electric – Includes warranty.	1	1	2	2	6	
3	Griddle Crepe Maker	30 cm diameter griddle crepe maker with 1080 W power, 120 V, non-stick plate, temperature control knob, power indicator lights. Includes warranty.			5	5	10	
4	Kettle	Kettle with an approximate capacity of 1.8 L			5	5	10	
5	Microwave Oven	Microwave with touch panel. LED light type, stable turntable ring, timer, clock, quick start, 1150 W electric power. Approximate dimensions Ext. (469 X 257 X 369 mm) Int. (322 X 228 X 335 mm). Includes warrant	2	2	2	2	8	
6	Iron	Iron for table linens. 110 V, with humidifier and/or steam. Includes warranty.	2	2	5	5	14	
7	French Press	1.1 L French press coffee maker, glass/chrome.	5	5	5	5	20	

8	Waffle Maker with Teflon	Stainless steel waffle maker with Teflon, 20 cm diameter, 120 V connection.	2	2	3	3	10	
9	Juice Extractor	High-power 350-watt juice extractor. Dimensions: 6.67" depth x 5.5" width x 13" height. The 350-watt high-power unit is equipped with a standard food-grade screw press assembly, capable of easily handling the processing needs of various fruits and vegetables. It features a dual-layer precision filter, which can effectively separate pulp fibers.	2	2	2	2	8	
10	Ice Chest	60 L plastic ice chest with wheels.	2	2	2	2	8	
11	20 L Scale	20-pound digital scale. 1-gram resolution with 30 x 29 cm platform, plastic base with dual display, with protection rating against moisture and dust	2	2	2	2	8	No Image
12	Table Scale	5 lb digital table scale with high-precision strain gauge sensor, clear backlit LCD display for 5-pound capacity, multiple unit conversion from oz to L or kg. 110 V, automatic shut-off.	5	5	5	5	20	

13	Industrial Mixer	7-liter industrial bakery mixer, 110 V, 300-watt power, speed 80/680 rpm, weight 18 kg.	2	2	3	3	10	
14	Electric Fryer	Electric fryer with two tanks, stainless steel structure, 2 baskets with a capacity of 2 tanks of 5 liters each, power consumption 2000 watts, 110 V, with temperature thermostat, including lid. Includes warranty, system for gas and/or electricity connection, installation, and delivered fully operational.	2	2	2	2	8	
15	1.5 L Blender	Industrial blender with 30 s electronic countdown timer. 64 oz polycarbonate jar, easy-to-clean and durable electronic controls. 3.5 hp heavy-duty motor, 45,000 rpm, includes sound enclosure. Includes warranty.	2	2		2	6	
16	Industrial Blender	High-performance motor: experience the power of a 2.2 HP motor that handles tough ingredients for high-quality blends. 64-ounce low-profile container: ideal for multiple servings.	1	1		1	3	
17	Coffee Machine	Coffee machine with junior-type accessories, with movable steam wand. Built-in volumetric pump. Hot water tube. All stainless steel, espresso and cappuccino, with grinder adapter. Includes warranty. Systems for water and power connection.	1	1	1	1	4	

18	Manual 12" Bag Sealing Machine	Electric sealer with 8-inch cutter, 260 W impulse power, approximate sealing length of 20 cm, sealing width of 2 mm, pressure and electric heat sealing system. Temperature adjustment dial. 120 V connection.			5	5	10	
19	Yogurt Maker	Electric yogurt maker with glass jars. Capacity of 32 oz, seven 6-ounce glass jars. 110 V.	2	2	3	2	9	
20	Coffee Grinder with Doser	Dosing: single and double shot settings; adjustment: micrometric screw to regulate the burrs; fork: height-adjustable, adaptable to various types of portafilters; centered dosing: precise dispensing system, free of electrostatic charges; three selections: single dose, double dose, continuous grinding. Capacity 3–4 lbs. Stainless steel base.			1	1	2	
21	Food Processor	Stainless steel food processor with 6 discs. Made of stainless steel and cast aluminum for heavy-duty use. Solid construction. Includes 1 julienne disc, 2 slicing discs of 1 and 3 mm, and 3 grating discs of 3-, 5-, and 8-mm. Plastic pushers. Dimensions: 59 x 38 x 44 cm. 0.5 hp, 110 V. Includes warranty, system for electrical connection.	2	2	3	2	9	
22	Ice Cream Maker	Vertical ice cream maker, 2.1-quart capacity, with stainless steel bowl, built-in timer, and motor protection function. 110 V	2	2	2	2	8	

LOTE 3: LOT OF WHITE GOODS AND COMMERCIAL REFRIGERATION EQUIPMENT

#	Thecnical Especifications	Description	Complejo Educativo Cantón Los Patos	Complejo Educativo Eduardo Guirola	Instituto Nacional de Apastepeque	Instituto Nacional Suchitoto	Total, general
1	Stove	4-burner gas stove, stainless steel structure and top, large burners, individual pilot light for each burner. High-resistance knobs with thermal insulation, cast iron grates. Drip tray (liquid collection tray) with adjustable leveling feet. Approximate dimensions: 60 cm width, 80 cm depth, and 90 cm height. Stainless steel table with the same width and length as the stove. Includes warranty. System for gas connection.	4	4	4	4	12
2	Oven	Gas oven with fan, with 4 burners, stainless steel structure and top, large burners, individual pilot light for each burner, high-resistance knobs with thermal insulation. Cast iron grates, drip tray (liquid collection tray) with adjustable leveling feet. Approximate dimensions: 60 cm width, 80 cm depth, and 90 cm height. Stainless steel table with the same width and length. Includes warranty.	2	2	2	2	8

3	Gas Grill	Modular gas grill and griddle with integrated griddle and barbecue system. Food-grade stainless steel structure. Standard design with approximate dimensions: steel griddle of approximately 1/4" measuring 0.50 x 0.50 m and barbecue section of 0.50 x 0.50 m, including grill racks for roasting and for stone use in 3/8" steel. Grill and griddle with drip tray for easy removal. U-shaped burners for griddle and barbecue, individual high-resistance burners with thermal insulation, 1 1/2" steel angle and pipe. Structure with approximate dimensions of 1 x 0.65 x 0.90 m with adjustable feet. Includes warranty, system for gas and/or electricity connection.	1	1	2	2	6
4	Refrigerated Display Case	Refrigerated Display Case 1 door, 11 cubic feet, temperature range 0°C — +4°C. Gray exterior cabinet, black motor cover, and white interior. Galvanized sheet metal motor cover. Energy-saving refrigeration technology designed to remain always connected. Interior LED lighting for greater energy savings and better product display. Double glass door with Low-E technology to reduce condensation. 3 flat shelves with uprights and high-resistance plastic clips. CFC-free	1	1	1	1	4

		polyurethane insulation with cyclopentane as foaming agent. R600a refrigerant gas.					
5	Washing Machine	Washing machine with a capacity of 42 lb, glass lid with lock, Right Cleaning agitator washing system. Control panel with 3 knobs, 5 load sizes + automatic, 6 temperature levels. Wash stage selection (spin, rinse, wash, soak). 11 automatic cycles. Bleach dispenser in lid and fabric softener dispenser in agitator. Aqua Saver Green technology.	1	1	1		3
6	Refrigerator	16-cubic-foot vertical refrigerator, two doors, removable shelves with tray option, temperature range from 2 to 8°C. Forced-air cooling. LED lighting. Capacity 16.6 cubic feet, 1/6 hp power, energy consumption 32 kW/24 h. Dimensions: 0.72 x 0.20 x 1.89 m. Weight: 100.5 kg.	1	1	1	1	4
7	Water Dispenser	Dispenser with dual filter and UV sterilizer, hot and cold water function. 110–120 V electrical connection, dimensions: 102 x 30 x 34 cm, R134a refrigerant gas, power: hot 430 W / cold 120 W, tank capacity: hot 1.8 L / cold 3.7 L, light status indicators. 2-stage filter: sediment and granular activated carbon, output flow rate of 1 L/min. Includes warranty.			2	2	4

LOTE 4: LOT OF BEDROOM EQUIPMENT AND HOME TEXTILES

#	Technical Specification	Description	Complejo Educativo Cantón Los Patos	Complejo Educativo Eduardo Guirola	Instituto Nacional de Apastepeque	Instituto Nacional Suchitoto	Total general
1	Pillows	Standard pillows for a full-size bed (each pillow measures 20 x 26 inches)	2	2	2	2	8
2	Bed Set	4-piece full-size bed sheet set: 1 full-size flat sheet (108 x 102 inches), 2 full-size pillowcases (20 x 40 inches), 1 King-size fitted sheet with elastic all around (not only at the corners) and pocket-style corners measuring 78 x 80 x 15 inches. Features extra-deep pocket corners to fit mattresses up to 15 inches.	2	2	2	2	8
3	Comforter or Duvet Set	The full-size bed-in-a-bag set includes 1 comforter (82 x 86 inches), 1 flat sheet (81 x 96 inches), 1 fitted sheet (54 x 75 + 14 inches), and 4 pillowcases (20 x 30 inches).	2	2	2	2	8
4	Bedroom Wardrobe	Wardrobe with 4 small shelves and 2 large shelves for sorting and stacking a variety of clothes,	1	1	1	1	4

		scarves, long skirts, dresses, suits, pants, etc. 16.7 x 40.1 x 65.3 inches					
5	Full-Size Bed	.60 m bed, hypoallergenic knit fabric with multi-quilted stitching, high-density foam. Base with kiln-dried treated wooden frame. Corner protectors. Border with multi-quilted stitching and non-slip center. Double-sided usable mattress. Firm orthopedic type. 9 legs on base. Width: 1.60 m, mattress length: 2.00 m	1	1	1	1	4
6	Luggage Cart:	Suitcase Trolley Aluminum luggage cart. Dimensions: 10.62" length x 8.75" width x 37" height. Lightweight and durable construction made with a sturdy yet lightweight frame to carry heavy bags with ease.	2	2	2	2	8
7	Plain Tablecloth Set	Rectangular tafeta or Dublin fabric tablecloth, without pattern, for a 6-person table – 6 units of each color are required: white, blue, and green. Dimensions: 200 cm length, 0.75 m width, with a 30 cm drop.	18	18			36

LOTE 5: EQUIPMENT FOR ADMINISTRATIVE AREAS AND FURNITURE

#	Technical Specification	Descripción	Complejo Educativo Cantón Los Patos	Complejo Educativo Eduardo Guirola	Instituto Nacional de Apastepeque	Instituto Nacional Suchitoto	Total, general
1	Cleaning Cart	Cleaning cart that includes 3 storage shelves with raised edges to keep cleaning tools organized, with a platform base that provides sufficient space for storing cleaning supplies, hooks on both sides to store mops, brooms, and dustpans to save shelf space. *Equipped with a waste collection bag and a trash lid that prevents odors from escaping. *Made of durable polypropylene material and plastic-sprayed iron frame that resists cracking, peeling, and corrosion, capable of supporting up to 330 pounds. *Easy maneuverability with 2 front swivel wheels, allowing effortless movement across any surface, while the 2 larger rear wheels secure the cart against slipping. *Easy to clean and store.	2	2	2	2	8
2	Reception Counter Station	Designer reception desk, 36 inches wide: 36.4 inches high x 35.6 inches wide x 17 inches deep. The podium weighs 26 pounds. Easy to carry	1	1	1	1	4
3	Folding Table	Folding Table 182.88 cm x 75.2 cm x 74.3 cm, metal-black plastic. High-density pure polyethylene material. Steel frames with anti-corrosion coating. Folds in half for more convenient storage and transport. Recommended for domestic use. Indoor and outdoor use. Weight capacity: 507 pounds. Product dimensions: 183 x 74 cm.	4	4			8
4	Reception Waiting Chair	Reception Waiting Chair 24" depth x 24" width x 33" height. Black powder-coated tubular steel frame. Molded arm caps; waterfall seat to reduce stress on the legs, with a maximum capacity of 250 pounds.	4	4	4	4	16
5	Folding Chair White metal-plastic folding chair with dark gray structure.	Seat and Backrest High-density polyethylene seat and backrest. Powder-coated steel frame. Front leg caps specially designed to ensure safe and stable stacking. Strong and durable over time. UV protection: resists sunlight, retains color, and stays in good condition for much longer. Weight capacity: 498 pounds. Product dimensions: 47.2 cm x 53.5 cm.	24	24			48
6	Stainless Steel Table	Stainless Steel Table Stainless steel table, length: 150 cm, width: 80 cm, height: 80 cm, with lower shelf.	2	2			4

Technical Requirement – Electrical Compatibility

The household appliances offered must be compatible with the electrical supply conditions in force in the Republic of El Salvador, in accordance with the following technical specifications:

Nominal voltage: 110–120 volts (V)

Frequency: 60 Hz

Additionally, the equipment must comply with the following:

Be suitable for operation under the electrical standard used in El Salvador, equivalent to that applied in the United States of America.

Include plugs compatible with the following types of outlets:

Type A: two parallel flat prongs.

Type B: two parallel flat prongs and one round grounding pin.

In the event that the equipment operates within different voltage ranges, the bidder shall provide the necessary devices (transformers, adapters, or others) to ensure safe and proper operation under local conditions.

Compliance with this requirement shall be mandatory for the technical acceptance of the proposal.

6. DELIVERY ADDRESSES:

1. Complejo Educativo Cantón Los Patos, Distrito de Conchagua, Municipio La Unión Sur, Departamento de la Unión.
<https://maps.app.goo.gl/EhJb6fYR725x3H8v5>
2. Complejo Educativo Eduardo Guirola, Distrito de la Libertad, Municipio de la Libertad Costa, Departamento de La Libertad.
<https://maps.app.goo.gl/7kt9wFEH3gp6YwEq6>
3. Instituto Nacional de Apastepeque, Distrito de Apastepeque, Municipio San Vicente Norte, Departamento de San Vicente.
<https://maps.app.goo.gl/PLPXpmirEqSD7fjM6>
4. Instituto Nacional de Suchitoto, Municipio de Cuscatlán Norte, Departamento de Cuscatlán

<https://maps.app.goo.gl/hHgiVGEByucuuSiC9>

7. DELIVERY TIME

The expected delivery period for the goods is ninety (90) calendar days; if you are able to provide immediate delivery, please specify it in your proposal.