



## IC Lights Suspension 2

by Michael Anastassiades , 2014

Suspension lamp providing diffused light. Frame in brass, brushed and transparent varnished or chrome steel. Blown glass opal diffuser.





|                         |                                                                                                                                                                                                                              |
|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Mounting                | Pendant                                                                                                                                                                                                                      |
| Environment             | Indoor                                                                                                                                                                                                                       |
| Finish                  | Brushed brass, Chrome                                                                                                                                                                                                        |
| Weight                  | 3.9 Kg                                                                                                                                                                                                                       |
| Light sources available | 1 x LED 13W E27 1400lm 3000K [e] cod. RF25535 DIMMER<br>1 x LED 13W E27 1400lm 2700K [e] cod. RF26065 DIMMER<br>1 x LED 17W E27 1900lm 2700K [e] cod. RF26259 DIMMER<br>1 x LED 17W E27 2000lm 3000K [e] cod. RF26258 DIMMER |

|                 |          |
|-----------------|----------|
| Emergency       | Without  |
| Voltage         | 220-250V |
| Power           | MAX 205W |
| Battery         | No       |
| Supply included | No       |

|             |                           |
|-------------|---------------------------|
| Cord Length | 4000 mm                   |
| Materials   | Blown glass, Brass, Steel |

|        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Colors | <div style="display: flex; align-items: center;"> <div style="width: 15px; height: 15px; background-color: black; border-radius: 50%; margin-right: 5px;"></div> F3176030 - Black </div> <div style="display: flex; align-items: center;"> <div style="width: 15px; height: 15px; background-color: silver; border-radius: 50%; margin-right: 5px;"></div> F3176057 - Chrome </div> <div style="display: flex; align-items: center;"> <div style="width: 15px; height: 15px; background-color: gold; border-radius: 50%; margin-right: 5px;"></div> F3176059 - Brushed brass </div> |
|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|             |                                                                                                                                                                                                                                            |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Certificate | <div style="display: flex; align-items: center;"> <div style="margin-right: 10px;">CE</div> <div style="margin-right: 10px;"> </div> <div style="margin-right: 10px;"> </div> <div style="margin-right: 10px;"> </div> <div> </div> </div> |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|







## IC Lights Suspension 1

by Michael Anastassiades , 2014

Suspension lamp providing diffused light. Frame in brass, brushed and transparent varnished or chrome steel. Blown glass opal diffuser.



|                         |                                                                                                                                                                                                                        |
|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Mounting                | Pendant                                                                                                                                                                                                                |
| Environment             | Indoor                                                                                                                                                                                                                 |
| Weight                  | 2.2 Kg                                                                                                                                                                                                                 |
| Light sources available | 1 x LED 8W E14 800lm 3000K cod. RF26565 [e] DIMMER<br>1 x LED 8W E14 700lm 2700K cod. RF26767 [e] DIMMER<br>1 x LED 10W E14 800lm 2700K cod. RF26261 [e] DIMMER<br>1 x LED 10W E14 900lm 3000K [e] cod. RF26260 DIMMER |
| Emergency               | Without                                                                                                                                                                                                                |
| Voltage                 | 220-250V                                                                                                                                                                                                               |
| Power                   | MAX 60W                                                                                                                                                                                                                |
| Battery                 | No                                                                                                                                                                                                                     |
| Supply included         | No                                                                                                                                                                                                                     |
| Cord Length             | 4000 mm                                                                                                                                                                                                                |
| Materials               | Blown glass, Brass, Steel                                                                                                                                                                                              |
| Colors                  | ● F3175030 - Black<br>● F3175057 - Chrome<br>● F3175059 - Brushed brass                                                                                                                                                |
| Certificate             |                                                                                                                                                                                                                        |



DICHIARAZIONE DI CONFORMITÀ CE  
CE DECLARATION OF CONFORMITY

M05/27  
rev. 04

FLOS S.p.A. - via A. Faini, 2 - 25073 Bovezzo (BS) - Italia

Dichiara sotto la propria responsabilità che i prodotti (*States under its responsibility that the products*)

Apparecchio di illuminazione fisso (*fixed general purposes luminaire*)

Cod. F31760--

IC S2

-- colore (*colour*)

**Caratteristiche dell'apparecchio (*Technical characteristics*)**

Tensione nominale (*Rated voltage*):

220-250V

Grado protezione (*Degree of protection IP*):

IP20

Tipo di installazione (*Type of installation*):

Sospensione (*suspension*)

Classificazione del materiale del piano d'appoggio

Normalmente infiammabile

(*Classification according to material of supporting surface*):

(*Normally Flammable*)

Classe di isolamento (*Class of protection*):

I

Potenza nominale (*Rated wattage*):

1 x Max 205W E27 HSGS

al quale questa dichiarazione si riferisce, è conforme alle seguenti norme

*to which this declaration is related to, is in compliance with the following standards*

- EN 60598-1 2015
- EN 60598-2-1 1989
- EN 61000-3-2 2015
- EN 61000-3-3 2013
- EN 62493 2015
- EN 55015 2014
- EN 61547 2010
- EN 50581 2012

e quindi rispondente ai requisiti essenziali delle direttive

*And therefore it satisfies the directives' essential requirements*

- 2014/35/UE
- 2014/30/UE
- 2011/65/CE
- 2009/125/CE

14

(ultime due cifre dell'anno di apposizione della marcatura)  
(last two digit number of year of marking)

FLOS S.p.A. - Fabrizio Tironi  
Quality Manager

CE Declaration of conformity - Rev.06 / Updating date April 3<sup>rd</sup> 2018

This document supersedes the preceding declaration