greenly


2026-03-16

Work With Island

Life Cycle Assessment

ACV Island Quattro Pack visio


Summary



01 | Methodology



02 | Results



03 | Next Steps



01

Methodology

Environmental Impact Assessment

Functional unit	The functional unit is a quantified performance of a product system for use as a reference unit. One of the primary purposes of a functional unit is to provide a reference to which the input and output data are normalized (in a mathematical sense). Therefore, the functional unit shall be clearly defined and measurable. The functional unit of this analysis is “Mettre à disposition une cabine insonorisée pendant un an.”
Impact Indicator	The impact is measured through the "EF v3.1" method
Electricity impact calculation method	Following guidelines from the GHG Protocol, the impact of electricity is calculated using the location-based approach. This means that the emission factors used represent the average annual carbon intensity of the power grid in the country the processes take place in.
Hypothesis	Matières premières : Densité du bois aggloméré : 650 kg par m3 Densité du bois : 800 kg par m3 -- Transport et distribution : distances. IDF : 50 km, France : 500 km, Belgique : 310 km, Chypre : 3950 km, Allemagne : 600 km, Italie : 920 km, Luxembourg : 360 km, Pays-Bas : 490 km, Pologne : 1550 km, Portugal : 1700 km, Espagne : 1250 km, Suisse : 550 km, Royaume-Uni : 460 km. Moyenne : 700 km (pondération de toutes les livraisons depuis la France sur 2025) Moyenne France : km (pondération de toutes les livraisons France-France sur 2025) -- Utilisation : Durée d'utilisation de tous les appareils, hors détecteur de présence : 336h par an.

Environmental Impact Assessment

System Boundaries	Cette étude concerne uniquement les cabines assemblées en / expédiées depuis la France.
Exclusions	Matières premières : Les procédés de sérigraphie sur verre sont exclus du périmètre de l'étude (impact peu significatif). -- Fin de vie: - Exclusions de l'impact du démantèlement. - Exclusion de l'acheminent des déchets (uniquement les déchets verre, bois, textile) vers le centre de tri en fin de vie.

Emission Factor Inventory

Num	Emission Factor	Source	Value	Unit
1	Section bar extrusion, aluminium | Market for section bar extrusion, aluminium | Market activity	ECOINVENT 3.12	0.86	kg
2	Cleft timber, green, measured as dry mass | Hardwood forestry, beech, sustainable forest management | Ordinary transforming activity	ECOINVENT 3.12	0.04	kg
3	Steel, low-alloyed | Market for steel, low-alloyed | Market activity	ECOINVENT 3.12	2.03	kg
4	Polyethylene, high density, granulate | Market for polyethylene, high density, granulate | Market activity	ECOINVENT 3.12	3.18	kg
5	Adhesive, for metal | Market for adhesive, for metal | Market activity	ECOINVENT 3.12	4.31	kg
6	Cable, connector for computer, without plugs | Market for cable, connector for computer, without plugs | Market activity	ECOINVENT 3.12	0.53	m
7	Medium density fibreboard | Market for medium density fibreboard | Market activity	ECOINVENT 3.12	598.20	m3
8	Steel, unalloyed | Market for steel, unalloyed | Market activity	ECOINVENT 3.12	1.85	kg
9	Textile, nonwoven polypropylene | Market for textile, nonwoven polypropylene | Market activity	ECOINVENT 3.12	4.30	kg
10	Wood chips, dry, measured as dry mass | Market for wood chips, dry, measured as dry mass | Market activity	ECOINVENT 3.12	0.06	kg
11	Plug, inlet and outlet, for computer cable | Market for plug, inlet and outlet, for computer cable | Market activity	ECOINVENT 3.12	0.40	UNIT
12	Waste wood, untreated | Market for waste wood, untreated | Market activity	ECOINVENT 3.12	0.05	kg
13	Polyurethane, flexible foam | Market for polyurethane, flexible foam | Market activity	ECOINVENT 3.12	4.69	kg
14	Heavy fuel oil | Market for heavy fuel oil | Market activity	ECOINVENT 3.12	0.72	kg
15	Plywood | Market for plywood | Market activity	ECOINVENT 3.12	411.16	m3
16	Corrugated board box | Market for corrugated board box | Market activity	ECOINVENT 3.12	1.30	kg

Emission Factor Inventory

Num	Emission Factor	Source	Value	Unit
17	Finishing, textile, woven cotton | Finishing, textile, woven cotton | Ordinary transforming activity	ECOINVENT 3.12	0.64	kg
18	Kraft paper | Market for kraft paper | Market activity	ECOINVENT 3.12	0.56	kg
19	Urea formaldehyde resin | Market for urea formaldehyde resin | Market activity	ECOINVENT 3.12	1.46	kg
20	Aluminium, primary, ingot | Aluminium production, primary, ingot | Ordinary transforming activity	ECOINVENT 3.12	20.66	kg
21	Fan, for power supply unit, desktop computer | Market for fan, for power supply unit, desktop computer | Market activity	ECOINVENT 3.12	14.98	kg
22	Electricity	OTHER 1.0	0.06	kWh
23	Production of recycled cotton yarn | treatment of post-industrial waste	BASE EMPREINTE ADEME 3.0	1.40	kg
24	Sheet rolling, steel | Sheet rolling, steel | Ordinary transforming activity	ECOINVENT 3.12	0.39	kg
25	Presence detectors | 360 ° detector motion | Production	INIES 2022	4.07	UNIT
26	Waste wood, untreated | Market for waste wood, untreated | Market activity	ECOINVENT 3.12	0.08	kg
27	Polypropylene, granulate | Market for polypropylene, granulate | Market activity	ECOINVENT 3.12	2.34	kg
28	Synthetic rubber | Market for synthetic rubber | Market activity	ECOINVENT 3.12	3.18	kg
29	Energy (upstream emissions excluded)	OTHER 1.0	1.00	KGCO2E
30	Lubricating oil | Market for lubricating oil | Market activity	ECOINVENT 3.12	1.72	kg
31	Fibre, polyester | Market for fibre, polyester | Market activity	ECOINVENT 3.12	4.92	kg
32	Screen - Dell - P2422HE Monitor	GREENLY IT 1.0	130.26	UNIT

Emission Factor Inventory


Num	Emission Factor	Source	Value	Unit
33	Webcam	GREENLY IT 1.0	24.40	UNIT
34	Light emitting diode | Market for light emitting diode | Market activity	ECOINVENT 3.12	250.58	kg
35	Medium density fibreboard | Market for medium density fibreboard | Market activity	ECOINVENT 3.12	598.20	m3
36	Polyurethane, flexible foam | Market for polyurethane, flexible foam | Market activity	ECOINVENT 3.12	6.14	kg
37	Permanent magnet, for electric motor | Market for permanent magnet, for electric motor | Market activity	ECOINVENT 3.12	31.57	kg
38	Tempering, flat glass | Market for tempering, flat glass | Market activity	ECOINVENT 3.12	0.18	kg
39	Power supply unit, for desktop computer | Market for power supply unit, for desktop computer | Market activity	ECOINVENT 3.12	34.87	UNIT
40	Printed paper | Market for printed paper | Market activity	ECOINVENT 3.12	2.54	kg
41	Rigide | 20 to 26 tonnes | Diesel Road | Incorporation 7 % of biodiesel	BASE EMPREINTE ADEME 23.9	0.14	TON_KM
42	Waste textile, soiled | Treatment of waste textile, soiled, municipal incineration FAE | Ordinary transforming activity	ECOINVENT 3.12	0.72	kg
43	Waste glass sheet | Treatment of waste glass sheet, sorting plant | Ordinary transforming activity	ECOINVENT 3.12	0.01	kg
44	Waste electric and electronic equipment | Market for waste electric and electronic equipment | Market activity	ECOINVENT 3.12	0.05	kg
45	Municipal solid waste | Market for municipal solid waste | Market activity	ECOINVENT 3.12	0.51	kg
46	Waste steel | Market for waste steel | Market activity	ECOINVENT 3.12	0.02	kg
47	Wood chips, from post-consumer wood, dry, measured as dry mass | Market for wood chips, from post-consumer wood, dry, measured as dry mass | Market activity	ECOINVENT 3.12	0.03	kg

02

Results

ACV Island Quattro Pack visio


Climate Change



Step	Impact (kg CO_2 eq)	Percentage (%)
Raw Material Extraction and Processing	479.12	81.04 %
End-of-Life Treatment	59.18	10.01 %
Transport : Client's shipping	34.65	5.86 %
Manufacturing	11.43	1.93 %
Use Phase	6.86	1.16 %
TOTAL	**591.24**	**100.00 %**

ACV Island Quattro Pack visio


Climate Change - Raw Material Extraction and Processing



Activity	Emission Factor Num	Quantity	Unit	Impact (kg CO_2 eq)	Percentage (%)
Ecran	32	1	UNIT	130.26	27.19 %
Option Caméra - Caméra	33	1	UNIT	24.4	5.09 %
Ventilateur	21	1.12	kg	16.78	3.50 %
Porte - Verre	38	84.83	kg	15.11	3.15 %
Cadre - Aimant	37	0.42	kg	13.26	2.77 %
Structure métallique sol - Acier	8	6	kg	11.12	2.32 %
Others				268.2	55.98 %
TOTAL				479.12	100.00 %

ACV Island Quattro Pack visio


Climate Change - Manufacturing



Activity	Emission Factor Num	Quantity	Unit	Impact (kg CO_2 eq)	Percentage (%)
Production Cabine Quattro France	22	130.8	kWh	7.83	68.55 %
Production banquette 1P	22	60	kWh	3.59	31.45 %
TOTAL				11.43	100.00 %

ACV Island Quattro Pack visio


Climate Change - Transport : Client's shipping



Activity	Emission Factor Num	Quantity	Unit	Impact (kg CO_2 eq)	Percentage (%)
Livraison moyenne France	41	242.31	TON_KM	34.65	100.00 %
TOTAL				34.65	100.00 %

ACV Island Quattro Pack visio


Climate Change - Use Phase



Activity	Emission Factor Num	Quantity	Unit	Impact (kg CO_2 eq)	Percentage (%)
Utilisation Ecran	22	47.04	kWh	2.82	41.08 %
Utilisation LED	22	32.26	kWh	1.93	28.17 %
Utilisation Camera	22	15.12	kWh	0.91	13.20 %
Utilisation Ventillateur	22	10.89	kWh	0.65	9.51 %
Utilisation Driver	22	4.84	kWh	0.29	4.22 %
Utilisation détecteur de présence	22	4.38	kWh	0.26	3.82 %
TOTAL				6.86	100.00 %

ACV Island Quattro Pack visio

Climate Change - End-of-Life Treatment



Activity	Emission Factor Num	Quantity	Unit	Impact (kg CO_2 eq)	Percentage (%)
Fin de vie autres	45	69.78	kg	35.72	60.36 %
Fin de vie textile	42	15.9	kg	11.52	19.46 %
Fin de vie bois	47	368.22	kg	10.37	17.52 %
Fin de vie verre	43	84.83	kg	0.86	1.45 %
Fin de vie acier	46	20.74	kg	0.37	0.63 %
Fin de vie DEE	44	6.53	kg	0.34	0.58 %
TOTAL				59.18	100.00 %

03

Next steps


Net Zero Strategy

greenly

Climate strategy pillars

In 2015, 193 countries committed to limiting global warming to 1.5°C.
To achieve this, companies should follow these **5 pillars** of the Net Zero Initiative:

1 MEASURE	2 REDUCE	3 EDUCATE	4 COMMIT	5 CONTRIBUTE
Track emissions annually	Choose an action plan in line with the Paris Agreement	Engage suppliers in the strategy	Commit to an objective	Contribute in carbon sequestration & avoidance projects to cover non compressive emissions
Go deeper in the analysis of the main emission sources	Quantify the action plan to build a carbon trajectory	Train all employees	Communicate transparently	



Evaluate the climate engagement of suppliers

SPECIFIC QUESTIONNAIRES PER ACTIVITY SECTOR


For industry, services, good, tech...

PROOF OF A CLIMATE COMMITMENT

Commitment to carry out an assessment within the year to SBTi reduction targets.

CARBON ACCOUNTING SOLUTION FOR SMBS

Our full service available at a price range of 950 - 5000 EUR.



Contact us

Alexis Normand CEO
www.greenly.earth

greenly